

Propshafts, Universal Joints and Centre Bearings



2020 Product Catalogue



Distribution



Manufacture



Repair

propshafts@firowpropshafts.co.uk
+44 (0)1477 535 960



2020 Product Catalogue

Section Index

#	Section Name	Pages
1	Universal Joints by Type and Size	3
2	Centre Support Bearings by Size	33
3	Compact Style Series 2015-2065 (687.15-687.65)	45
4	Klein Style Series 196-700	77
5	Scania Style Series P300-P600	85
6	Mercedes Style Series 286.33-802.79 (Including Vito, Sprinter and ML)	93
7	Volvo Style Series NK300-NK600 (Including Compact Style Options)	115
8	SAE Style Series 1140-1880	125
9	Mechanics Style Series 2C-20C	171
10	SPL Style Series SPL41-SPL250	185
11	DIN Style Series Including 473. 287. and 587.	193
12	Elbe Style Series 0.105-0.120	215
13	Propshaft Tubing	231
14	Car, 4x4, LCV and SUV Propshafts and Components	235
15	Ford Transit Style Propshafts and Components	267
16	Industrial Shaft Components	275
17	CV Joint Assemblies and Components	279

Brand names, original part numbers, names and descriptions are used for reference purposes only and do not necessarily imply that the goods are of original equipment specification. E. & O. E.

Universal Joints by Type and Size

(0) SFL

(1) Side Lube

(2) End Lube

(3) Centre Lube

(4) 4x End Lube

External Circlip Universal Joints

Part #	Cap (mm)	Span (mm)	Lube	Comments
FIR287	14	36	3	204.010
FIR446	14	36	2	END LUBE
FIR01	15	40.1	2	473.10 END LUBE
FIR827	15	46	0	(SFL)
FIR03	17	41	2	ELBE 0.105 END LUBE
FIR346	17	41	3	ELBE 0.105 CENTRE LUBE
FIR04	18	47	3	CENTRE LUBE
FIR09	19	44	0	STEERING JOINT (SFL)
FIR10	19	48	3	ELBE 0.106 CENTRE LUBE
FIR10/1	19	48	3	ELBE STYLE 0.106 CENTRE LUBE INA
FIR460	19	48	2	ELBE 0.106 2 X END LUBE
FIR120	19	52	3	0500 / CENTRE LUBE GU350
FIR120A	19	52	3	0500 / CENTRE LUBE ALTERNATIVE
FIR366	20	44	0	MOTO GUZZI (SFL)
FIR652	20	50	3	
FIR14	20	57	2	TOYOTA GUT11
FIR689	20	57.5	3	JAPANESE
FIR11	20.02	54.8	2	DAIHATSU GUD81 END LUBE
FIR425	20.5	56.6	3	ISUZU KUBOTA NISSAN GUN44 GUI559
FIR22	22	50.2	3	SCANIA STEERING JOINT
FIR24	22	54.8	3	AGRICULTURAL - GUA4
FIR416	22	55.6	3	ZF STEERING - GU1700
FIR28	22	58	3	ELBE 0.107 CENTRE LUBE
FIR25	22	58	2	ELBE 0.107 END LUBE

Part #	Cap (mm)	Span (mm)	Lube	Comments
FIR23	22	58.8	3	473.20 SRS
FIR493	22	59	2	WET 13 075 002 - LUBE IN 1 X BRG CAP
FIR453	22	65	0	HONDA (SFL) GUH03
FIR20	22.02	54.15	3	AGRICULTURAL
FIR27	22.5	35.2	2	DAIHATSU, MAZDA GUMZ10
FIR799	22	48	3	VARIOUS
FIR194	23.8	61.3	1	1140 STANDARD / SIDE LUBE (EXTENDED NIPPLE)
FIR31	23.8	61.3	3	1140 STANDARD / CENTRE LUBE
FIR621	23.8	61.3	1	1140 (MATSUBA / UJ-023) SIDE LUBE
FIR161/1	23.8	61.3	0	1140 STANDARD / (SFL)
FIR414	23.8	61.3	2	1140 STANDARD / END LUBE IN CAP
FIR29	23.8	61.3	1	1140 PREMIUM DUTY / LUBE
FIR29/1	23.8	61.3	1	1140 PREMIUM DUTY / LUBE - HS152 C/W THRUST WASHERS
FIR230	23.8	61.3	0	1140 HEAVY DUTY / SFL (FREELANDER) GKN
FIR621/1	23.8	61.3	1	1140 (GMB) SIDE LUBE
FIR483	23.8	86	3	BYPPY 412040012 OFFSET
FIR34	24	63.4	0	ALFA ROMEO (SFL) GU200L
FIR713	27 24	74.6 91	1	COMBINATION 27X74.6MM / 24X91MM ON OPPOSITE SPAN
FIR645	25	60.3	0	NSU (SFL)
FIR305	25	64	0	SUZUKI GUH-02 (SFL)
FIR39	25	76.5	0	MITSUBISHI GUM88 / GUM91 (SFL)
FIR511	25.01	77.8	3	MITSUBISHI GUM76 SIDE LUBE)
FIR40	25.02	63.8	2	MITSUBISHI
FIR512	26	68	3	MITSUBISHI GUM84
FIR46	26	69.8	0	287.00 (SFL)
FIR221	26	69.8	2	287.00 END LUBE
FIR193	26	69.8	3	287.00 CENTRE LUBE
FIR697	26	69.8	3	287.00 CENTRE LUBE - METAL SEALS
FIR367	26	72.1	3	GEWES 30 SRS
FIR49	27	61.9	2	HYUNDAI 1210 GU800
FIR49/1	27	61.9	2	HYUNDAI 1210 SPICER ORIGINAL 5-443X
FIR492/1	27	61.9	0	SANDERSON 1210 SPICER (SFL)
FIR828	27 25.4	61.9 38.63		27X61.9MM & 25.4X38.63 I/C ON OPPOSITE SPAN

Part #	Cap (mm)	Span (mm)	Lube	Comments
FIR56	27	65.3	2	mitsubishi gum77
FIR209	27	66.3	3	KLEIN 080 GENUINE / KRAMER
FIR58	27	70	3	AGRICULTURAL
FIR475	27	70	6	LUBE HOLE THROUGH SIDE OF BRG CAP
FIR254	27	71	3	CENTRE LUBE- C/w 1.3MM CIRCLIPS
FIR255	27	71	0	C/w 1.3MM CIRCLIPS (SFL)
FIR255A	27	71	0	C/w 1.3MM CIRCLIPS (SFL)
FIR195	27	74.6	1	1300 STANDARD / SIDE LUBE
FIR195A	27	74.6	1	1300 (MATSUBA / UJ-055) SIDE LUBE
FIR195B	27	74.6	1	1300 (GMB GU-1100) SIDE LUBE
FIR52	27	74.6	1	1300 INTERMEDIATE SHROUDED SEALS & THRUST WASHERS
FIR52/2	27	74.6	1	1300 SPICER ITALCARDANO - SIDE LUBE
FIR52/3	27	74.6	1	1300 PREMIUM DUTY (METAL SEALS & THRUST WASHERS)
FIR332	27	74.6	3	1300 STANDARD / CENTRE LUBE
FIR54	27	74.6	0	1300 C/w STEEL SEAL RETAINERS & THRUST WASHERS (SFL)
FIR297	27	74.6	0	1300 PREMIUM DUTY (SFL)
FIR236	27	74.6	3	SPICER GENUINE 2015 / 687.15 CENTRE LUBE
FIR236A	27	74.6	3	2015 / 687.15 CENTRE LUBE ECONOMY
FIR236/1	27	74.6	3	2015 / 687.15 CENTRE LUBE INA
FIR352	27	74.6	2	2015 / 687.15 GENUINE 2 X END LUBE
FIR450	27	74.6	0	2015 / 687.15 (SFL) INA BRGS
FIR620	27	74.6	4	2015 / 687.15 GENUINE 4 X LUBE IN END OF CAP
FIR766	27 27	74.6 81.8	1	1300 / 1310 SRS COMBINATION JOINT C/w THRUST WASHERS
FIR713	27 24	74.6 91	1	COMBINATION 27X74.6MM / 24X91MM ON OPPOSITE SPAN
FIR422	27	80	1	HYUNDAI "INA" BRG CAPS GUK17
FIR300	27	81.8	0	1310 STANDARD (SFL)
FIR781	27	81.8	0	1310 (SFL) GMB TYPE GU1310SP
FIR592	27	81.8	0	1310 HEAVY DUTY (SFL)
FIR247	27	81.8	0	1310 ORIGINAL SPICER 5-625X (SFL)
FIR55	27	81.8	1	1310 STANDARD / SIDE LUBE
FIR728	27	81.8	1	1310 (MATSUBA UJ-016) SIDE LUBE
FIR55/1	27	81.8	1	1310 C/w LARGER CROSS JOURNAL (PIN Ø 18.2M)

Part #	Cap (mm)	Span (mm)	Lube	Comments
FIR55/2	27	81.8	1	1310 (GMB GU-1000) SIDE LUBE
FIR50	27	81.8	1	1310 H.D. METAL SEAL & THRUST WASHER
FIR50/1	27	81.8	1	1310 SPICER ITALCARDANO SIDE LUBE
FIR50/2	27	81.8	1	1310 H.D. METAL & RUBBER SEAL & THRUST WASHER
FIR50/3	27	81.8	1	1310 H.D. AYRA SPICER TYPE - IVECO
FIR50/4	27	81.8	1	1310 H.D. PLASTIC SEALS & THRUST WASHER
FIR50/5	27	81.8	1	1310 H.D. STEEL SHROUD & THRUST WASHERS HS163
FIR605	27	81.8	1	1310 ORIGINAL SPICER 5-153X
FIR570	27	81.8	2	1310 END LUBE VERSION 5-810X ALTERNATIVE
FIR733	27	81.8	2	1310 ORIGINAL SPICER 5-1310-1X (5-810X) LUBE IN CAP - RANGER
FIR509	27	81.8	1	2C / 1310 C=27MM L=81.8MM EXTERNAL CIRCLIP
FIR766	27	74.6 81.8	1	1300 / 1310 SRS COMB JOINT C/w THRUST WASHERS
FIR555	27 27.4	81.8 54	1	1310 / 7260 COMB 27X81.8MM / 27.4X54MM I/C OPP SPAN
FIR815	27 27.4	81.8 54	0	1310 / 7260 COMB 27X81.8MM / 27.4X54MM I/C OPP SPAN (SFL) SPICER
FIR694	27 25.4	81.8 59.4	1	1310 / 2R COMB 27X81.8MM / 25.4X59.4MM I/C ON OPPOSITE SPAN 2060W
FIR656	27 28	28 80	1	1310 COMB 28X80MM ON OPPOSITE SPAN DAIHATSU
FIR345	27 27	81.8 92	1	1310 / 1330 COMB 27X92MM ON OPPOSITE SPAN
FIR345/1	27 27	81.8 92	1	1310 / 1330 COMB 27X92MM ON OPP SPAN SPICER ORIGINAL 5.134X
FIR432	27 28	81.7 56	1	1310 / 28X56MM INTERNAL CIRCLIP COMBINATION
FIR131	27 30.2	81.8 92.1	1	1310 / 1350 COMBINATION 30.2X92.1MM ON OPPOSITE SPAN
FIR438	27 28.6	81.8 92.1 / 65	1	1310 SRS TO 3RL COMBINATION / 27X81.8MM / 28.6X65MM I/C
FIR617	27	84.4	1	1310 SRS C/w HOLE IN BODY TO SUIT 1310SRS DOUBLE JOINT
FIR748	27	84.4	1	1310 SRS W/o HOLE IN BODY TO SUIT 1310SRS DOUBLE JOINT
FIR57	27	85	1	AGRICULTURAL
FIR59	27	92.1	1	1330 STANDARD
FIR782	27	92.1	1	1330 GMB G5-213X
FIR800	27	92.1	0	1330 **NEAPCO GOLD LINE** (SFL)

Part #	Cap (mm)	Span (mm)	Lube	Comments
FIR669	27	92.1	1	1330 SPICER ORIGINAL
FIR452	27	92.1	1	1330 LANDROVER DISCOVERY GKN
FIR681	27	92.1	2	1330 SRS END LUBE FORD RANGER / HILUX - SPICER 5-812X
FIR578	27 30.2	92.1	1	27X92.1MM 1330SRS / 30.2X92.1 1350 SRS ON OPP SPAN 5-648X
FIR684	27	92.1	0	UNIVERSAL JOINT 27X92.1MM 1330 DANA SPL25 (SFL)
FIR437	27 28.6	92.1 60	1	CLEVELAND S55-55-675 28.58X81.8MM / 27X60.45MM I/C & 81.8MM EXT CIRCLIP
FIR712	27 28.6	92.1 66.6	1	1330 SRS TO 7290 SRS COMBINATION 27X92.1MM / 28.6X66.6MM INTERNAL CIRCLIP ON OPPOSITE SPAN
FIR633	27 32	94 76	3	AGRICULTURAL 27X94 / 32X76MM COMBINATION
FIR661	27	100	1	AGRICULTURAL
FIR65	28	71.5	3	ELBE 0.109 CENTRE LUBE
FIR62	28	71.5	3	ELBE 0.109 2 X END LUBE
FIR285	28	76.5	3	KLEIN ORIGINAL
FIR63	28.01	80	3	DAIHATSU PREMIUM GUD84
FIR726	28.5	70		ELBE 408 SRS STEER AXLE LUBE IN SIDE OF BRG CAP
FIR64	28.5	70.9	3	ELBE 0.109 (NEW) REPLACES 28X71.5
FIR770	28.5	70.9	2	ELBE 0.109 (NEW) LUBE IN SIDE OF BRG CAP - FOR DOUBLE JOINT
FIR798	28.5	70.9	4	ELBE 0.109 (NEW) 2 X END LUBE
FIR763	28.5	70.9	0	ELBE 0.109 MAINTENANCE FREE (SFL)
FIR66	28.5	77.9	1	TOYOTA & MITSUBISHI GUM86
FIR418	28.57	75	0	FORD ZEPHYR / ZODIAC (SFL) GU290
FIR07	28.58	66.68	3	L14N ROCKWELL
FIR577	28.6 30.2	64.9 92.1	1	1350SRS / 3R COMBINATION 30.2X92.1MM & 28.6X64.9MM INTERNAL CIRCLIP ON OPPOSITE SPAN
FIR603	28.58 27	81.8 60.45 / 81.8	1	CLEVELAND S55-55-675 28.58X81.8MM / 27X60.45MM I/C & 81.8MM EXT CIRCLIP
FIR624	29	76	0	VAUXHALL U705 (SFL)
FIR71	30	81.8	3	287.10 CENTRE LUBE U742 / GUA-10
FIR71A	30	81.8	3	287.10 CENTRE LUBE ALTERNATIVE
FIR71/1	30	81.8	3	287.10 CENTRE LUBE INA BRG CAPS
FIR491	30	81.8	0	287.10 (SFL)
FIR553	30	81.8	2	287.10 4 X END LUBE

Part #	Cap (mm)	Span (mm)	Lube	Comments
FIR288	30.2	82	3	GEWES STYLE CENTRE LUBE
FIR362	30	82.4	0	C/w INA BRG CAPS (SFL)
FIR72	30	83	3	ELBE 0.110 CENTRE LUBE
FIR212	30	83	2	ELBE 0.110 END LUBE IN 2 X BRG CAPS
FIR701	30	83	4	ELBE 0.110 4X END LUBE
FIR364	30	83	0	ELBE 0.110 LUBE IN CIRCUMFERENCE OF CAP (SFL)
FIR662	30	83	0	ELBE 0.110 MAINTENANCE FREE (SFL)
FIR632	30	88	3	BUGATTI
FIR389	30.17	92	2	ELBE TO SUIT DEUTZ TRACTOR
FIR76	30.2	80	3	AGRICULTURAL CENTRE LUBE
FIR232	30.2	81.8	3	687.20 C/w WITH LUBE & 1.5MM CIRCLIPS
FIR232A	30.2	81.8	3	687.20 C/w WITH LUBE & 1.5MM CIRCLIPS HEAVY DUTY
FIR232/1	30.2	81.8	3	687.20 C/w WITH LUBE PREMIUM
FIR77	30.2	81.8	3	SPICER ORIGINAL 687.20 / 2020
FIR394	30.2	81.8	3	687.20 C/w WITH LUBE
FIR355	30.2	81.8	2	2020 / 687.20 LUBE IN CAP
FIR412	30.2	81.8	0	2020 / 687.20 (SFL) SPICER
FIR412A	30.2	81.8	0	2020 / 687.20 (SFL) INA BRG CAPS
FIR256	30.2	82	0	BTB TYPE 1.2MM CIRCLIPS - STEER AXLE (SFL)
FIR256A	30.2	82	0	JCB TYPE 1.2MM CIRCLIPS - STEER AXLE (SFL)
FIR289	30.2	82.4	2	GEWES END LUBE
FIR376	30.2	86.7	3	BONDIOLI
FIR73	30.2	92.1	1	1350 STANDARD
FIR623	30.2	92.1	1	1350 SRS 5-178X SPICER ORIGINAL WITH LUBE
FIR801	30.2	92.1	0	1350 SRS **NEAPCO GOLD LINE** (SFL)
FIR572	30.2	92.1	0	1350 SERIES / ALLOY BRG CAPS (SFL) BRUTE FORCE
FIR665	30.2	92.1	0	1350 DANA SPL30 (SFL) 5-799X
FIR665A	30.2	92.1	0	1350 MATSUBA SPL30 (SFL) 5-799X
FIR643	30.2	92.1	1	1350 (MATSUBA UJ-037)
FIR643/1	30.2	92.1	2	1350 SERIES / END LUBE IN CAP
FIR404	30.2	92.1	3	NEW GENERATION FORD TRANSIT CENTRE LUBE
FIR750	30.2	92.1	3	GKN TYPE - LANDROVER
FIR664	30.2 30.2	92.1 106.3	1	1350 / 1410 COMBINATION JOINT

Part #	Cap (mm)	Span (mm)	Lube	Comments
FIR179	30.2	106.3	1	1410 STANDARD / SIDE LUBE
FIR179A	30.2	106.3	1	1410 STANDARD/ ORIGINAL SPICER 5-153X
FIR802	30.2	106.3	0	1410 **NEAPCO GOLD LINE** (SFL)
FIR806	30.2	106.3	1	1410 SPICER ORIGINAL - 5-462X WITH STEEL SHROUDS
FIR211	30.2	106.3	0	SPL41 (SFL) TRIPLE LIP SEAL 5-641X SPICER ORIGINAL
FIR663	30.2	106.3	0	1410 SERIES "BRUTE FORCE" HIGH SPEC (SFL)
FIR499	30.2	106.3	1	1410 SERIES MITSUBISHI O.E WITH LUBE
FIR729	30.2	106.3	1	1410 SERIES MATSUBA UJ-042 WITH LUBE
FIR561	30.2	106.3	1	1410 SERIES HEAVY DUTY WITH SIDE LUBE
FIR825	30.2	106.3	2	1410 SERIES SPICER END LUBE IN BRG CAP
FIR829	30.2 34.9	106.3 106.3	0	1410 / 1480 COMBINATION JOINT
FIR591	30.2 31.3	106.2 76.1	1	1410 SERIES / DETROIT 5380 31.3X76.1MM ON OPPOSITE SPAN 4300A
FIR167	30.2	106.3	1	1410 SERIES / 4C MECHANICS HIGH WING DRILLED COMBINATION
FIR762	30.2 42.9	106.3 88.9	1	1410 SERIES / 5C 42.9X88.9MM SIDE LUBE 5-12913X
FIR340	31	110	3	MERCEDES ATEGO C/w INA BEARINGS & LUBE
FIR340A	31	110	3	MERCEDES ATEGO WITH LUBE (ALTERNATIVE)
FIR616	31.8 28.6	81.3 108	1	WEASLER 31.8X81.3MM / 28.6X108MM ON OPPOSITE SPAN
FIR322	31.8	81.4	5	SPICER 1340 SRS 2593A CTR LUBE & 2 X END LUBE
FIR518	32	57	1	MAZDA GUMZ3
FIR82	32	76	3	AGRICULTURAL GUA14
FIR633	27 32	94 76	3	AGRICULTURAL 27X94 / 32X76MM COMBINATION
FIR459	32	83.9	1	5C MECHANICS ON OPPOSITE SPAN GUKO-30
FIR112	32	86	0	JOHN DEERE TRACTOR
FIR217A	32	95.6	3	JCB STEER AXLE - ALTERNATIVE
FIR810	32 36	106 89	3	WALTERSCHEID 36.06.00 W2580 SRS 36X89MM ON OPP SPAN
FIR81	32	106.3	3	FIAT
FIR514	32	107	3	NISSAN GUN31 c/w PLATES & BOLTS
FIR670	33	93	3	ISUZU GUI566
FIR696	33	104	3	ISUZU

Part #	Cap (mm)	Span (mm)	Lube	Comments
FIR205	34	89	3	KLEIN 125 GENUINE / UNIMOG & KRAMER
FIR83	34	97	3	ELBE 0.112 CENTRE LUBE
FIR85	34	97	2	ELBE 0.112 END LUBE
FIR736	34 35	97	3	ELBE 0.112 COMBINATION 34X97MM / 35X97MM
FIR752	34	104.6 / 109.4	3	6C MECHANICS ON OPPOSITE SPAN
FIR84	34	107	1	EXTERNAL CIRCLIP GUT-15
FIR479	34.9	92	3	687.25 C/W INA BRGS
FIR89	34.9	92	3	687.25 GENUINE
FIR583	34.9	92	0	687.25 GENUINE NON LUBE (SFL)
FIR704	34.9	92	3	HIGH TEMPERATURE - CENTRE LUBE
FIR263	34.9	106.4	1	1480 STANDARD
FIR829	30.2 34.9	106.3 106.3	??	1410 / 1480 COMBINATION JOINT
FIR272	34.9	106.4	1	1480 SRS ORIGINAL SPICER 5-263X
FIR361	34.9	106.4	2	1480 SRS END LUBE IN 1 X BRG CAP
FIR440	34.9	106.4	1	SPL55 SPICER ORIGINAL LUBE
FIR441	34.9	106.4	0	SPL55 SPICER ORIGINAL (SFL)
FIR170	34.9	106.4	1	1480 / 5C COMBINATION 34.9X106.4MM / 42.9X88.9MM 5-347
FIR761	34.9	106.4	1	1480 / 5C HWT COMBINATION 34.9X106.4MM / 42.9X88.9MM 5-348
FIR88	34.9	106.4	3	687.30 SRS C/W INA BRG CAPS
FIR87	34.9	106.4	3	687.30 SRS SPICER ORIGINAL
FIR87A	34.9	106.4	3	687.30 SRS ALTERNATIVE
FIR423	34.9	106.4	0	687.30 SRS (SFL) SPL55
FIR508	34.9	106.4	1	687.30 SRS LATERAL (SIDE) LUBE
FIR835	34.9	106.6	0	687.30 SRS (SFL)
FIR275	34.9	126.2	1	1550 STANDARD
FIR161	34.9	126.2	1	1550 SPICER ORIGINAL
FIR173	34.9	126.2	1	1550 / 6C COMBINATION 42.9X114.3MM 5-303X
FIR554	34.9	126.2	1	SPL70-1X WITH LUBE
FIR354	34.9 42.9	126.2 114.3	1	6C/SPL70 2 X HIGH WING DRILLED 34.9X126.2 / 42.9X114.3MM SPICER
FIR250	34.9	126.2	0	SPL70 SPICER ORIGINAL (SFL)

Part #	Cap (mm)	Span (mm)	Lube	Comments
FIR692A	35	93	3	JCB STEER AXLE
FIR225	35	93	0	SPICER ORIGINAL 1.5MM CIRCLIPS JCB O.E. (SFL)
FIR257	35	93	2	BTB01788 NON LUBE 1.5MM CIRCLIPS
FIR90	35	96.8	3	287.20 / 587.10
FIR207	35	96.8	2	287.20 END LUBE
FIR716	35	96.8	0	287.20 SFL INA BRG CAPS
FIR198	35	97	3	ELBE 112.201 CENTRE LUBE (REPLACES 34X97MM)
FIR199	35	97	2	ELBE 112.012 END LUBE (REPLACES 34X97MM)
FIR788	35	97	2	ELBE 112.
FIR832	35	97	0	ELBE 0.112 MAINTENANCE FREE (SFL)
FIR342	35	103.92	3	MTSUBISHI CANTOR GUI562
FIR249	35	106.4	1	SIDE LUBE
FIR515	35.5	119.2	3	NISSAN GUN32
FIR93	36	89	3	AGRICULTURAL GUA20
FIR810	36 32	89 106	3	WALTERSCHEID 36.06.00 W2580 SRS 32X106MM ON OPP SPAN
FIR92	36	115.6	1	HINO GUH74
FIR192	38	89.2	0	KLEIN 200 GENUINE / (SFL)
FIR811	38	104	3	MTSUBISHI GUM82
FIR773	38	104.5		GWB 587.12 MERCEDES UNIMOG
FIR96	38	105.8	3	387.20 CENTRE LUBE U744
FIR218	38	106	3	0.113.010.0001 ELBE SERIES CENTRE LUBE
FIR482	38	106	2	0.113 ELBE SERIES END LUBE
FIR381	38 42.9	106 114.3	2	2 X HIGH WING DRILLED 42.9X114.3MM / 38X106MM ON OPPOSITE SPAN
FIR97	38	110	0	KLEIN 196 ORIGINAL / MAN (SFL)
FIR97A	38	110	0	KLEIN STYLE 196 / SFL INA
FIR100	38	110	3	KLEIN 196 ORIGINAL / CENTRE LUBE IVECO
FIR100A	38	110	3	KLEIN STYLE 196 / CENTRE LUBE INA
FIR520	38	110	0	UNIMOG / KLEIN ORIGINAL (SFL)
FIR269	38	112	3	KLEIN
FIR276	38.9	109.4	1	KOMATSU 4502A
FIR101	39	127	3	SCANIA T50 GU3850
FIR803	39.69	115.95	1	1510 SERIES C/w LOOSE PLATES

Part #	Cap (mm)	Span (mm)	Lube	Comments
FIR176	39.7	115.9	1	1510 SERIES STANDARD
FIR176/1	39.7	115.9	1	1510 SERIES HEAVY DUTY MATSUBA
FIR102	39.7	115.9	3	1630 SERIES COMPACT / (1510 HEAVY DUTY) 6350-001Y
FIR516	39.98	118	1	TOYOTA GUT16
FIR737	40	115	3	ISUZU GUI564
FIR507	40 51	164 180	5	40X164MM / 51X180MM MECHANICS HIGH WING
FIR580	41	108	5	BYPY & COMER AGRICULTURAL APPLICATION
FIR725	41	118	3	BYPY10.41 CENTRE LUBE
FIR103	41.3	126.2	3	SPL90 STANDARD LUBE
FIR103A	41.3	126.2	3	SPL90 LUBE ALTERNATIVE
FIR386	41.3	126.2	0	SPL100 STANDARD (SFL)
FIR104	41.3	142.5	1	1650 SRS 5-165X
FIR190	41.3 49.2	142.5 117.6	1	1650 SRS / 7C MECHANICS HIGH WING DRILLED COMBINATION
FIR809	42	104	3	WALTERSCHEID 26.00.00 SRS
FIR107	42	104.5	3	KLEIN 253 GENUINE / 587.15
FIR576	42	104.5	3	587.15 WITH INA BRG CAPS
FIR521	42	104.5	0	SKF MAINTENANCE FREE (SFL)
FIR15	42	106	3	MERCEDES / INA BEARINGS / CENTRE LUBE
FIR15A	42	106	3	MERCEDES CENTRE LUBE
FIR391	42	106	0	MERCEDES (SFL)
FIR286	42	117.5	3	ELBE 0.148 SRS CENTRE LUBE
FIR448	42	117.5	2	ELBE 0.148 SRS LUBE IN CAP
FIR519	42	117.5	4	ELBE 0.148 SRS LUBE IN 4 X CAPS
FIR219A	42	119.4	3	687.35 ALTERNATIVE C/w THRUST WASHERS
FIR219	42	119.4	3	687.35 C/w INA BRG CAPS
FIR105	42	119.4	3	687.35 GENUINE SPICER
FIR513	42	119.4	0	687.35 HIGH TEMP - VOLVO (SFL)
FIR531	42	119.4	0	687.35 (SFL)
FIR531A	42	119.4	0	687.35 (SFL) C/w INA BRG CAPS
FIR612	42	119.4	4	687.35 LUBE IN ALL 4 BEARING CAPS
FIR675	42	122	0	ELBE 415 SRS STEER AXLE (SFL)
FIR106	42	123	3 & 5	ELBE 115.012

Part #	Cap (mm)	Span (mm)	Lube	Comments
FIR111	44	124.8	3	MAGIRUS & MAN / CENTRE LUBE U746
FIR517	44	129	3	MITSUBISHI GUM71
FIR110	44	149	1	SCANIA T60
FIR113	45	120.4	3	MERCEDES U753
FIR114	45	121.4	3	KLEIN
FIR115	45	131	5	0.116 ELBE
FIR417	45	152	3	0.118 ELBE
FIR302	47	131	3	IVECO GWB 387.30 SERIES U810
FIR613	47.6 68	134.8 111	3	GLAENZER 706SRS 47.6X134.MM (68X111MM MECHANICS ON OPPOSITE SPAN)
FIR117	47.6	135.2	3	687.40 / 2040 ORIGINAL SPICER
FIR119	47.6	135.2	3	687.40 / 2040 ALTERNATIVE OF NON EUROPEAN ORIGIN
FIR678	47.6	135.2	3	687.40 / 2040 ALTERNATIVE OF EUROPEAN ORIGIN
FIR357	47.6	135.2	0	687.40 / 2040 ORIGINAL SPICER MAINTENANCE FREE (SFL)
FIR795	47.6	135.2	0	687.40 / 2040 C/w SKF BRG CAPS OF EUROPEAN ORIGIN (SFL)
FIR567	47.6	135.2	3	687.40 / 2040 ORIGINAL SPICER (HIGH TEMP)
FIR622	47.6	135.2	4	687.40 / 2040 ORIGINAL SPICER 4 X END LUBE IN CAP
FIR622A	47.6	135.2	4	687.40 / 2040 4 X END LUBE IN CAP
FIR824	47.6 48	135.2 135.4		687.40 / 2040 TO KLEIN 490SRS COMBINATION - LUBE
FIR06	48	116.5	3	KLEIN 375 ORIGINAL / 587.20
FIR163	48	116.5	3	587.20 ALTERNATIVE
FIR163/1	48	116.5	3	587.20 INA BRG CAPS
FIR498	48	116.5	3	KLEIN 375 GENUINE C/w SKF BRG CAPS DAF
FIR650	48	116.5	3	GWB 587.20 ORIGINAL CENTRE LUBE
FIR124	48	126	3	MERCEDES / INA BEARINGS
FIR124A	48	126	3	MERCEDES / ALTERNATIVE
FIR30	48	126	0	MERCEDES / INA BEARINGS / (SFL)
FIR659	48	126	4	MERCEDES / ELBE C/w LUBE IN ALL 4 BRG CAPS
FIR502	48	126	5	ELBE / 6C HIGH WING MECHANICS COMBINATION
FIR610	48	126		KEMPF C/w SKF BRGS - OIL BATH TYPE WITH THRU OILWAY
FIR08/1	48	131	3	INA BEARINGS / CENTRE LUBE
FIR125	48	135.4	3	KLEIN 490 ORIGINAL
FIR497	48	135.4	3	KLEIN 490 GENUINE C/w SKF BRG CAPS

Part #	Cap (mm)	Span (mm)	Lube	Comments
FIR358	48	135.4	0	490 SRS NON LUBE C/w SKF BRG CAPS (SFL)
FIR353	48	135.4	3	490 SRS ALTERNATIVE C/w INA BRG CAPS
FIR559	49.2	150.8	3	STEER AXLE
FIR127	49.2	154.7	3	687.50 / 2050SRS
FIR127A	49.2	154.7	3	687.50 / 2050SRS ALTERNATIVE
FIR759	49.24	150.88	0	ROCKWELL CP850
FIR133	50	131	3	MAN
FIR132	50	153	3	KEMPF 85 SERIES
FIR410	52	129.6	0	MERCEDES UNIMOG (SFL)
FIR08	52	133	3	KLEIN 495 GENUINE / 587.30
FIR16	52	133	3	587.30 / INA BEARINGS
FIR16A	52	133	3	587.30 ALTERNATIVE
FIR753	52	133	3	ORIGINAL GWB CENTRE LUBE
FIR574	52	133	0	587.30 NON LUBE (SFL) INA
FIR135	52	147.2	3	KLEIN 590 GENUINE / 687.45
FIR338	52	147.2	3	687.45 / INA BEARINGS
FIR338A	52	147.2	3	687.45 ALTERNATIVE
FIR319	52	147.2	0	KLEIN 590 (SFL) DAF & MAN
FIR319A	52	147.2	0	GWB 2045 (SFL) VOLVO & MAN
FIR319B	52	147.2	0	2045 (SFL) INA BEARING CAPS
FIR536	52	147.2	0	2045 (SFL) SKF BEARING CAPS
FIR651	52	147.2	3	HIGH TEMPERATURE
FIR136	53	135	3	MERCEDES / INA BEARINGS
FIR136A	53	135	3	MERCEDES
FIR136/1	53	135	3	MERCEDES SKF BEARINGS
FIR33	53	135	0	MERCEDES / MAINTENANCE FREE (SFL) INA
FIR537	53	135	0	SKF MAINTENANCE FREE (SFL) MERCEDES
FIR568	53	135	4	LUBE IN ALL 4 BEARING CAPS
FIR184	55.6 71.4	205.6 168.4	1	1880/9C 2 X HIGHWING DRILLED 55.5X205.6MM / 71.4X168.4MM 5-326X
FIR141	57	144	3	587.35 C/w INA BEARINGS
FIR538	57	144	0	587.35 (SFL) MAINTENANCE FREE -SKF BRG CAPS
FIR619	57	144	4	LUBE IN ALL 4 INA BEARING CAPS
FIR143	57	152	3	KLEIN 620 GENUINE / 687.55

Part #	Cap (mm)	Span (mm)	Lube	Comments
FIR262	57	152	0	KLEIN 620 GENUINE / 687.55 (SFL) MAINTENANCE FREE
FIR262A	57	152	0	GWB GENUINE 687.55 (SFL) MAINTENANCE FREE
FIR262B	57	152	0	INA BEARINGS / (SFL) MAINTENANCE FREE
FIR539	57	152	0	SKF BEARINGS / (SFL) MAINTENANCE FREE
FIR602	57	152	4	GWB 2055 SRS WITH LUBE IN 4 BRG CAPS
FIR715	57	152	4	KEMPF 1000.1096.955 WITH CTR LUBE & LUBE IN 4 BRG CAPS
FIR144	57	152	3	2055 / 587.42 INA BEARINGS
FIR144A	57	152	3	587.42 ALTERNATIVE
FIR710	57	152	3	HIGH TEMP 60- 140 DEG CENT FOR RAIL APPPLICATIONS
FIR397	57 57	164 152	3	587.42 / P500 SCANIA COMBINATION
FIR145	57	172	3	KLEIN 680 SRS LUBE / IVECO & DAF
FIR145A	57	172	3	KLEIN 680 SRS LUBE / IVECO & DAF ALTERNATIVE
FIR145B	57	172	3	KLEIN STYLE 680 SRS LUBE / IVECO & DAF INA
FIR424	57	172	0	KLEIN 680 SRS MAINTENANCE FREE (SFL) / IVECO & DAF
FIR424A	57	172	0	KLEIN STYLE 680 SRS MAINTENANCE FREE (SFL) / IVECO & DAF INA
FIR714	57	152	3	KEMPF 1000.1096.950 C/w SKF BRG CAPS
FIR237	59	167.7	3	687.60 ALTERNATIVE C/w LUBE INA
FIR147	59	167.7	3	GWB SPICER 687.60 C/w LUBE
FIR238	59	167.7	0	GWB SPICER 687.60 MAINTAINENCE FREE / VOLVO (SFL)
FIR238A	59	167.7	0	687.60 MAINTENANCE FREE / VOLVO (SFL) INA BRG CAPS
FIR348	59 79	167.7 137	3	COMBINATION E220 687.60 / MECHANICS 79X137MM RENAULT
FIR631	60	155	3	HINO
FIR785	63.5	196.24	3	CP950 SRS CENTRE LUBE
FIR149	65	143	1	GWB 190.50 SRS
FIR148	65	172	3	KLEIN 700 GENUINE / 687.65 & 587.48 C/w SKF BRG CAPS
FIR148A	65	172	3	687.65 & 587.48 ALTERNATIVE
FIR268	65	172	0	KLEIN 700 GENUINE / 687.65 & 587.48 (SFL) C/w SKF BRG CAPS
FIR685	65	172	3	687.65 / 2065 SRS C/w INA BRG CAPS
FIR640	65	172	4	GWB LUBE IN ALL 4 BRG CAPS
FIR709	65	172	3	HIGH TEMP 60- 140 DEG CENT FOR RAIL APPPLICATIONS
FIR548	65	172	3	P600 SCANIA 65X190MM / 587.48 COMBINATION

Part #	Cap (mm)	Span (mm)	Lube	Comments
FIR717	65	172	3	KEMPF 1000.1100.950 C/w SKF BRG CAPS
FIR541	72	185	4	587.50 SRS C/w LUBE IN ALL 4 BRG CAPS
FIR758	74	171	4	C/w LUBE IN ALL 4 BRG CAPS
FIR442	74	179.9	4	EQUIVALENT TO KEMPF (VOITH S250.5) 4 X END LUBE
FIR718	74	185	3&4	CENTRE LUBE & END LUBE IN ALL BRG CAPS
FIR505	74	195	3	KEMPF 1000.1105.950
FIR505IB	74	195	4	END LUBE IN ALL BRG CAPS
FIR152	74	217	3	587.55 SRS LUBE IN ALL 4 BRG CAPS
FIR639	77.8	255.1		ALTERNATIVE 1950 "DANA"
FIR722	83	179.9	3&4	CENTRE LUBE & END LUBE IN ALL BRG CAPS
FIR377IB	83	220	3&4	INA BRG CAPS 4 X END LUBE & CTR LUBE
FIR719	83	195	3&4	CENTRE LUBE & END LUBE IN ALL BRG CAPS
FIR323	83	231.4	3	GWB 587.60
FIR720	83	217	3&4	C/w LUBE IN ALL 4 INA BRG CAPS
FIR419	95	250	4	KEMPF & VOITH W285 / S315 CTR LUBE & 4 POINT END LUBE
FIR419IB	95	250	4	KEMPF & VOITH 285 / S315 - INA BRGS CTR LUBE & 4 POINT END LUBE
FIR783	110	245	4	VOITH S315.8 LUBE IN BRG CAPS
FIR724	110	251.5	3&4	VOITH W285.5
FIR378	110	275	3	KEMPF 1000.1135.950 / VOITH S350 CTR LUBE & 4 POINT END LUBE
FIR797	145	296	3	VOITH WT350.8 SRS
FIR503	145	336	3	VOITH WT390.9 SRS
FIR805	188	420		VOITH WT490 / RT490

Internal Circlip Universal Joints

Part #	Cap (mm)	Span (mm)	Lube	Comments
FIR363	16	24.5	0	KAWASAKI (SFL) GUKW7
FIR703	20	29/31.2	0	KAWASAKI END LUBE GUKW.2 (SFL)
FIR734	20	37 / 40	0	YAMAHA
FIR17/1	20.01	35 / 38	2	NISSAN GUN28
FIR405	20.01	35 / 38	2	YAMAHA 2800-A
FIR47	22.01	40	0	SFL BUT *CROSSED DRILED WITH CENTRE PLUG "
FIR197	22	35.56	2	TO REPLACE O.E STAKED TOYOTA
FIR380	22	37.6 / 39.6	0	NISSAN FORK LIFT (SFL) GU2237
FIR27	22.5	35	3	DAIHATSU GUD88
FIR330	23.8	38.1	2	SPICER 1000 5-170X
FIR626	24	34.34	2	OPEL U701
FIR630	24.6	33.7 / 36.7	3	33.7MM INNER EDGES & 36.7MM OUTER EDGES
FIR644	24.69	41.68	2	ROCKWELL 430-12 LUBE IN CAP
FIR41	25	38.8	0	SUZUKI GUS-1 SFL
FIR473	25	40.4	2	SUBARU GUSR-4
FIR38	25	41.2	2	MAZDA GUMZ7
FIR490	25	52	1	NISSAN GUN34
FIR42	25.1	40	2	NISSAN GUN27
FIR43	25.4	38.8	0	OPEL END LUBE GUS1
FIR625	25.4 33.3	38.88 43.6	0	OPEL 25.4X 38.88MM I/C & 33.X43.6MM MECHANICS COMB (SFL) U710
FIR828	25.4 27	38.63 61.9		27X61.9MM & 25.4X38.63 I/C ON OPPOSITE SPAN
FIR489	25.4	59.4	3	NEAPCO (P.T.O) & OLDSMOBILE 2060D
FIR694	25.4 27	59.4 81.8	1	1310 / 2R 27X81.8MM COMBINATION 25.4X59.4MM I/C ON OPPOSITE SPAN 2060W
FIR44	26	42	2	TOYOTA GUT13
FIR45	26	53.6	1	TOYOTA GUT12
FIR48	26.5	48	2	MAZDA GUMZ9
FIR290	27	42.15 46.1	3	NISSAN / ROCKWELL L12N 2525A 42.15MM INNER EDGES / 46.1MM OUTER EDGES
FIR344	27	46.1 / 49.1	0	NISSAN (SFL) GUN46

Part #	Cap (mm)	Span (mm)	Lube	Comments
FIR260	27	55.5	1	CHRYSLER/ CHEVROLET U102
FIR299	27.38	50.8 / 53.9	2	DETROIT 7260 SERIES 2387 END LUBE
FIR304	27.38	50.8 / 53.9	1	JENSEN & VOLVO PENTA 2387E
FIR680	28	44	1	FORD TAUNUS GU-1720 / U172
FIR793	28	48.4 / 51.6	3	KIA INTERNAL CIRCLIP 48.4MM INNER EDGES
FIR356	28	49	1	MERCEDES INTERNAL CIRCLIP U728
FIR739	28	49	0	MERCEDES INTERNAL CIRCLIP SFL
FIR61	28	53	1	NISSAN GUN29
FIR60	28	56	2	MAZDA GUMZ6
FIR432	28	56	1	1310 COMBINATION 28X56MM INTERNAL / 27X81.8MM NISSAN
FIR406	28.5 27	66 55		DODGE 28.5X66 / 27X55 COMBINATION
FIR223	28.58	49 / 53.8	2 & 3	TOYOTA / HILUX 2060V CENTRE LUBE & LUBE IN 1 X CAP
FIR486	28.58	49	2	TOYOTA 1 X LUBE IN END CAP
FIR480	28.58	66.68	1	ROCKWELL 3331A
FIR437	28.6 27	55.2 / 60 81.8	1	CLEVELAND S55-55-675 28.58X81.8MM / 27X60.45MM I/C & 81.8MM EXT CIRCLIP
FIR712	27 28.6	92.1 66.6	1	1330 SRS TO 7290 SRS COMBINATION 27X92.1MM / 28.6X66.6MM INTERNAL CIRCLIP ON OPPOSITE SPAN
FIR67	28.6	60.2 / 64.9	1	3R GM 60.2MM INNER EDGES 3031B
FIR577	28.6 30.2	64.9 92.1	1	1350SRS / 3R COMBINATION 30.2X92.1MM 28.6X64.9MM INTERNAL CIRCLIP ON OPPOSITE SPAN
FIR438	28.6 27	65 81.8	1	1310 SRS TO 3RL COMBINATION / 27X81.8MM / 28.6X65MM I/C
FIR347	28.6 27	60/65 92.1	1	1330 / 3R COMBINATION 28.6X60/65MM / 27X92.1MM 5-212X
FIR606	28.6 36.5	77.6 87.4	1	4C 2 X HIGH WING DRILLED / 2 X INT CIRCLIP 28.6X77.6MM (82.4MM)
FIR68	29	49	3	TOYOTA HILUX / CENTRE LUBE GUT23
FIR68A	29	49	3	TOYOTA HILUX / PREMIUM TYPE
FIR213	29	49	2	TOYOTA HILUX / END LUBE
FIR340/1	29	49	0	TOYOTA HILUX / NON LUBE (SFL)
FIR69	29	50	1	ISUZU / TROOPER GUIS-52
FIR488	29	50	2	ISUZU / TROOPER UJ230 END LUBE
FIR524	29	70	1	ISUZU - 97167317
FIR215	30	55.1 / 58.1	3	MITSUBISHI GUM93

Part #	Cap (mm)	Span (mm)	Lube	Comments
FIR261	30	71	3	MITSUBISHI GUM96
FIR415	30.15	52.4 / 55.5	0	CHEROKEE JEEP (SFL) 5-297X / 5-760X
FIR76	30.2	80	3	BYPY 5.41 - GUA-11
FIR79	31.02	44.1	0	TRANSIT GU1740
FIR80	31.3	58	1	DEUTZ TRACTOR U256
FIR552	31.3	72.2	1	CHRYSLER,DETROIT,DODGE 5380 76.1MM TO OUTER EDGES
FIR518	32	57	3	MAZDA GUMZ3
FIR162	32	61	1	TOYOTA GUT20
FIR359	32	63.8	3	NISSAN PATROL GUN35
FIR459	32 42.9	83.9 88.9	1	5C HIGH WING DRILLED COMBINATION GUKO-30 32X83.9 INTERNAL CIRCLIP / 42.9X88.9MM
FIR241	33.35 42.9	84 88.9	1	5C LOW WING THREADED COMBINATION 33.35X84MM I/C / 42.9X88.9MM 5-5015X
FIR273	33.4 42.9	84 88.9	1	5C HIGH WING DRILLED COMBINATION 33.4X84MM IC / 42.9X88.9MM ON OPPOSITE SPAN
FIR471	34	51.6 / 56	3	WALTERSCHEID GUA15
FIR226	34.9	72.2 / 76.1	1	DODGE RAM 5-332X
FIR618	34.9	74.1	0	3-0485
FIR242	33.4 42.9	109 114.3	1	6C HIGH WING DRILLED COMBINATION 5025S 33.4X109MM I/C / 42.9X114.3MM ON OPPOSITE SPAN
FIR601	37	66	1	MAZDA GUMZ8
FIR13	38	57.2 / 62	3	MERCEDES U730
FIR303	42	66	3	MERCEDES U747
FIR427	44	80	3	LOBRO (85MM OUTER EDGES)
FIR562	48	78 / 86	3	MERCEDES (86MM OUTER EDGES)
FIR150	68	89	3	MERCEDES ACTROS INA BEARING CAPS
FIR150A	68	89	3	MERCEDES
FIR75	68	89	0	MERCEDES ACTROS (SFL)
FIR686	68	89	3	MERCEDES ACTROS SKF BRG CAPS
FIR409	68	117	0	MERCEDES ACTROS MAINTENANCE FREE (SFL)

Staked Universal Joints

Part #	Cap (mm)	Span (mm)	Lube	Comments
FIR02	15	38	0	(SFL) STEERING JOINT GU1538L
FIR210	15	40	0	(SFL) BMW INA BEARINGS GU1540L
FIR295	16	38	0	(SFL) HS117 / GU1638L
FIR296	16	40	0	(SFL) HS113 / GU1640
FIR608	19	44.4	0	(SFL) BMW GU1944 "INA BRG"
FIR264	19	48	3	STEERING JOINT WITH CTR LUBE GU1948
FIR556	19	48	0	(SFL) STEERING JOINT NON LUBE GU1948L
FIR557	19	52	3	STEERING JOINT WITH LUBE
FIR463	19	55.7	0	(SFL) DACIA
FIR17/1	20	35	2	NISSAN GUN28
FIR522	20.06	59.8	0	(SFL) SUZUKI GUS-6
FIR12	20.07	52.4	0	(SFL) NISSAN GUN45
FIR18	22	57	0	(SFL) TOYOTA GUT 24
FIR19	22	64	0	(SFL) FORD GU295
FIR21	22	67	0	(SFL) FORD GU296
FIR341	22.06	61.7	0	(SFL) NISSAN SERENA / ISUZU GUI563
FIR560	22.06	64.5	0	(SFL) MITSUBISHI GUM85
FIR776	24	56.5	0	(SFL) BMW X3 "OEM" ORIGINAL
FIR808	24	61.5	0	(SFL) MERCEDES
FIR35	24	62.5	0	(SFL) BMW GU298
FIR449	24	64.2	0	(SFL) NISSAN SERENA
FIR37/1	24	74.5	0	(SFL) MERCEDES VITO GU299 BUDGET
FIR37	24	74.5	0	(SFL) MERCEDES VITO GU299 INA BEARING CAPS
FIR547	24	74.5	0	(SFL) MERCEDES VITO GU299 ORIGINAL OEM SPEC
FIR566	24	88	0	(SFL) MERCEDES SPRINTER & E CLASS
FIR566/1	24	88	0	(SFL) MERCEDES SPRINTER & E CLASS C/W INA BRG CAPS
FIR629	24.06	71.4	0	(SFL) MAZDA
FIR53	27	71	0	(SFL) FORD TRANSIT INA BEARINGS
FIR200	27	74	0	(SFL) SPRINTER
FIR200/1	27	74	0	(SFL) SPRINTER INA BEARING CAPS
FIR550	27	79.8	0	(SFL) NEW SERIES FORD TRANSIT

Part #	Cap (mm)	Span (mm)	Lube	Comments
FIR51	27	80	0	(SFL) VW LT GENUINE C/W INA BEARINGS U178
FIR834	27	82	0	(SFL) IVECO DAILY ORIGINAL EQUIPMENT
FIR582	27	88	0	(SFL) NEW MERCEDES SPRINTER "INA BRG CAPS"
FIR582A	27	88	0	(SFL) NEW MERCEDES SPRINTER *ALTERNATIVE*
FIR658	30	92.1	0	(SFL) NEW FORD TRANSIT 8C SRS FORD SHAFTS *O.E. SPEC*
FIR794	30.2	106.3	0	(SFL) NEW IVECO DAILY PROPSHAFTS *O.E. SPEC*
FIR78	31.02	88	0	(SFL) MERCEDES G-WAGEN
FIR78/1	31.02	88	2	MERCEDES G-WAGEN END LUBE INA

Full Round Universal Joints (Welded Plates)

Part #	Cap (mm)	Span (mm)	Lube	Comments
FIR118	47.6	135	1	1610 WELDED PLATES SPICER STYLE 5-279X
FIR206	47.6	135	3	1610 ORIGINAL SPICER WELDED PLATES 5-279X
FIR280	49.2	154.7	1	1710 ORIGINAL SPICER WELDED PLATES 5-280X
FIR280A	59.2	154.7	1	1710 WELDED PLATES NEAPCO QSP SPICER STYLE 5-280X
FIR281	49.2	154.7	1	1710 WELDED PLATES SPICER STYLE 5-280X
FIR129A	49.2	177.8	1	1760 WELDED PLATE SPICER STYLE 5-407X
FIR129	49.2	177.8	1	1760 ORIGINAL SPICER WELDED PLATE STYLE 5-407X
FIR130A	49.2	191.8	1	1810 ALTERNATIVE TO FIR130 HS344 5-281X
FIR130	49.2	191.8	1	1810 ORIGINAL SPICER WELDED PLATE FULL ROUND 5-281X
FIR293	50.8	156.8	1	VOLVO
FIR138	55.5	206	1	1880 SPICER 5-308X
FIR349	71.4	223	1	1900 SRS 5-54X

Full Round Universal Joints (Loose Plates)

Part #	Cap (mm)	Span (mm)	Lube	Comments
FIR803	39.69	115.95	1	1510 SERIES C/w LOOSE PLATES
FIR282	47.6	135	1	1600 STANDARD / LOOSE PLATES GKN STYLE (HS316)
FIR318	49.2	154.7	3	1700 STANDARD / LOOSE PLATES GKN STYLE (HS317)

Part #	Cap (mm)	Span (mm)	Lube	Comments
FIR565	49.2	154.7	0	1710 LOOSE PLATES / 68X129MM MECHANICS ON OPP SPAN (SFL)
FIR146	59	167.5	1	1800 STANDARD / LOOSE PLATES GKN STYLE (HS324)

Half Round Universal Joints (Welded Plates)

Part #	Cap (mm)	Span (mm)	Lube	Comments
FIR484	47.6	135	1	1610 ALTERNATIVE 2 PLATES & 2 ROUND CAPS 5-438X
FIR121	47.6	135	3	1610 2 X PLATED & 2 ROUND CAPS 5-438X ORIGINAL SPICER
FIR05	49.2	154.7	1	1710 2 X PLATED & 2 ROUND CAPS 5-515X ORIGINAL SPICER
FIR05A	49.2	154.7	1	1710 2 X PLATED & 2 ROUND CAPS 5-515X NEAPCO QSP
FIR428	49.2	154.7	1	1710 ALTERNATIVE TO FIR05 & FIR05A 5-515X
FIR204	49.2 71.44	154.7 124.4	1	8.5C / 1710 SRS 2 X HIGH WING DRILLED 49.2X154.7 / 71.4X123.8MM
FIR128	49.2	177.8	1	1760 2 X PLATED & 2 ROUND CAPS 5-469X ORIGINAL SPICER
FIR470	49.2	177.8	1	1760 ALTERNATIVE TO FIR128 5-469X
FIR333A	49.2	191.8	1	1810 2 WELDED PLATES & 2 ROUND CAPS 5-510X
FIR333	49.2	191.8	1	1810 2 X PLATED & 2 ROUND CAPS 5-510X ORIGINAL SPICER

Volvo Style Universal Joints

Part #	Cap (mm)	Span (mm)	Lube	Comments
FIR108	44	126	3	VOLVO / NORDISKA NK300 CENTRE LUBE PREMIUM
FIR108/1	44	126	3	VOLVO / NORDISKA NK300 CENTRE LUBE ECONOMY
FIR134	50	152.6	3	VOLVO / NORDISKA NK400 PREMIUM INA BRGS
FIR134A	50	152.6	3	VOLVO ALTERNATIVE TO FIR134 ECONOMY
FIR142	57	152	3	VOLVO / NORDISKA NK500 CENTRE LUBE PREMIUM INA BRGS
FIR142A	57	152	3	VOLVO / ALTERNATIVE TO FIR142 ECONOMY
FIR220	57	152	0	VOLVO / NORDISKA NK500/NK600 PREMIUM (SFL)

Steer Axle Universal Joints (With Offset Cross)

Part #	Cap (mm)	Span (mm)	Lube	Comments
FIR252	23.8	62.5	3	BTB300 SERIES
FIR310	23.8	62.5	0	BTB300 SERIES (SFL)
FIR483	23.8	86	3	BYPY 412040012 OFFSET
FIR586	27	81.8	5	6.4MM OFFSET)
FIR337	27	87	4	5MM OFFSET GWB 369.04
FIR291	30	79	0	5MM OFFSET 508.021 (SFL)
FIR308	30	86.7	0	7MM OFFSET GEWES (SFL)
FIR311	30	91	0	5MM OFFSET KLEIN 018 (SFL) 4 OFF PLUGS IN END CAPS
FIR239	30	96	0	8MM OFFSET STEER AXLE 369.10 (SFL)
FIR196	32	82	0	7MM OFFSET KLEIN - KRAMER (SFL)
FIR510	32	100	0	7MM OFFSET KLEIN 019 SRS - KRAMER (SFL)
FIR313	32	110.7	0	7MM OFFSET KLEIN 021 STEER AXLE 369.20 (SFL)
FIR86	34	96	0	6.5MM OFFSET ELBE 511.021 (SFL)
FIR320	34.6	130	0	2MM OFFSET GWB 269.30 STEER AXLE (THREADED) (SFL)
FIR321	34.6	130	0	2MM OFFSET GWB 269.30 STEER AXLE (DRILLED) (SFL)
FIR382	35	87	0	7MM OFFSET ELBE 0.510.021 SRS (SFL)
FIR314	35	96.6	2	8MM OFFSET KLEIN 023 / GWB 469.20
FIR91	35	110.7	0	7MM OFFSET KLEIN 023 STEER AXLE 369.21 (SFL)
FIR191	38	104	0	8MM OFFSET KLEIN 025 (SFL)
FIR584	38	104.5	5	8MM OFFSET GWB 469.30
FIR584/1	38	104.5	5	8MM OFFSET GWB 469.30 ORIGINAL
FIR98	38	107	0	7.5MM OFFSET CROSS 512.021 LUBE IN SIDE OF BRG CAP
FIR789	39.6	110		9MM OFFSET CROSS LUBE THROUGH BRG CAPS
FIR343	40	104.3	0	8MM OFFSET STEER AXLE 569.32 (SFL) GEWES 51 SRS
FIR767	40	104.3	2	8MM OFFSET STEER AXLE 569.32 (END LUBE) GEWES 51 SRS
FIR796	40	106.7	2	7.5MM OFFSET CROSS STEER AXLE CROSS 512.020 SRS
FIR208	42	110	0	7MM OFFSET 513.021 (SFL)
FIR116	45	125	0	8MM OFFSET 515.021 (SFL)
FIR324	45.5	114.1	0	10MM OFFSET GEWES 71 SRS (SFL)
FIR735	45.5	120	0	10MM OFFSET GWB 569.38 (SFL)
FIR615	45.5	130.1	0	10MM OFFSET GEWES 81SRS (SFL)

Steer Axle Universal Joints (Without Offset Cross)

Part #	Cap (mm)	Span (mm)	Lube	Comments
FIR310	23.8	62.5	0	BTB 300 STEER AXLE (SFL)
FIR209	27	66.3	3	KLEIN 080 GENUINE / KRAMER
FIR255	27	71	0	C/w 1.3MM CIRCLIPS (SFL)
FIR255A	27	71	0	C/w 1.3MM CIRCLIPS (SFL)
FIR726	28.5	70		ELBE 408 SRS STEER AXLE LUBE IN SIDE OF BRG CAP
FIR389	30.17	92	6	BTB 220 STEER AXLE - LUBE THROUGH CAP
FIR232	30.2	81.8	3	BTB TYPE WITH LUBE & 1.5MM CIRCLIPS - STEER AXLE (SFL)
FIR256	30.2	81.8	0	BTB TYPE NON LUBE C/W 1.2MM CIRCLIPS - STEER AXLE (SFL)
FIR256A	30.2	81.8	0	JCB TYPE NON LUBE C/W 1.2MM CIRCLIPS - STEER AXLE (SFL)
FIR217A	32	95.6	3	JCB STEER AXLE - ALTERNATIVE
FIR331	34.93	93	0	JCB (SFL)
FIR692A	35	93	3	JCB STEER AXLE
FIR225	35	93	0	SPICER ORIGINAL 1.5MM CIRCLIPS JCB O.E. (SFL)
FIR257	35	93	6	BTB 330 STEER AXLE
FIR315	39.6	105	3	340 STEER AXLE
FIR675	42	122	0	ELBE 415 SRS (SFL)
FIR109	44	134	0	STEER AXLE 369.37 (SFL)
FIR246	47	142	0	STEER AXLE 369.40 (SFL)
FIR94	38 38	119 104	4	STEER AXLE 38X119MM (38X104MM ON PIN) 369.30
FIR312A	41.3 49.2	104.3 / 110.8 117.6	1	KOMATSU 41.3X104.3 / 110.8MM / 49.2X117.6MM 7C OPP SPAN 5050Q

Scania Style Universal Joints

Part #	Cap (mm)	Span (mm)	Lube	Comments
FIR99	38	148	3	INA BRG CAPS SCANIA P300 / C/W BRKTS
FIR99A	38	148	3	SCANIA P300 C/W BRACKETS ALTERNATIVE
FIR476	38	148	0	INA BRG CAPS SCANIA P300 C/W BRKTS - (SFL)
FIR542	38	148	0	SCANIA P300 / SKF BRG CAPS SMAINTENANCE FREE (SFL)

Part #	Cap (mm)	Span (mm)	Lube	Comments
FIR101	39	127	3	SCANIA T50 GU3850
FIR110	44	149	1	SCANIA T60
FIR17	48	161	3	INA BRG CAPS PREMIUM P400 C/W BRKTS
FIR17A	48	161	3	P400 / C/W BRACKETS
FIR477	48	161	0	SFL MAINTENANCE FREE P400 / C/W BRKTS (SFL)
FIR731	48	161	0	CENTRE LUBE P400 / C/W THREADED BRKTS (M16X2)
FIR764	48	161	3	SFL MAINTENANCE FREE P400 / C/W THREADED BRKTS (M16X2)
FIR283	50	164	3	SCANIA T70
FIR140	57	164	3	INA BRG CAPS PREMIUM P500 C/W BRKTS
FIR140A	57	164	3	P500 /ALTERNATIVE C/W BRKTS
FIR478	57	164	0	INA BRG CAPS MAINTENANCE FREE P500 / C/W BRKTS (SFL)
FIR757	57	164	3	SKF BRG CAPS CENTRE LUBE P500 / C/W BRKTS
FIR705	57	164	3	INA BRG CAPS P500 C/W THREADED BRKT HOLES M16X2
FIR765	57	164	0	INA BRG CAPS P500 C/W THREADED BRKT HOLES M16X2 SFL
FIR397	57 57	164 152	3	SCANIA P500 / 587.42 COMBINATION
FIR227	65	190	3	INA BRG CAPS SCANIA P600
FIR227A	65	190	3	SCANIA P600 / ALTERNATIVE
FIR447	65	190	0	INA BRG CAPS SCANIA P600 (SFL)
FIR544	65	190	0	SKF MAINTENANCE FREE SCANIA P600 (SFL)
FIR548	65 65	190 172	3	P600 65X190MM / 587.48 65X172MM COMBINATION

Mechanics Style Universal Joints

Part #	Cap (mm)	Span (mm)	Lube	Comments
FIR229	33.27	59.44	1	2C 4 X LOW WING DRILLED
FIR164	33.27	59.44	1	2C 4 X LOW WING THREADED
FIR277	33.27	59.44	2	2C 2 X LOW WING THREADED & 2 X LOW WING DRILLED
FIR509	33.27	59.44	1	2C/ 1310 C=27MM L=81.8MM EXTERNAL CIRCLIP
FIR166	36.5	69.9	2	3C 4 X HIGH WING DRILLED - LUBE IN CAP

Part #	Cap (mm)	Span (mm)	Lube	Comments
FIR165	36.5	69.9	1	3C 4 X LOW WING THREADED
FIR169	36.5	87.4	1	4C 4 X HIGH WING DRILLED
FIR168	36.5	87.4	1	4C 4 X LOW WING THREADED
FIR224	36.5	87.4	1	4C 2 X HIGH WING DRILLED / 2 X LOW WING THREADED
FIR775	36.5	87.4	1	4C 2 X LOW WING DRILLED / 2 X LOW WING THREADED
FIR606	36.5	87.4	1	4C 2 X HIGH WING DRILLED / 2 X INT CIRCLIP 28.6X77.6MM (82.4MM)
FIR458	36.6	57	2	FERRARI 2 X E/LUBE LOW WING THREADED / LOW WING DRILLED
FIR457	42.9	73	3	FERRARI 4 X LOW WING THREADED
FIR172	42.9	88.9	1	5C 4 X HIGH WING DRILLED
FIR171	42.9	88.9	1	5C 4 X LOW WING THREADED
FIR325	42.9	88.9	1	5C 2 X HIGH WING DRILLED / 2 X LOW WING THREADED
FIR762	42.9	88.9	1	5C / 1410 SERIES / 30.2X106.3MM
FIR175	42.9	114.3	1	6C 4 X HIGH WING DRILLED
FIR837	42.9	114.3	1	6C 4 X HIGH WING DRILLED - (SFL) SPICER ORIGINAL
FIR174	42.9	114.3	1	6C 4 X LOW WING THREADED
FIR350	42.9	114.3	1	6C 4 X LOW WING DRILLED
FIR214	42.9	114.3	1	6C 2 X HIGH WING DRILLED / 2 X LOW WING THREADED
FIR690	42.9	114.3	1	6C 4 X DELTA WING
FIR821	42.9	114.3	1	6C 4 X HIGH WING DRILLED - DOUBLE FACE KEY H=35MM PER BLOCK
FIR203	49.2	104.5	0	SIGE 4 X HIGH WING DRILLED (SFL)
FIR203A	49.2	104.5	1	SIGE 4 X HIGH WING DRILLED (SIDE LUBE)
FIR431	49.2	108.5	1	ROCKWELL (58WB) 4 X LOW WING THREADED
FIR202	49.2	108.5	1	ROCKWELL (58WB) 4 X HIGH WING DRILLED
FIR433	49.2	108.5	1	ROCKWELL (58WB) 4 X DELTA WING
FIR688	49.2	108.5	1	ROCKWELL (58WB) 2 X DELTA WING / 2 X HIGH WING DRILLED
FIR407	49.2 42.9	117.6 114.3	1	7C 4 X HIGH WING DRILLED / 6C 4 X HIGH WING DRILLED
FIR178A	49.2	117.6	1	7C 4 X HIGH WING DRILLED ECONOMY
FIR178/1	49.2	117.6	1	7C 4 X HIGH WING DRILLED PREMIUM

Part #	Cap (mm)	Span (mm)	Lube	Comments
FIR178	49.2	117.6	1	7C SPICER 4 X HIGH WING DRILLED SPICER
FIR585	49.2	117.6	0	7C SPICER 4 X HIGH WING DRILLED SPICER SFL
FIR177	49.2	117.6	1	7C 4 X LOW WING THREADED
FIR326	49.2	117.6	1	7C 2 X HIGH WING DRILLED / 2 X LOW WING THREADED
FIR637	49.2	117.6	1	7C 2 X HIGH WING DRILLED / 2 X DELTA WING DRILLED
FIR183	49.2	174.6	1	8C 4 X HIGH WING DRILLED
FIR182	49.2	174.6	1	8C 4 X LOW WING THREADED
FIR327	49.2	174.6	1	8C 4 X HIGH WING DRILLED / 4 X LOW WING THREADED
FIR399	50	181	3	KOMATSU
FIR727	56	140.2	3	DAEWOO & ISUZU LOW WING THREADED M12 X 1.25MM
FIR233	60	146	1	SIGE 4 X HIGH WING DRILLED
FIR430	60	105.2	3	4 X HIGH WING DRILLED FURUKAWA
FIR429	60.1	159	3	4 X LOW WING THREADED
FIR590	62	125.2	1	J170 4 X HIGH WING DRILLED
FIR613	68 47.6	111 134.8	3	GLAENZER 706SRS 47.6X134.MM 68X111MM MECHANICS ON OPP SPAN
FIR655	70	168	1	210M108 HIGH WING DRILLED
FIR181A	71.4	123.8	3	8.5C 4 X HIGH WING DRILLED ECONOMY
FIR181/1	71.4	123.8	3	8.5C 4 X HIGH WING DRILLED PREMIUM
FIR181	71.4	123.8	3	8.5C SPICER 4 X HIGH WING DRILLED
FIR481	71.4	123.8	0	8.5C 4 X HIGH WING DRILLED - (SFL)
FIR180	71.4	123.8	1	8.5C 4 X LOW WING THREADED
FIR395	71.4	123.8	1	8.5C 4 X LOW WING DRILLED
FIR328	71.4	123.8	1	8.5C 2 X HIGH WING DRILLED / 2 X LOW WING THREADED
FIR186	71.4	168.4	1	9C 4 X HIGH WING DRILLED PREMIUM
FIR186A	71.4	168.4	1	9C 4 X HIGH WING DRILLED ECONOMY
FIR654	71.4	168.4	0	9C 4 X HIGH WING DRILLED (SFL) SPICER
FIR654A	71.4	168.4	0	9C 4 X HIGH WING DRILLED (SFL)
FIR185	71.4	168.4	1	9C 4 X LOW WING THREADED
FIR329	71.4	168.4	1	9C 2 X HIGH WING DRILLED / 2 X LOW WING THREADED

Part #	Cap (mm)	Span (mm)	Lube	Comments
FIR270	71.4	168.4	1	9C TWIN DISC 4 X HIGH WING DRILLED
FIR730	72	138	1	S990 SRS SPICER ITALCARDANO HIGH WING DRILLED
FIR461	82	198	1	HIGH WING DRILLED 82X198MM 246M210
FIR189	88.9	172.7	1	J490 SPICER 4 X HIGH WING DRILLED 5/8" BOLT HOLES
FIR235	88.9	172.7	1	11C SPICER 4 X HIGH WING DRILLED 3/4" BOLT HOLES
FIR309	88.9	172.7	1	J600/11C 4 X HIGH WING DRILLED (DOUBLE ROLLER) 4 X LUBE
FIR614	88.9	172.7	1	10C / 10.5C (COMB) 4 X HIGH WING DRILLED 5/8" BOLTS
FIR188	92.1	165.1	1	10C SPICER 4 X HIGH WING DRILLED
FIR188/1	92.1	165.1	1	10C HIGH WING DRILLED SPICER
FIR706	92.1	165.1	0	10C SPICER 4 X HIGH WING DRILLED (SFL)
FIR335	92.1	165.1	1	10C ROCKFORD 4 X HIGH WING DRILLED
FIR812	92.1	165.1	1	10C SPICER 4 X HIGH WING DRILLED HOLES 15MM - KOMATSU
FIR411	92	241.3	1	12C 4 X HIGH WING DRILLED M14 BOLT HOLES
FIR392	92	227	1	12.5C 4 X HIGH WING DRILLED SPICER
FIR307	100	200	1	15C ROCKFORD 4 X HIGH WING DRILLED 3/4" X 16UNF
FIR307/1	100	200	1	15C ROCKFORD 4 X HIGH WING DRILLED M20X2.5
FIR307/3	100	200	1	15C SPICER 4 X HIGH WING DRILLED W/O BOLTS
FIR790	100	200	0	15.5C SPICER 4 X HIGH WING DRILLED ROCKFORD W/o BOLTS
FIR462	107	242		14.5C SPICER 4X HIGH WING DRILLED
FIR791	117.6	277	0	20C ROCKFORD 4 X HIGH WING DRILLED (M24X3MM BOLTS)
FIR487	134.88	269.5	3	14C SPICER 4 X HIGH WING DRILLED

Mechanics Style Combination Universal Joints

Part #	Cap (mm)	Span (mm)	Lube	Comments
FIR509	33.27	59.44	1	2C / 1310 C=27MM L=81.8MM EXTERNAL CIRCLIP
FIR167	36.5	87.4	1	4C HWD / 1410 C=30.2MM L=106.3MM EXTERNAL CIRCLIP
FIR459	42.9	88.9	1	5C HWD C=32MM O=83.9 / 89MM INTERNAL CIRCLIP KOMATSU
FIR241	42.9	88.9	1	5C LWT C=33.4X84MM O=84MM INTERNAL CIRCLIP

Part #	Cap (mm)	Span (mm)	Lube	Comments
FIR273	42.9	88.9	1	5C HWD C=33.4MM O=84MM INTERNAL CIRCLIP
FIR170	42.9 34.9	88.9 106.4	1	5C HWD/1480 C=34.9MM L=106.4MM EXTERNAL CIRCLIP 5-347X
FIR761	42.9 34.9	88.9 106.4	1	5C HWT/1480 C=34.9MM L=106.4MM EXTERNAL CIRCLIP 5-348X
FIR336	42.9 33.53	114.3 109.5	1	6C LWT C=33.53MM L=109.4MM
FIR173	42.9	114.3	1	6C HWD C=34.9MM L=126.2MM EXTERNAL CIRCLIP 5-303X
FIR354	42.9	114.3	1	6C HWD / SPL70 C=34.9MM L=126.2MM EXTERNAL CIRCLIP SPICER
FIR242	42.9	114.3	1	6C HWD C=33.4MM O=109MM INTERNAL CIRCLIP KOYO 5025N
FIR752	42.9 34	114.3 104.6	3	6C 2X HWD & 34X104.6/109.4 ON OPPOSITE SPAN
FIR381	42.9 38	114.3 106	5	6C HWD C=38MM L=106MM EXTERNAL CIRCLIP (38X106MM)
FIR502	42.9	114.3	5	6C HWD C=48MM L=126MM EXTERNAL CIRCLIP
FIR312A	49.2	117.6	1	KOMATSU 41.3X104.3/110.8MM / 49.2X117.6MM 7C OPP SPAN 5050Q
FIR190	49.2	117.6	1	7C HWD / 1650 C=41.3MM L=142.5MM EXTERNAL CIRCLIP 5-330X
FIR507	51	180	5	51X180MM HWD C=40MM L=40X164MM KOMATSU
FIR613	47.6 68	134.8 111	4	68X111MM HWD / 706SRS C=47.6MM L=134.8MM
FIR204	71.4	123.8	1	8.5C HWD / 1710 SRS C=49.2MM L=154.8MM PLATED
FIR474	71.4	168.4	1	9C HWD / 1810 SRS C=49.3MM L=191.8MM PLATED 5-324X
FIR184	71.4	168.8	1	9C HWD / 1880 C=55.5MM L=205.6MM PLATED 5-326X
FIR348	79 59	137 167.7	3	79X137MM HWD / 687.60 C=59MM L=167.7MM RENAULT

Heavy Industrial Universal Joints

Part #	Cap (mm)	Span (mm)	Lube	Comments
FIR149	65	143	1	190.50 SRS
FIR148	65	172	3	587.48/700SRS
FIR148A	65	172	3	587.48 SRS ALTERNATIVE
FIR640	65	172	4	GWB LUBE IN ALL 4 BRG CAPS
FIR685	65	172	3	687.55 / 2065 SRS C/w INA BRG CAPS
FIR676	65	172	2	END LUBE IN 1 INA BRG CAP
FIR709	65	172	3	HIGH TEMP 60- 140 DEG CENT FOR RAIL
FIR717	65	172	3	KEMPF 1000.1100.950 C/w SKF BRG CAPS
FIR738	65	235	1	GWB 292.50 TUNNEL TYPE C/w HOLE IN BODY - 2 X LATERAL LUBE
FIR349	71.4	223	1	1900 SRS 5-54X
FIR151	72	185	3	587.5
FIR151/A	72	185	3	ALTERNATIVE GWB 587.50
FIR541	72	185	4	587.50 C/w LUBE IN ALL 4 BEARING CAPS
FIR274	74	129 (222)	3&4	292.50 / 392.50 CTR LUBE & 4 POINT END LUBE
FIR396	74	129 (222)	3	292.50 / 392.50 CTR LUBE - HIGH TEMP
FIR153	74	154 (244)	2	190.55 LUBE IN ALL 4 BRG CAPS
FIR442	74	179.9	4	EQUIVALENT TO KEMPF (VOITH S250.5) 4 X END LUBE
FIR718	74	185	3&4	CENTRE LUBE & END LUBE IN ALL BRG CAPS
FIR505	74	195	3	KEMPF 1000.1105.950
FIR505IB	74	195	4	END LUBE IN ALL BRG CAPS
FIR152	74	217	4	587.55 SRS LUBE IN ALL 4 BRG CAPS
FIR154	83	129 (235.8)	3	390.60
FIR298IB	83	139 (246)	4	292.55 / 392.55 INA BRG CAPS 4 X END LUBE
FIR298	83	139 (246)	3	292.55 / 392.55
FIR298A	83	139 (246)	3	292.55 / 392.55 ALTERNATIVE
FIR155	83	175 (280)	1	190.60
FIR155A	83	175 (155)	1	190.60 ALTERNATIVE

Part #	Cap (mm)	Span (mm)	Lube	Comments
FIR722	83	179.9	3&4	CENTRE LUBE & END LUBE IN ALL BRG CAPS
FIR719	83	195	3&4	INA BRG CAPS 4 X END LUBE & CTR LUBE
FIR720	83	217	3&4	INA BRG CAPS 4 X END LUBE & CTR LUBE
FIR377IB	83	220	3&4	INA BRG CAPS 4 X END LUBE & CTR LUBE
FIR377	83	220	3	VOITH S285.5 / KEMPF
FIR323	83	231.4	3	587.6
FIR156	95	139 (258.8)	4	390.65 4 X LUBE IN CAP
FIR609	95	139 (258.8)	1	390.65 SIDE LUBE
FIR306	95	160 (279.6)	3	292.60 / 392.60
FIR157	95	190 (308)	1	190.65
FIR723	95	219	3&4	VOITH MT285.5 CENTRE & 4 X END LUBE IN BRG CAPS
FIR419	95	250	3&4	KEMPF & VOITH W285 / S315 CTR LUBE & 4 POINT END LUBE
FIR419IB	95	250	3&4	KEMPF & VOITH W285 / S315 CTR LUBE & 4 POINT END LUBE
FIR279	110	160 (293.4)	3	390.70
FIR231	110	176 (309.6)	3	292.65 / 392.65
FIR158	110	210 (340)	1	190.70
FIR159	120	176 (325.2)	3	390.75
FIR216	120	235 (379)	1	190.75
FIR160	130	196 (363.2)	3	390.80
FIR334	130	216 (383.4)	3	392.75
FIR278	130	262	1	190.80
FIR779	130	269	3&4	315.8
FIR201	130	301.6	3	VOITH
FIR797	145	296	3&4	VOITH 350.8 SERIES
FIR503	145	336	3	VOITH 390.9 SERIES 145X336MM (344.5MM OVER CIRCLIPS)
FIR400	195	315		392.9
FIR401	154	250 (430)	3	392.8
FIR402	170	276 (464)	3	392.85

Spicer SPL Style Universal Joints

Part #	Cap (mm)	Span (mm)	Lube	Comments
FIR211	30.2	106.3	0	SPL41 (SFL) TRIPLE LIP SEAL 5-641X ORIGINAL SPICER
FIR211A	30.2	106.3	0	1410 SERIES (SPL41) 5-641X ALTERNATIVE (SFL)
FIR440	34.9	106.4	1	SPL55 SPICER ORIGINAL LUBE
FIR441	34.9	106.4	0	SPL55 SPICER ORIGINAL (SFL)
FIR250	34.9	126.2	0	SPL70 SPICER ORIGINAL (SFL)
FIR554	34.9	126.2	1	SPL70-1X WITH LUBE
FIR103A	41	126.2	3	SPL90 LUBE ALTERNATIVE SPL90X
FIR103	41	126.2	3	SPL90 ORIGINAL LUBE SPL90XS
FIR386	41	126.2	0	SPL100 SPICER ORIGINAL (SFL)
FIR251	49.2	139	3	SPL140 SPICER ORIGINAL
FIR266	55	164	3	SPL170 SPICER PREMIUM
FIR266A	55	164	3	SPL170 SPICER ALTERNATIVE
FIR267	60	163	3	SPL250 SPICER ORIGINAL
FIR267A	60	163	3	SPL250 SPICER ALTERNATIVE

Hino & Mitsubishi Style Plated Universal Joints

Part #	Cap (mm)	Span (mm)	Lube	Comments
FIR92	36	115.6	1	HINO - GUH74
FIR711	43	135.9	3	NISSAN - GUN41 C/W PLATES & BOLTS
FIR517	44	129	3	MITSUBISHI - GUM71
FIR822	47	140	3	KING LONG BUS
FIR454	47	144	3	HINO - GUH68
FIR455	50	165	3	HINO - GUH73
FIR813	52	153.85	3	MITSUBISHI - GUM83 C/W PLATES & BOLTS
FIR814	52	171	3	MITSUBISHI - GUM96 C/W PLATES & BOLTS OE # MC998476
FIR635	55	163.8	3	HINO / NISSAN - GUN43
FIR456	58	175	3	HINO - GUH75

Centre Support Bearings by Size

Part #	ID (mm)	BHC (mm)	Track (mm)	Vehicle	Comments
FIRCB133	25	75	12	VOLVO	V70 CAR
FIRCB207	25	111	12	MERCEDES	E190 MERC REF 201.410.0581
FIRCB172	25	118	11	MERCEDES	MERC REF 124.410.0181
FIRCB146	25	163	15	MAZDA	B2000/B2200 4X2 - P030-25-310
FIRCB278	25	165	15	KIA	SPORTAGE
FIRCB264	25	170	12	HONDA	HONDA CRV 1996 - 2000 OE # 40520-S10-000
FIRCB253	25	208	12	MERCEDES	
FIRCB156	28	163	13	MAZDA	B2200 AUTO / B2600 4X2 (86-93)
FIRCB283	28	180	13	HYUNDAI	SANTE FE O.E. REF # 49575-2E000
FIRCB167	28	168	??	KIA	SORRENTO
FIRCB205	28	181	15	MAZDA &	FORD RANGER 14X30MM SLOTTED HOLES
FIRCB243	30	45	15	SSANGYONG	MUSO SPORTS M12X1.25MM H=96.5MM
FIRCB238	30	45	16	SSANGYONG	KYRON M12X1.25MM H=105MM
FIRCB239	30	45	15	SSANGYONG	ACTYON M12X1.25MM H=99MM
FIRCB240	30	45	16	SSANGYONG	ACTYON SPORTS M12X1.25MM H=73MM
FIRCB241	30	45	16	SSANGYONG	MUSO / KORANDO M12X1.25MM H=119MM
FIRCB242	30	47	16	SSANGYONG	REXTON M12X1.25 H=80MM
FIRCB155	30	58	12	VOLVO	S70 / V70 CAR
FIRCB198	30	68	20	VW	TOUAREG / CAYENNE O.E.GENUINE
FIRCB198A	30	68	19	VW	TOUAREG / CAYENNE ALTERNATIVE FAG BEARING
FIRCB131	30	76	13	VARIOUS	KIT CAR APPLICATIONS - OFFSET BRG
FIRCB12	30	76	13	JAGUAR	JAGUAR
FIRCB226	30	82	15		FREELANDER
FIRCB211	30	93	16	VOLVO	V70 4X4 AWD - OFF SET HOLES
FIRCB125	30	94	16	ISUZU	TFR
FIRCB201	30	96	13	VAUXHALL	OMEGA & SENATOR
FIRCB202	30	96	13	VAUXHALL	OMEGA

Part #	ID (mm)	BHC (mm)	Track (mm)	Vehicle	Comments
FIRCB113	30	100	14	MERCEDES	ML270 c/w BRKT
FIRCB113A	30	100	14	MERCEDES	ML270 c/w BRKT ALTERNATIVE
FIRCB10	30	110	12	BEDFORD	CF
FIRCB659	30	113	15	AUDI	QUATRO
FIRCB279	30	118	13	VOLVO	XC70 OE REF # 5114102081
FIRCB174	30	120	13	MERCEDES	MERC REF 126.410.0181
FIRCB661	30	125	12	TOYOTA	DYNA OE# 37230-36060
FIRCB175	30	125	12	MERCEDES	MERC REF 115.410.4481
FIRCB210	30	125	13	MERCEDES	MERCEDES SL O.E.REF # 129.410.0381
FIRCB225	30	130	13	BMW	X5 O.E REF 26121229726
FIRCB254	30	130	13	CHRYSLER	GRAND VOYAGER
FIRCB212	30	130	15	RENAULT	KANGOO C/w PLASTIC COVER & SEAL
FIRCB212A	30	130	15	RENAULT	KANGOO FAG BEARING
FIRCB162	30	130	13	BMW	730I & 740I
FIRCB184	30	130	15	LAND ROVER	DISCOVERY 3 ORIGINAL TVB500360
FIRCB184A	30	130	15	LAND ROVER	DISCOVERY 3 ALTERNATIVE
FIRCB221	30	130	15	AUDI	A8 OE # 4D0-521-113
FIRCB171	30	131	12	MERCEDES	MERC REF 123.410.1081
FIRCB222	30	131	15	AUDI	OE # 8A0-521-113A
FIRCB215	30	132	13	RENAULT	SCENIC
FIRCB237	30	133	88	FIAT	OLD PANDA 46407936
FIRCB214	30	133	15	AUDI	QUATRO OE # 8A0-521-113A
FIRCB08	30	135	12	VW	LT 13235
FIRCB230	30	135	13	BMW	OE # 4D0-521-113
FIRCB96	30	138	15	FREELANDER	(WITH EXTENDED SHROUD) FAG BEARING
FIRCB96A	30	135	15	FREELANDER	(WITH EXTENDED SHROUD) ALTERNATIVE
FIRCB96/1	30	138	15	FREELANDER	(WITH EXTENDED SHROUD) ORIGINAL
FIRCB96/2A	30	138	15	FREELANDER	c/w STRENGTHENING BLOCKS TOQ000060
FIRCB216	30	138	15	LTI	LONDON TAXI
FIRCB217	30	138	15	FIAT	PANDA 4X4

Part #	ID (mm)	BHC (mm)	Track (mm)	Vehicle	Comments
FIRCB163	30	140	12	BMW	
FIRCB61	30	140	13	FORD	TRANSIT OLD STYLE ROUND TYPE
FIRCB11	30	144	10	MARINA	TOLEDO & DOLOMITE (3180-3001) 3TH8019
FIRCB57	30	144	13	FORD	TRANSIT (99VB4826AB - YCIW4826BC)
FIRCB57A	30	144	13	FORD	O.E. TRANSIT (99VB4826AB/YCIW4826BC)
FIRCB127	30	144	16	HYUNDAI	MR165252
FIRCB150	30	147	13	TOYOTA	LUCIDA 37230-35030
FIRCB120	30	148	12	MERCEDES	VITO 6394100081 ORIGINAL
FIRCB120A	30	148	12	MERCEDES	VITO 6394100081 ALTERNATIVE FAG BEARING
FIRCB121	30	148	12	MERCEDES	VITO 6394100281 ORIGINAL
FIRCB121A	30	148	12	MERCEDES	VITO 6394100281 ALTERNATIVE FAG BEARING
FIRCB332	30	148	13	MERCEDES	VITO ALTERNATIVE H=65MM FAG BEARING
FIRCB285	30	148	15.5	VW	TRANSPORTER T5 (HIGH BOW)
FIRCB97	30	150	12	TOYOTA	HI-ACE 37230-26020
FIRCB143	30	148	12	TOYOTA	4X2 (84-95) 37230-35070
FIRCB149	30	149	10	FORD	RANGER / MAZDA
FIRCB138	30	150	12	NISSAN	37521-33G25
FIRCB168	30	150	13	FORD	SIERRA / SCORPIO (83BG4K080AA)
FIRCB139	30	150	13	TOYOTA	4X4 (90+) 37230-35090 D/LIP SEAL
FIRCB187	30	150	13	TOYOTA	HILUX (4X4 1997+) 37230-35130
FIRCB222	30	153	15	AUDI	A4 OE # 8D0-521-113A
FIRCB223	30	153	15	AUDI	A4 OE # 8D0-521-113
FIRCB234	30	154	19	AUDI	Q7 - ORIGINAL H = 60MM
FIRCB234A	30	154	19	AUDI	Q7 - ALTERNATIVE H = 60MM FAG BEARING
FIRCB58	30	156	19	MERCEDES	609D / 709D O.E. # 301.410.0010
FIRCB229	30	159	16	MITSUBISHI	L200 C/W MOUNTING BLOCKS
FIRCB204	30	160	13	BM W	O.E. REF # 26121229492 / 26127501257
FIRCB289	30	160	13	RANGE ROVER	
FIRCB189	30	160	15	RANGE ROVER	
FIRCB189A	30	160	15	RANGE ROVER	ALTERNATIVE

Part #	ID (mm)	BHC (mm)	Track (mm)	Vehicle	Comments
FIRCB183	30	160	16	MITSUBISHI	MITSUBISHI
FIRCB233	30	160	16	MITSUBISHI	L200 YR 2005 +
FIRCB244	30	160	16	SSANGYONG	RODIUS 30X160X16MM H=61MM
FIRCB112	30	161.5	16	MITSUBISHI	L200 - MB154199/000815
FIRCB286	30	162	15.5	VW	TRANSPORTER T5 (LOW BOW)
FIRCB142	30	162	13	TOYOTA	CRESSIDA (78-5/85) 37230-22042
FIRCB140	30	163	16	MITSUBISHI	& DODGE D50 PICKUP 4X2
FIRCB262	30	164	16	LAND ROVER	H=47MM
FIRCB246	30	165	13	LEXUS	OE # 37230-49015
FIRCB293	30	168	14	IVECO	DAILY O.E. # 42569349
FIRCB293A	30	168	14	IVECO	DAILY O.E. # 42569349 ALTERNATIVE
FIRCB290	30	168	15	VW	AMAROK
FIRCB261	30	168	16	LAND ROVER	ALLOY HOUSING H=57MM
FIRCB157	30	170	12	JAGUAR	XJ350 3180-3017 ORIGINAL
FIRCB157A	30	170	12	JAGUAR	XJ350 3180-3017 AFTERMARKET
FIRCB218	30	171.4	15	KIA	SORENTO 2WD AUTO
FIRCB245	30	173.5	13	LEXUS	OE# 37230-29015
FIRCB235	30	175	15	SUBARU	IMPREZA O.E # 27037-AK010
FIRCB160	30	174	16	SUBARU	SUBARU
FIRCB177	30	175	15.5	FORD	MAVERICK (AUTO) 212165-1X - ORIGINAL
FIRCB178	30	175	15.5	FORD	MAVERICK (MANUAL) - ORIGINAL
FIRCB73	30	176	13	DACIA	DUSTER
FIRCB152	30	177.8	16	AUDI	QUATTRO 2.8 V6
FIRCB274	30	180	13	HYUNDAI	SANTE FE
FIRCB151	30	187.3	15	AUDI	QUATTRO (MULTIPLE APPLICATIONS)
FIRCB148	30	190	15	DODGE	& MITSUBISHI (3000GT / GALANT AWD)
FIRCB273	30	191	13	CHEVY	CAPTIVA / VAUXHALL ANTARA
FIRCB203	30	208	12	MERCEDES	E300 210.410.1681 SLOTTED HOLES
FIRCB280	30	220	13	ALFA	BRERA FRONT
FIRCB281	30	220	13	ALFA	BRERA REAR

Part #	ID (mm)	BHC (mm)	Track (mm)	Vehicle	Comments
FIRCB247	30	227	16	AUDI	VARIOUS QUATTRO APPLICATIONS
FIRCB248	30	228.6	16	AUDI	VARIOUS
FIRCB249	30	238	16	AUDI	VARIOUS
FIRCB71	30	230	10	TOYOTA	HILUX (4X4 79-88) 37230-35080
FIRCB660	30	241	16	AUDI	A6 4WD 4B0-521-113
FIRCB263	30	252	15	AUDI	AUDI QUATTRO BHC=230MM TO 277MM
FIRCB250	30	400	15	VW	TIGUAN ORIGINAL 2153124300
FIRCB250A	30	410	15	VW	TIGUAN ALTERNATIVE TO ORIGINAL FAG BEARING
FIRCB137	30	N/A	16	NISSAN	37521-57G26 (37521-57G25)
FIRCB141	30	N/A	13	NISSAN	37521-W1025
FIRCB145	30	N/A	14	NISSAN	37521-W1027 QASHQAI
FIRCB169	31.75	150	25	VARIOUS	DANA (211431X)
FIRCB267	32	N/A	20	ISUZU	NKR 9-37516006-0
FIRCB270	32	148	13	MERCEDES	VITO V6 REAR BRG
FIRCB270A	32	148	13	MERCEDES	VITO V6 REAR BRG ALT
FIRCB291	32	148	13	MERCEDES	VITO "D" SHAPE
FIRCB224	35	76	14	36	KIT CAR APPLICATIONS 7MM OFF SET BRG
FIRCB147	35	80	13	VOLVO	740/760 CAR (1983-1992)
FIRCB154	35	100	35	FORD	TRACTOR
FIRCB272	35	135	13	VW	TOUAREG
FIRCB195	35	144	14	FORD	TRANSIT 8C114826AA
FIRCB195/1	35	144	14	FORD	TRANSIT 8C114826AA O.E. SPEC
FIRCB04	35	155	20	MERCEDES	608D MERCEDES OE # 310.410.0822
FIRCB300	35	160	13	BM W	1 SRS & 3 SRS OE REF # 26127526632
FIRCB301	35	160	14	BM W	OE REF # 26127521856
FIRCB275	35	160	18	LAND ROVER	OE REF # TOQ000050
FIRCB05	35	160	20	MERCEDES	709D ROUND
FIRCB266	35	163	14	FORD	RANGER OE # SA12-25-300
FIRCB56	35	168	17	IVECO	IVECO DAILY / MITSUBISHI
FIRCB60	35	168	22	IVECO	DAILY DANA OE (211579-1X) ORIGINAL

Part #	ID (mm)	BHC (mm)	Track (mm)	Vehicle	Comments
FIRCB14	35	168	25	VARIOUS	LIGHT COMMERCIAL / 1310 SRS 3580-3501
FIRCB46	35	170	22	CHEVROLET	& GMC
FIRCB260	35	180	14	FORD	RANGER 3 & MAZDA 1330 SRS - ORIGINAL
FIRCB260A	35	180	14	FORD	RANGER 3 & MAZDA
FIRCB302	35	227	15	AUDI	RS6 QUATTRO 4X4
FIRCB124	40	157.4	18	ISUZU	NPR
FIRCB124/1	40	N/A	18	ISUZU	NPR LESS OUTER BRKT OE # 5-37516005-0
FIRCB15	40	168	18	BEDFORD	VARIOUS
FIRCB64	40	168	18	IVECO	2025 / 687.25SRS 211446X
FIRCB294	40	168	18	IVECO	DAILY O.E. # 42569357
FIRCB83	40	168	22	IVECO	DAILY 211793-1X
FIRCB91	40	168	22	IVECO	DAILY O.E. 211926-2X C/w SHROUD
FIRCB91A	40	168		IVECO	DAILY 211926-2X C/w SHROUD ALTERNATIVE
FIRCB17	40	168	27	DAF	1410, 1480 & 1510 SRS 5180-4001
FIRCB17/1	40	168	27	DAF	O.E. 1410, 1480 & 1510 SRS 212139-1X SPICER
FIRCB123	40	168	27	JCB	SOLID RUBBER 211605-1X
FIRCB232	40	168	27		1410, 1480 & 1510 SRS WITH GREASER
FIRCB65C	40	168		DODGE	
FIRCB166	40	168	22	FORD	& CHEVROLET 1350
FIRCB02	45	80	16	LDV	FREIGHT ROVER 3180-4501 C/W FLINGERS
FIRCB19	45	144	16	FORD	TRANSIT 3180-4511
FIRCB119	45	158	19	ISUZU	ALT 4 X SLOTTED BOLT HOLES 36X19MM
FIRCB132	45	158	19	ISUZU	O.E. 4 X SLOTTED BOLT HOLES 36X19MM
FIRCB41	45	160	19	MERCEDES	ATEGO / U SHAPE BRACKET
FIRCB20	45	168	19	IVECO	RUBBER SLIP MID TYPE FAG BEARING
FIRCB20/1	45	168	19	IVECO	O.E. RUBBER SLIP MID TYPE ORIGINAL
FIRCB116	45	168	19	DAF	& RENAULT O.E. 2020SRS (c/w SERVICE KIT)
FIRCB228	45	168	19	RENAULT	MASTER O.E. # 37525191R
FIRCB07	45	190	23	MERCEDES	811/814 ROUND
FIRCB22	45	194	19	FORD	IVECO & LEYLAND 6380-4501

Part #	ID (mm)	BHC (mm)	Track (mm)	Vehicle	Comments
FIRCB59	45	194	19	MERCEDES	SPRINTER / EARLY TYPE
FIRCB134	45	194	19	VOLVO	NK300 / SOLID RUBBER W/o LUBE
FIRCB134A	45	194	19	VOLVO	NK SERIES ALT SOLID RUBBER
FIRCB21	45	194	27	JCB	& LEYLAND HARD RUBBER TYPE PAK3403
FIRCB93	45	194	27	LEYLAND	TWIN LUBE 6080-4512
FIRCB01	45	194	27	LEYLAND	STANDARD 1610 SRS 6080-4501
FIRCB01/1	45	194	27	VARIOUS	O.E. SPICER 1610 SRS 210084-2X
FIRCB03	45	195	19	MERCEDES	207,208, 307,308 & 410
FIRCB25	45	200	19	MAN	SOLID RUBBER
FIRCB25A	45	200	19	MAN	SOLID RUBBER ALT
FIRCB196	47	194	21	MERCEDES	SPRINTER 906.410.1881 O.E. SLIP MID H=73MM
FIRCB196A	47	194	21	MERCEDES	SPRINTER 906.410.1881 ALTERNATIVE H=73MM FAG BEARING
FIRCB197	47	194	21	MERCEDES	SPRINTER 906.410.0181/0381 O.E. SLIP MID H=68MM
FIRCB197A	47	194	21	MERCEDES	SPRINTER 906.410.0181/0381 ALTERNATIVE H=68MM FAG BEARING
FIRCB268	47	194	21	MERCEDES	SPRINTER 906.410.1081 O.E MID SHAFTS H=68MM
FIRCB268A	47	194	21	MERCEDES	SPRINTER 906.410.1081 ALTERNATIVE H=68MM
FIRCB269	47	194	21	MERCEDES	SPRINTER 906.410.1381 O.E MID SHAFTS H=73MM
FIRCB269A	47	194	21	MERCEDES	SPRINTER 906.410.1381 ALTERNAIVE H=73MM
FIRCB27	50	194	30	DAF	& LEYLAND 1710 7080-5001
FIRCB27/1	50	194	30	DAF	& LEYLAND 1710 210121-1XE SPICER
FIRCB82	50	194	30	DAF	& LEYLAND 1710/SPL140 SOLID RUBBER
FIRCB220	50	194	18	DAEWOO	& VARIOUS APPLICATIONS
FIRCB144	50	N/A	19	NISSAN	37510-Z2002/4
FIRCB69	55	168	18	IVECO	2025 / 687.25 SRS SLIP MID TYPE
FIRCB63	55	168	-		KEMPF (CAST BRKT)
FIRCB99	55	190	23	MERCEDES	U-SHAPE - MAY NEED A9734110052 SPACER
FIRCB30	55	190	25	MERCEDES	ROUND

Part #	ID (mm)	BHC (mm)	Track (mm)	Vehicle	Comments
FIRCB32	55	193.5	18	IVECO	ALTERNATIVE 2040 / 687.40 SRS
FIRCB67	55	193.5	18	IVECO	O.E. 2040 / 687.40 SRS 15X15MM HOLES
FIRCB122	55	193.5	18	DAF	& RENAULT O.E. SPICER
FIRCB122A	55	193.5	18	DAF	ALT
FIRCB176	55	193.5	22	DAF / AVIA	O.E. SPICER PEP 4 C/W INT SERVICE KIT
FIRCB176A	55	193.5	22	DAF	ALT
FIRCB176/1	55	193.5	22	DAF	O.E. SPICER PEP 4 LESS SERVICE KIT
FIRCB153	55	193.5	18	RENAULT	O.E # 5000816925
FIRCB153A	55	193.5	18	RENAULT	ALT
FIRCB180	55	200	18	IVECO	O.E. 2040SRS SLOTTED RUBBER H = 75MM
FIRCB34A	55	200	18	DAF	2040SRS SOLID RUBBER & LUBE 2040.8055
FIRCB34	55	200	18	DAF	REPLACED BY FIRCB80
FIRCB80	55	200	18	VOLVO	O.E. SLOTTED RUBBER/SLOTTED HOLES
FIRCB33	55	200	36	FORD	IVECO & MAN
FIRCB33A	55	200	36	FORD	IVECO & MAN - ALTERNATIVE
FIRCB193	55	220	22	IVECO	2040 / 687.40 SRS NEW STYLE
FIRCB95	60	180	18		MECHANICS 7C (TO SUIT ICUG)
FIRCB90	60	190	22	MERCEDES	U-SHAPE - MAY NEED A6544110052
FIRCB65	60	194	18	IVECO	O.E. 687.30 SLIP MID TYPE
FIRCB65B	60	194	18	IVECO	687.30 SLIP MID TYPE ALTERNATIVE
FIRCB65A	60	193.5	22	DAF	687.30 SLIP MID TYPE C/w SERVICE KIT
FIRCB65A/1	60	193.5	22	DAF	ALT SLIP-MID TYPE
FIRCB09	60	198	30	VOLVO	NK300 & NK400 (40 SHORE)
FIRCB09/A	60	198	30	VOLVO	NK300 & NK400 BRG & RUBBER
FIRCB92	60	198	30	VOLVO	NORDISKA NK300 & NK400 (80 SHORE)
FIRCB92A	60	198	30	VOLVO	NORDISKA NK300 & NK400 (80 SHORE)
FIRCB37	60	198	30	VOLVO	DUMP TRUCK CAST BRACKET
FIRCB89	60	200	22	RENAULT	KERAX
FIRCB40	60	200	35	DAF	SOLID RUBBER WITH LUBE
FIRCB79	60	200	35.5	RENAULT	O.E. SPICER SPL 170/250 SLOTTED RUBBER

Part #	ID (mm)	BHC (mm)	Track (mm)	Vehicle	Comments
FIRCB35	60	200	36	FORD	GROVE & IVECO / NON LUBE SLOTTED HOLES
FIRCB43	60	219	22	DENNIS	& LEYLAND 8380-6001
FIRCB158	60	219	36	VARIOUS	SOLID RUBBER 210875-1X
FIRCB42A	60	219	36	ERF	FODEN & SEDDON ALT 8080-6001
FIRCB42	60	219	36	ERF	FODEN & SEDDON 8080-6001
FIRCB259	60	219	36	VOLVO	8127224 OE # SPICER REF 212067-3X
FIRCB208	60	219	36	VOLVO	& RENAULT KERAX H=84.6MM
FIRCB256	60	220	22	IVECO	CAST BRG HOUSING
FIRCB78	60	220	36	IVECO	O.E. KLEIN CAST BRACKET
FIRCB78A	60	220	36	IVECO	ALTERNATIVE CAST BRACKET
FIRCB38	60	247	25	MERCEDES	ROUND
FIRCB39	60	-	22	SCANIA	P300, 400,500 600 (NEW 85MM SEAL) C/w LUBE
FIRCB115	60	-	26	SCANIA	P300, 400, 500,& 600 ORIGINAL SEALED
FIRCB115A	60	-	26	SCANIA	P300, 400, 500,& 600 ALTERNATIVE SEALED
FIRCB105	61.5	195	65	JCB & CAT	USE WITH MID STUB MS10.2
FIRCB236	65	170	18	JAGUAR	X400 4x4 4 WD
FIRCB44	65	193	23	SEDDON	& FODEN KEMPF (CAST BRKT)
FIRCB100	65	194	18	MAN	O.E. KLEIN MAN SLIP MID TYPE
FIRCB100/1	65	194	18	MAN	MAN SLIP MID TYPE ALT
FIRCB55	65	200	18	DAF	O.E. KLEIN SOLID RUBBER
FIRCB55/1	65	200	18	DAF	SOLID RUBBER - ALTERNATIVE
FIRCB191	65	200	18	DAF	O.E. KLEIN SOLID RUBBER UPGRADED BRACKET
FIRCB191A	65	200	18	DAF	KLEIN STYLE ALT UPGRADED BRACKET
FIRCB45	65	200	18	IVECO	O.E. KLEIN SLOTTED RUBBER
FIRCB126	65	200	18	IVECO	O.E. KLEIN IVECO C/w TWIN RADIAL SEAL
FIRCB98	65	210	47		8.5C MECHANICS
FIRCB50	65	220	18	MAN	O.E. MAN SLIP MID TYPE
FIRCB50/1	65	220	18	MAN	ALT MAN SLIP MID TYPE
FIRCB46/2	65	220 / 230	23	MAN	O.E. GWB - MAN 81394106019

Part #	ID (mm)	BHC (mm)	Track (mm)	Vehicle	Comments
FIRCB46/1	65	230	23	MAN	ALTERNATIVE
FIRCB77	70	190	20	MERCEDES	U SHAPE - MAY NEED A655.411.0052 SPACER
FIRCB48	70	198	20	VOLVO	NORDISKA NK500 & NK600 NK24552
FIRCB48A	70	198	20	VOLVO	ALTERNATIVE NK500 & NK600
FIRCB48/A	70	-	20	VOLVO	NK500 & NK600 LESS BRACKET
FIRCB49	70	219	20	DAF	DENNIS & LEYLAND 8080-7001
FIRCB135	70	220	20	IVECO	CAST BRACKET
FIRCB54	70	220	20	DAF	O.E. GWB 2055, 2060 & 2065 SOLID RUBBER
FIRCB54A	70	220	20	DAF	ALT SOLID RUBBER
FIRCB66	70	220	20	IVECO	O.E. SLOTTED RUBBER ROUND MTG HOLES
FIRCB52	70	220	20	VOLVO	O.E. SLOTTED RUBBER & MTG HOLES
FIRCB109	70	220	20	VOLVO	O.E. SLOTTED RUBBER & 2 OFF SEALS
FIRCB111	70	220	20	IVECO	O.E. GWB 2040SRS 2 PC SHAFT
FIRCB85	70	220	45	DAF / IVECO	CAST BRG (SLOTTED B/ HOLES) ORIGINAL
FIRCB85A	70	220	45	DAF / IVECO	ALT CAST BRACKET
FIRCB206	70	220	26	IVECO	O.E. REF # 42565564 2060 SLOTTED RUBBER
FIRCB192/1	70	220/ 230	26	VOLVO	REPLACED BY FIRCB257
FIRCB257/1	70	220/ 230	26	VOLVO	O.E. GWB VOLVO 2055/2060 SRS
FIRCB47	70	242	25	MERCEDES	ROUND 395 410 0022
FIRCB102	75	215		CAT	296-4292 1610 SRS PLUMMER BLOCK TYPE
FIRCB181	75	220	26	RENAULT	O.E. GWB 2040SRS TWO PIECE SHAFT
FIRCB181A	75	220	26	RENAULT	ALT
FIRCB74	75	220	19	DAF	O.E. KLEIN 620 SRS SOLID RUBBER
FIRCB26	75	220	19	IVECO	O.E. KLEIN 620 SRS STANDARD
FIRCB94	75	220	20	IVECO	O.E. KLEIN 590 SRS 2 PIECE SLIP MID SHAFTS
FIRCB194	75	220	26	IVECO	O.E. GWB 2040 / 687.40 SLIP MID SHAFTS
FIRCB104	75	230	18	MAN	O.E KLEIN 490 2 PIECE SLIP MID
FIRCB88	75	230	26	MAN	SUPERCEDED BY FIRCB190
FIRCB88A	75	230	18	MAN	MAN 2040/2045 2 PC SLIP MID

Part #	ID (mm)	BHC (mm)	Track (mm)	Vehicle	Comments
FIRCB190	75	220	26	MAN	O.E. GWB 2040/2045 2 PC SLIP MID 84 SHORE
FIRCB101	80	220	22	IVECO	O.E. KLEIN
FIRCB87	80	245	22	MERCEDES	ROUND
FIRCB87A	80	245	22	MERCEDES	ROUND STYLE -ALTERNATIVE
FIRCB182	85	220	13	IVECO	O.E. GWB 2055SRS 2 PIECE SLIP MID
FIRCB165A	85	220	13	MAN	ALT 2055 SRS 2 PIECE SLIP MID (SHORE 70)
FIRCB219	85	220	26	MAN	O.E. GWB 2055 SRS 2 PC SLIP MID (84 SHORE)
FIRCB219A	85	220	26	MAN	MAN ALT 2055 SRS SLIP-MID TYPE
FIRCB53	100	194	13	MAN	& IVECO O.E. KLEIN 2 PC SLIPMID
FIRCB53/1	100	194	13	MAN	& IVECO 2 PC SLIPMID ALT TO FIRCB53





Compact Style Series

2015-2065 (687.15-687.65)

Part #	Comments
2015 / 687.15	27 X 74.6MM - (SEE ALSO 1300)
SHAFT ASSY	
2015YSA-3	YSA LESS UJ & FLANGES 60MM SLIP AT 184MM UJ CTR.LINES (w/o Cover Tube)
YOKE SHAFT ASSY	9.01 DESIGN
SLA23.5	90MM SLIP / 63X2.4MM Ø TUBE W/O FLANGE & UJ - 25° H=202MM
YOKE SHAFT ASSY	
SLA23.1	60MM SLIP / 52X3.5MM Ø TUBE W/O FLANGE & UJ - 35° H=162MM
SLA23.1/1	60MM SLIP / 52X3.5MM Ø TUBE W/O FLANGE & UJ - 25° H=181MM SPICER
SLA23.2	60MM SLIP / 63X2.4MM Ø TUBE W/O FLANGE & UJ - 25° H=130MM
SLA23.20	60MM SLIP / 63X2.4MM Ø TUBE W/O FLANGE & UJ - 25° H=175MM SPICER
SLA23.4	60MM SLIP / 63X2.4MM Ø TUBE W/O FLANGE & UJ - 35° H=167MM
SLA23.6	130MM SLIP / 63X2.4MM Ø TUBE W/O FLANGE & UJ - 25° H=240MM
SEAL TUBE	
ST23.1	TO SUIT 60MM SLIP H = 80MM
ST23.2	TO SUIT 90MM SLIP H = 114MM
ST23.3	TO SUIT 130MM SLIP H = 155MM
SLIP-MID ASSY	
SLA23.8	ASSY (INCL CAP) TO SUIT 45MM Ø FIRCB20 CTR BRG / 88.9X2.41MM TUBE IVECO
	CAN ALSO USE MDS3.1 / SL3.4 / FIRCB60
FLANGE YOKE	
FLY23.9	87MM Ø 1140SAE H=43MM
FLY23.1	90X4X8MM Ø H=50MM ALT
FLY23.1/1	90X4X8MM Ø H=50MM SPICER
FLY23.5	97X4X10.1MM Ø 1310SAE H=43MM ALT
FLY23.5/1	97X4X10.1MM Ø 1310SAE H=43MM SPICER
FLY23.8	100MM Ø BLANK H=48MM

Part #	Comments
FLY23.4	100MM Ø BLANK H=54MM
FLY23.2	100X6X8MM Ø H=48MM ALT
FLY23.2/1	100X6X8MM Ø H=48MM SPICER
FLY23.6	100X6X8MM Ø H=54MM 35°
FLY23.7	116MM 4X12.2MM Ø 1410SAE H=43MM
FLY23.19	116X3X11.1MM H=71.5MM - VOLVO FANSHAFT APPLICATION
FLY23.11	120MM Ø BLANK H=43MM
FLY23.10	120X8X8MM Ø H=43MM
FLY23.3	120X8X10MM Ø H=43MM ALT
FLY23.3/1	120X8X10MM Ø H=43MM SPICER
FLY23.26	132X4X12.7MM Ø H=55MM FS=65MM BHC=76X76MM - NISSAN CABSTAR
TUBE YOKE	
TUY23.2	52X3.5MM Ø TUBE H=53MM
TUY23.6	52X3.5MM Ø TUBE H=50MM (2015 ALT)
TUY23.1	63X2.4MM (2.5X0.095") Ø TUBE 25° H=50MM
TUY23.3	76.2X1.62MM (3.0X0.064") H=61MM
U'JOINT	
FIR236	27X74.6MM CENTRE LUBE (ORIGINAL SPICER)
FIR236A	27X74.6MM CENTRE LUBE (2015 ALT)
FIR352	27X74.6MM 2 X END LUBE
FIR450	27X74.6MM (SFL) INA BRG CAPS
FIR297	27X74.6MM SFL HEAVY DUTY HS191
FIR620	2015 / 687.15 GENUINE 4 X LUBE IN END OF CAP
CENTRE BRG	
FIRCB91	IVECO DAILY RANGE / 40X168X22MM - EXTENDED SHROUD - ORIGINAL
FIRCB91A	IVECO DAILY RANGE / 40X168X22MM - EXTENDED SHROUD - ALTERNATIVE
FIRCB20	45X168X19MM BONDED RUBBER IVECO
FIRCB20/1	45X168X19MM ORIGINAL SPICER IVECO
TUBING	
TUBE52X3.5	52X3.5MM Ø

Part #	Comments
TUBE63.5X2.4	63X2.4MM Ø (2.5X0.095")
END SPLINE	
ENY23.1	2015 VOLVO FANSHAFT YOKE C/w MALE SPLINE 26 SPLINES H=185MM SUITS FIRFS16, FIRFS18 & FIRFS20
ENY23.2	2015 FANSHAFT YOKE C/w MALE SPLINE+THREAD 26 SPLINES H=223.5MM VOLVO FANSHAFT
ENY23.3	2015 FANSHAFT END YOKE 113MM PCD H=59MM 3 BOLT YOKE = 120° BETWEEN HOLES / 113MM PCD / 12.5MM HOLES / 20MM SPIGOT
FANSHAFT ASSY	
FIRFS16	VOLVO FANSHAFT TO SUIT B10M B9M MK4 MK3 O.E. REF # 3037490-4
FIRFS18	VOLVO FANSHAFT VOLVO B10M / L.480MM O.E. REF # 20565732
FIRFS19	VOLVO FANSHAFT VOLVO B12 / L.518.5MM O.E. REF # 21038602 22070240
FIRFS20	VOLVO FANSHAFT VOLVO COACH / L.437MM O.E. REF # 20854105
FIRFS21	2015 SRS FANSHAFT VOLVO COACH / L.460MM O.E. REF # 21174448
FIRFS22	2015 SRS FANSHAFT VOLVO COACH / L.478MM O.E. REF # 21017681
FIRFS23	2015 SRS FANSHAFT VOLVO BUS / L=385MM O.E. REF # 2212175
2020 / 687.20	30.2X81.8MM
SHAFT ASSY	
2020YSA-3	YSA LESS UJ & FLANGES AT 209MM UJ CTR.LINES
2020YSA-4	YSA LESS UJ & FLANGES AT 290MM UJ CTRS CAN BE REDUCED TO 190MM CTRS
YOKE SHAFT ASSY	
SLA24.1	La. 70MM / 76.2X2.4MM Ø TUBE W/o FL & UJ - SPICER L=193MM
SLA24.31	La. 100MM / 76.2X2.4MM Ø TUBE W/o FL & UJ - L=245MM 35 DEG
SLA24.3	La. 100MM / 76.2X2.4MM Ø TUBE W/o FL & UJ - L=233MM SPICER
SLA24.4	La. 70MM / 76.2X2.4MM Ø TUBE W/o FL & UJ - L=193MM
SLA24.5	La. 70MM / 76.2X1.6MM Ø TUBE W/o FL & UJ - L=194MM
SLA24.7	La. 70MM / 76.2X2.1MM Ø TUBE W/o FL & UJ - L=200MM
SLA24.9	La. 140MM / 76.2X2.4MM Ø TUBE W/o FL & UJ L=273MM SPICER
SLA24.32	La. 140MM / 76.2X2.4MM Ø TUBE W/o FL & UJ L=237MM
SLA24.11	La. 100MM / 63X2.5MM Ø TUBE W/o FL & UJ - L=221MM

Part #	Comments
SEAL TUBE	
ST24.1	SEAL TUBE H=95MM La.70mm
ST24.2	SEAL TUBE H=125MM La.100mm
ST24.3	SEAL TUBE H=135MM La.110mm
SLEEVE	
SL24.1	TO SUIT 3.0X.095" Ø TUBE La.70MM
SL24.2	TO SUIT 3.0X.095" Ø TUBE La.100MM
SL24.4	MB SPRINTER 45MM Ø MID SLEEVE SPRINTER 2020 FIRCB59 3X.095"
SLIP-MID ASSY	
SLA24.10	DAF & RVI INC FIRCB116 45MM Ø BEARING / 76.2X2.4MM Ø TUBE H=200MM
SLA24.13	MERC SPRINTER Y/SHAFT & SLEEVE W/o 45MM FIRCB59 Ø TUBE 76.2X2.4MM
SLA24.14	MERC SPRINTER Y/SHAFT & SLEEVE W/o 47MM FIRCB196 Ø TUBE 76.2X2.4MM
SLA24.15	MERC SPRINTER Y/SHAFT & SLEEVE C/w 50MM BRG Ø TUBE 70X2MM H=222MM
SERVICE KIT	
DCPFIRCB116	YOKE SHAFT / FIRCB116 DUST CAP & SEAL KIT
FLANGE YOKE	
FLY24.11	10.2MM HOLES PCD=85MM MDS=65MM BHC=68.6X49.8MM H=46MM ISUZU
FLY24.36	90X4X8MM H=58MM 35° "ALT"
FLY24.14	97MM Ø 1310SAE (M10 HOLES) H=58MM
FLY24.42	97MM Ø 1310SAE (9.8MM HOLES) H=52MM
FLY24.10	100MM Ø BLANK H=54MM
FLY24.1	100X6X8MM Ø H=54MM
FLY24.41	100X6X8MM Ø H=60MM 35 DEG
FLY24.8	107.95MM Ø PCD 12.66MM HOLES H=45MM FORD TRANSIT GEARBOX ONLY
FLY24.40	115X4X10.2MM Ø PCD=90MM MDS=45MM H=58MM BHC=63.5X63.5MM HYUNDAI
FLY24.12	115X4X10.2MM H=58MM PCD=90MM BHC=69X58MM MALE SPIG=60MM MITSUBISHI
FLY24.3	116MM Ø 1410SAE (M12 HOLES) H=48MM
FLY24.6	116MM Ø 1410SAE (11.1MM HOLES) H=48MM
FLY24.25	116MM Ø 1410SAE BLANK FLANGE (UN-DRILLED) H=48MM

Part #	Comments
FLY24.4	120MM Ø BLANK H=54MM
FLY24.37	120X4X10.2MM H=58MM 98MM PCD MALE SPIGOT 65.3MM VW AMAROK
FLY24.5	120X4X11MM Ø H=54MM (120KV)
FLY24.13	120X8X8MM Ø H=54MM
FLY24.2	120X8X10MM Ø H=54MM ORIGINAL SPICER
FLY24.7	120X8X10MM Ø H=54MM ALTERNATIVE
FLY24.35	120X8X10MM Ø H=58MM ALTERNATIVE
FLY24.39	124X6X10MM Ø MITSUBISHI H=58MM PCD=107MM MALES SPIGOT=90Ø
FLY24.21	SPRINTER 132X4X10.2MM ROUND H=58MM PCD=112MM FEMALE SPIGOT=67MM
FLY24.41	SPRINTER 132X4X10.2MM SQUARE H=44MM PCD=112MM FEMALE SPIGOT=67MM
FLY24.22	SPRINTER 132MM DIA BLANK Ø H=58MM FEMALE SPIGOT = 67MM
FLY24.23	SPRINTER 120X4X10.2MM H=58MM PCD =101.5MM FEMALE SPIGOT = 57MM
FLY24.38	SPRINTER 146X4X12.2MM H=58MM PCD=120MM FEMALE SPIGOT 67MM
FLY24.31	VITO 120X4X10.2MM H=58MM PCD 101.5MM FEMALE SPIGOT = 57MM
FLY24.26	VITO 132X4X10.2MM H=58MM PCD=112MM FEMALE SPIGOT = 58MM
FLY24.29	132X4X12.7MM H=58MM PCD= 108MM BOLT HOLE SPACING 76X76MM FEMALE SPIGOT = 65MM - NISSAN CABSTAR - ORIGINAL SPICER
FLY24.30	132X4X12.7MM H=58MM PCD= 108MM BOLT HOLE SPACING 76X76MM FEMALE SPIGOT = 65MM - NISSAN CABSTAR - ALTERNATIVE
TUBE YOKE	
TUY24.1	SPICER 76.2X2.4MM (3.0X.095") Ø TUBE H=53MM
TUY24.12	76.2X2.4MM (3.0X.095") Ø TUBE H=53MM - SPRINTER
TUY24.3	76.2X2.4MM (3.0X.095") Ø TUBE H=45MM
TUY24.9	76.2X2.4MM (3.0X.095") Ø TUBE H=53MM
TUY24.2	SPICER 88.9X2.4MM (3.5X.095") Ø TUBE H=53MM (supplied with adaptor bush fitted)
TUY24.4	76.2X1.62MM (3.0X.064") Ø TUBE "FORD TRANSIT" H=45MM
TUY24.5	70X3MM Ø TUBE H=53MM
TUY24.6	63X2.5MM Ø TUBE - SOLID BASE H=-58MM
TUY24.7	70X2MM Ø TUBE H=55MM
TUY24.11	70X2MM Ø TUBE H=72MM
TUY24.13	70X2.41MM Ø TUBE H=53MM - SPRINTER WITH SWAGED TUBE

Part #	Comments
TUY24.14	70X2.35MM Ø TUBE H=53MM TUBE BASE=65.3MM - SPRINTER
TUY24.8	65.7MM BASE H=55MM
MID ASSY	
MDA24.1	120X4X11MM INC FIRCB20 45MM Ø BRG / 76.2X2.4MM Ø TUBE - IVECO H=70MM
MDA24.4	132X4X12.2MM PCD 108MM - 65MM DIA MALE REGISTER 45MM Ø BRG FIRCB116 76.2X2.4MM - NISSAN - H=122MM / S/O = 78MM
MID YOKE	
MDY24.3	NEW FORD TRANSIT (USE WITH MDS24.3) "29.6MM DIA SPLINE"
MDY24.4	NEW FORD TRANSIT (USE WITH MDS2.2/1) 1300 SRS
MID STUB	
MDS24.3	NEW FORD TRANSIT 3.0X.064" Ø TUBE (USE WITH MDY24.3) "29.6MM DIA SPLINE"
END YOKE	NEW FORD TRANSIT 31MM BORE W/o BUSH
ENY24.2	3 ARM COUPLING FLANGE 105MM PCD (USE WITH FC-9) TUBE 58X1.62MM H=34MM
ENY24.3	3 ARM COUPLING FLANGE 120MM PCD (USE WITH FC10) TUBE 66X2.41MM H=33MM
BUSH	
BUSH/1	JAGUAR & FORD TRANSIT BUSH 16MM PIN 32MM DIA
BUSH/2	BUSH 16MM PIN 31MM DIA
SHAFT ASSY	
STEER AXLE	DIFFERENT VARIATIONS AVAILABLE ON REQUEST
U'JOINT	
FIR77	30.2X81.8MM CENTRE LUBE SPICER 2020 ORIGINAL
FIR232	30.2X81.8MM CENTRE LUBE ALT 687.20
FIR232A	30.2X81.8MM CENTRE LUBE ALT 687.20 HEAVY DUTY
FIR232/1	30.2X81.8MM CENTRE LUBE PREMIUM
FIR394	30.2X81.8MM 687.20 C/w WITH LUBE
FIR412	30.2X81.8MM (SFL) NON LUBE SPICER 2020 ORIGINAL
FIR412A	30.2X81.8MM (SFL) NON LUBE INA BRG CAPS
FIR355	30.2X81.8MM END LUBE IN CAP
CENTRE BRG	
FIRCB20	TO SUIT (MDA24.1) 45X168X19MM IVECO BONDED RUBBER
FIRCB20/1	TO SUIT (MDA24.1) 45X168X19MM IVECO SPICER ORIGINAL

Part #	Comments
FIRCB57	TO SUIT (MDS24.1) 30X144X13MM NEW FORD TRANSIT
FIRCB116	TO SUIT SLA24.8 45X168X19MM OFFSET DAF INC SERVICE KIT
FIRCB176	TO SUIT SPICER PEP4 INC INTERNAL SERVICE KIT DAF 55X193.5X22MM
FIRCB176/1	TO SUIT SPICER PEP4 LESS SERVICE KIT DAF 55X193.5X22MM
DCPFIRCB116	YOKE SHAFT / FIRCB116 DUST CAP & SEAL KIT
TUBING	
TUBE76.2X2.1	76.2X2.1MM (3.0X.082") Ø
TUBE76.2X2.4	76.2X2.4MM (3.0X0.095") Ø
TUBE88.9X2.4	88.9X2.4MM (3.5X0.095") Ø
BTB 320	30.2X82MM
CENTRE YOKE	
B320HC	BTB320 CENTRE YOKE H=70MM 30.2X82MM - STEER AXLE APPLICATION
B320HC/1	BTB320 CENTRE YOKE H=72MM 30.2X82MM - STEER AXLE APPLICATION
U'JOINT	
FIR256	BTB TYPE NON LUBE C/W 1.2MM CIRCLIPS - STEER AXLE (SFL)
FIR256A	UNIVERSAL JOINT 30.2X82MM (SFL) "ALT" 1.2MM CIRCLIPS
2025 / 687.25	34.9 X 92MM
SHAFT ASSY	YSA 9.03 DESIGN
2025YSA-1	W/o FL&UJ 215MM UJ CL CLOSED 70MM SLIP (SPICER) W/o SEAL TUBE ST25.1
YOKE SHAFT ASSY	
SLA25.2	100MM SLIP / 88.9X2.4MM Ø TUBE W/O FLANGE & UJ L=232MM SPICER
SLA25.20	145MM SLIP / 88.9X2.4MM Ø TUBE W/O FLANGE & UJ L=281MM 35DEG SPICER
SLIP-MID ASSY	
SLA25.3	W/o BRG > TO SUIT FIRCB176 55MM Ø CENTRE BRG / 88.9X2.4MM Ø TUBE L=253MM
SLA25.5	INC 55MM Ø CTR BRG FIRCB176/1 / 88.9X2.4MM Ø TUBE L=290MM W/o SEAL KIT
SEAL TUBE	
ST25.1	SEAL TUBE H=125MM

Part #	Comments
FLANGE YOKE	
FLY25.4	120MM ØDIN BLANK FLANGE H=70MM
FLY25.7	120X4X11MM Ø H=60MM SPICER
FLY25.3	120X8X10MM Ø H=70MM SPICER
FLY25.1	150X8X12MM Ø H=60MM SPICER
FLY25.5	150MM Ø BLANK FLANGE SPICER H=60MM
FLY25.2	146MM Ø 1510SAE (14MM HOLES) H=60MM
TUBE YOKE	
TUY25.1	TO SUIT 89X2.4MM Ø TUBE H=56MM
MID ASSY	
MDA25.1	120X4X11MM INC 40MM Ø CTR BRG FIRCB64 / 89X2.4MM Ø TUBE S/O =75MM
MDA26.3	120X4X11MM Ø 55MM Ø CTR BRG / 88.9X2.4MM Ø TUBE PEP5 S/O = 75MM
U'JOINT	
FIR89	34.9X92MM CENTRE LUBE
FIR479	34.9X92MM CENTRE LUBE INC INA BRG CAPS
FIR583	34.9X92MM NON LUBE SFL
FIR704	34.9X92MM HIGH TEMPERATURE CENTRE LUBE
CENTRE BRG	
FIRCB64	IVECO 40X168X18MM
FIRCB69	IVECO 55X168X18MM (IVECO 2-PIECE)
SEAL KIT (IVECO)	
3525411	RUBBER SEAL
UC19389	CAP
UC19390	FLINGER
SEAL KIT (DAF)	
3525402	DUST CAP (SPICER / PEP4)
3525411	SEAL (SPICER / PEP4)
TUBING	
TUBE88.9X2.4	88.9X2.4MM (3.5 X 0.095") Ø

Part #	Comments
2030 / 687.30	34.9 X 106.4MM
SHAFT ASSY	YSA 9.03 DESIGN
2030YSA-1	W/o FL&UJ 256MM UJ CL CLOSED C/w SEAL TUBE
2030YSA-1/1	W/o FL&UJ 253MM UJ CL CLOSED W/O SEAL TUBE SPICER
2030YSA-2	W/o FL&UJ MAX 335MM UJ CL CLOSED / MIN 230MM UJ CL CLOSED
2030YSA-3	W/o FL, UJ SEAL TUBE (9.03) H=170MM / La.30MM
SEAL TUBE	
ST26.2	SEAL TUBE TO SUIT 2030YSA-1 H=135MM
ST51.3	SEAL TUBE TO SUIT SLA26.18 H=210MM
YOKE SHAFT ASSY	9.01 DESIGN
SLA26.9	SHORT COUPLE DESIGN La.110MM H=244MM (USE WITH ST26.2 & TY26.1)
YOKE SHAFT ASSY	
SLA26.1	La.110MM / 90X3MM TUBE Ø W/O FLANGE & UJ *SPICER* H=247MM
SLA26.4	La.110MM / 90X3 (3.5X.095") TUBE Ø W/o FL & UJ
SLA26.6	ALTERNATIVE La.110MM 3X.095" TUBE Ø W/o FL & UJ L=245MM
SLA26.10	La.155MM / 80X3.5MM TUBE Ø W/o FL & UJ 35°
SLA26.10/1	La.155MM / 80X3.5MM TUBE Ø W/o FL & UJ 35° SPICER
SLA26.18	La.190MM / H309MM 90X3MM TUBE Ø - USE FOR DOUBLE JOINT SLIP ASSY USE ST51.3 COVER TUBE
SLIP-MID ASSY	
SLA26.3	IVECO + NISSAN TO SUIT FIRCB65 OR FIRCB65B 60MM Ø CTR BRG 90X3MM Ø TUBE L= 277MM **LIMITED SUPPLY CAN USE SLA26.7**
SLA26.7	DAF TO SUIT FIRCB65A 60MM Ø CTR BRG / 90X3MM Ø TUBE L=277MM
SLA26.16	DAF C/w FIRCB65A 60MM Ø BRG, TUBE YOKE & U/J / 90X3MM Ø TUBE H=340MM
SLEEVE	
SL26.2	TO SUIT SLA26.1 90X3MM Ø TUBE H = 181MM
FLANGE YOKE	
FLY7.8	116X4X11.3MM 1410 SAE H=60MM
FLY26.4	120MM Ø BLANK H=72MM
FLY26.6	120X4X11MM Ø H=63.5MM ORIGINAL SPICER
FLY26.10	120X4X11MM Ø H=63.5MM

Part #	Comments
FLY7.6	120X6X10MM MERCEDES 609D & 709D 02-323 H=60MM
FLY26.2	120X8X10MM Ø H=72MM
FLY26.8	146MM Ø 1510 SAE 12MM BOLT HOLES H=78MM
FLY26.9	150X4X13MM Ø H=65MM ALT
FLY26.9/1	150X4X13MM Ø H=65MM SPICER
FLY26.1	150X8X12MM Ø H=78MM ALT
FLY26.1/1	150X8X12MM Ø H=78MM SPICER
FLY26.17	150X8X12MM Ø H=65MM
FLY26.5	150MM Ø DIAMETER BLANK H= 78MM
FLY26.7	175MM Ø 1610SAE (M10) / H=60MM
FLY26.11	120X8X10MM Ø (DOUBLE JOINT APPLICATION)
TUBE YOKE	
TUY26.8	70X3MM Ø TUBE H=66MM
TUY26.4	3.00X.095" (76.2X2.41MM) Ø TUBE H=65MM
TUY26.1	90X3MM Ø TUBE H=65MM
TUY26.2	80X3.5MM Ø TUBE 35 °
TUY26.3	88.9X2.4MM Ø (3.50X.095") 90X3MM
TUY26.5	80X3.5MM Ø TUBE (DOUBLE JOINT APPLICATION)
FIXED END	
FE26.4	150X4X13MM 90X3MM Ø TUBE SFL U/JOINT
MID ASSY	
MDA26.1	120X4X11MM Ø 45MM Ø CENTRE BRG / 90X3MM Ø TUBE S/O 75MM
MDA26.3	120X4X11MM Ø 55MM Ø CENTRE BRG / 90X3MM & 88.9X2.4MM Ø TUBE S/O = 75MM
MDA26.2	175MM Ø 1610SAE INC 45MM Ø BRG 90X3MM Ø TUBE VOLVO S/O = 90MM
DOUBLE JOINT	
DBJ26.1	DOUBLE JOINT ASSY 120X8X10MM Ø / 80X3.5MM Ø TUBE L=236MM
DBJ26.2	DOUBLE JOINT ASSY 1510SAE Ø / 90X3MM Ø TUBE L=234MM
DBJ26.3	DOUBLE JOINT ASSY 120X8X10MM Ø / 90X3MM Ø TUBE L=236MM
DBJ26.4	DOUBLE JOINT ASSY 150X8X12MM Ø / 90X3MM Ø TUBE L=236MM

Part #	Comments
H-COUPLING	
2030HC	CENTRE YOKE SECTION H=102MM
BOOT	
BOOT/1	2030 RUBBER BOOT TO SUIT DOUBLE JOINT ASSY (DBJ26.1)
BALL	
BALL/1	2030 BALL TO SUIT DOUBLE JOINT ASSY (DBJ26.1)
CLAMP	
CLAMP/1	2030 CLAMP TO SUIT DOUBLE JOINT ASSY (DBJ26.1)
U'JOINT	
FIR88	34.9X106.4MM CENTRE LUBE INC INA BRG CAPS
FIR87	34.9X106.4MM CENTRE LUBE (SPICER ORIGINAL)
FIR87A	34.9X106.4MM ALTERNATIVE
FIR423	34.9X106.4MM SFL (SPICER ORIGINAL)
FIR508	34.9X106.4MM LATERAL (SIDE) LUBE
FIR835	34.9X106.6MM (SFL)
CENTRE BRG	
FIRCB122	DAF & RENAULT 55X193.5X18MM / GENUINE 687.30 SRS/ PEP6 SLIP MID TYPE
FIRCB176	SPICER PEP 4 - 55X193.5X22MM C/w INA INTERNAL SERVICE KIT
FIRCB176/1	SPICER PEP 4 - 55X193.5X22MM LESS INTERNAL SERVICE KIT
FIRCB22	45X194X19MM 6380-4501
FIRCB65A	DAF ORIGINAL 60X194X22MM / 687.30 SRS SLIP MID TYPE INC SERVICE KIT
FIRCB65	IVECO ORIGINAL 60X194X18MM / GENUINE (IVECO 2-PIECE)
FIRCB65B	IVECO 60X194X18MM / ALTERNATIVE (IVECO 2-PIECE)
SEAL KIT (IVECO)	
DCPFIRCB65	DUST CAP / SEAL & METAL SHROUD FOR FIRCB65 - REPLACED SEE BELOW
UC19385	RUBBER SEAL
UC19386	CAP
UC19387	FLINGER
TUBING	
TUBE90X35	90X3MM Ø TUBE

Part #	Comments
TUBING ADAPTOR	
GBSKU00469-41	TUBE ADAPTOR 90X3MM TO 120X3MM
2035 / 687.35	
SLIP JOINT ASSY	
SLA27.1	SLIP ASSY 2035 120X4X11 100X3MM LUBE H=350MM SPICER ORIGINAL
SLA27.14	SLIP ASSY 9.01 TYPE La. 110MM 100X3MM 25° H=288MM SPICER ORIGINAL
FIXED JOINT ASSY	
FE27.1	FIXEDEND 2035 120X4X11 100X3MM LUBE SPICER ORIGINAL
SHORT COUPLE	
2035YSA-1	YOKE SHAFT ASSY C/w SEAL TUBE ST27.1 294MM UJ CTRS CLOSED
2035YSA-5	YOKE SHAFT ASSY C/w SEAL TUBE 318MM UJ CTRS CLOSED
2035YSA-10	YOKE SHAFT ASSY 9.03 DESIGN C/w SEAL TUBE 229MM UJ CTRS CLOSED
2035YSA -11	YOKE SHAFT ASSY 9.03 DESIGN C/w SEAL TUBE 265MM UJ CTRS CLOSED
SEAL TUBE	
ST27.1	SEAL TUBE TO SUIT 2035YSA-1 L=132MM
YOKE SHAFT ASSY	
SLA27.2	110MM SLIP 100X3MM Ø TUBE W/O FLANGE & UJ L=275MM SPICER ORIGINAL 25°
SLA27.12	110MM SLIP 100X3MM Ø TUBE W/O FLANGE & UJ L=280MM RILSAN SPLINES 25°
SLA27.16	110MM SLIP 100X3MM Ø TUBE W/O FLANGE & UJ L=257MM RILSAN SPLINES 30°
SLA27.9	190MM SLIP 35 DEG 85X5MM Ø TUBE W/O FLANGE & UJ L=364MM
SLIP-MID ASSY	
SLA27.13	SLIP MID ASSY DAF 100X3MM Ø TUBE C/w 60MM Ø BRG FIRCB65A L=270MM C/w TUBE YOKE AND SFL U/JOINT
SLA27.4	SLIP MID ASSY DAF 100X3MM Ø TUBE LESS 60MM Ø BRG FIRCB65 L=270MM
SLA27.10	SLIP MID ASSY IVECO 100X3MM Ø TUBE LESS 60MM Ø BRG FIRCB65 - SCREW CAP
FLANGE YOKE	
FLY27.3	120X4X11MM Ø H=75MM 25° SPICER ORIGINAL
FLY27.30	120X4X11MM Ø H=75MM 30°
FLY27.20	120X8X10MM Ø H=80MM 35°

Part #	Comments
FLY27.14	146X4X14.25MM 1510SAE H=72MM
FLY27.2	150X4X13MM Ø H=75MM 30°
FLY27.4	150X4X13MM Ø H=88MM
FLY27.10	150MM Ø BLANK H= 72MM
FLY27.11	150X8X10MM Ø H=72MM 25°
FLY27.1	150X8X12MM Ø H=95MM 44°
FLY27.9	150X8X12MM Ø H=72MM
FLY27.6	175MM Ø 1610SAE H=88MM 35° SPICER ORIGINAL
FLY27.12	175MM Ø 1610SAE H=88MM 35°
FLY27.5	180X8X14 Ø MM H = 90MM 44° WIDE ANGLE
TUBE YOKE	
TUY27.1	TO SUIT 100X3MM Ø TUBE H=72MM SPICER ORIGINAL
TUY27.4	TO SUIT 100X3MM Ø TUBE H=72MM
TUY27.3	TO SUIT 85X5MM Ø TUBE H=82MM
MID STUB	
MDS27.2	MIDSTUB 2035 VOLVO/NK STYLE 100X3MM Ø USE WITH CPF27.1 & FIRCB92
COMP FLANGE	
CPF27.1	COMP-FLANGE 2035 150X4X13 VOLVO / USE WITH MDS27.2 & FIRCB92
MID ASSY	
MDA27.1	120X4X11MM 45MM Ø CENTRE BRG / 100X3MM Ø TUBE H=73MM
MDA27.8	120X4X11MM 55MM Ø CENTRE BRG / 100X3MM Ø TUBE H=73MM
MDA27.6	120X4X11MM W/o BRG (FIRCB22) 100X3MM Ø TUBE H=73MM ** NUT+WASHER Inc
MDA27.3	150X4X13MM SOLID RUBBER BRG (FIRCB134) / 100X3MM Ø TUBE VOLVO H=75MM
MDA27.5	150X4X13MM SLOTTED RUBBER BRG (FIRCB176) / 100X3MM Ø TUBE DAF H=75MM
MDA19.3	175MM Ø 1610SAE / 85X4MM (FIRCB134) Ø TUBE VOLVO H=89MM
SLEEVE	
SL27.1	FEMALE SLEEVE TO SUIT SLA27.2 / 100X3MM Ø TUBE
U'JOINT	
FIR219A	42X119.4MM / CENTRE LUBE C/w THRUST WASHERS
FIR219	42119.4MM INC INA BRG CAPS

Part #	Comments
FIR105	42X119.4MM / GENUINE CENTRE LUBE
FIR513	42X119.4MM / GENUINE HIGH TEMP - VOLVO
FIR531	42X119.4MM / SKF MAINTENANCE FREE
FIR612	42X119.4MM / 4X LUBE (LUBE IN EACH BRG CAP)
CENTRE BRG	
FIRCB22	45X194X19MM
FIRCB80	55X200X18MM VOLVO & RENAULT SLOTTED RUBBER
FIRCB65	IVECO 60X194X18MM / GENUINE (IVECO 2-PIECE)
FIRCB65B	IVECO 60X194X18MM 687.30 SLIP MID TYPE CONT.60/1 (ALT)
FIRCB65A	687.30 60X194X22MM SLIP MID TYPE INC SERVICE KIT
FIRCB92	60X198X30MM NORDISKA NK300 & NK400 (80 SHORE) O.E.
FIRCB92A	60X198X30MM NORDISKA NK300 & NK400 (80 SHORE) ALT
TUBING	
TUBE100X3	100X3MM Ø TUBE
TUBING ADAPTOR	
GBSKU00469-52	TUBE ADAPTOR 100X3MM TO 120X3MM
2040 / 687.40	47.6 X 135.2MM (SEE ALSO 490 KLEIN 48X135.4MM)
SHAFT ASSY	
2040AS-11	IVECO INTER AXLE Lz. 673MM / 180MM SLIP 180KV 44° OE REF 98461973
2040AS-16	DAF/RENAULT INTER AXLE Lz. 700MM / 180MM SLIP 180KV 44° OE REF 1304000
RVI-INTERAXLE	RENAULT INTER AXLE Lz. 710MM / 180MM SLIP 1810SAE 44° OE REF 5010251869
2040YSA-11	DAF INTER AXLE Lz. 640MM / 180MM SLIP 180KV 44° OE REF 1457231
YOKE SHAFT ASSY	W/o JOINT & FLANGE - INC SEAL TUBE
SLA28.3	SPICER YOKE SHAFT ASSY 120X3MM Ø La.110MM L=250MM 25°
SLA28.6	ALTERNATIVE YOKE SHAFT ASSY 120X3MM Ø La 110MM L=250MM 25°
SLA28.24	ALTERNATIVE YOKE SHAFT ASSY 120X4MM Ø La 110MM L=250MM 25°
SLA28.21	ALTERNATIVE YOKE SHAFT ASSY 100X4.5MM Ø La.110MM L=261MM 25°
SLA28.18	SPICER YOKE SHAFT ASSY 100X4.5MM Ø La.110MM L=257MM 44°
SLA28.19	SPICER YOKE SHAFT ASSY 100X4.5MM Ø La 150MM L=320MM 44°

Part #	Comments
SLA28.23	SPICER YOKE SHAFT ASSY 100X4.5MM Ø La 160MM L=324MM 44°
SLA28.4	SPICER YOKE SHAFT ASSY 100X4.5MM Ø La 180MM L=344MM 44°
SLA28.5	ALTERNATIVE YOKE SHAFT ASSY 100X4.5MM Ø La 180MM L=344MM 44°
YOKE SHAFT ASSY	9.01 DESIGN W/o SEAL TUBE U/JOINT & FLANGES
SLA28.10	YOKE SHAFT ASSY 100X4.5MM La 180MM 44° L=341MM (INSERT > TY28.2) 27°
SLA28.11	YOKE SHAFT ASSY 120X3MM La 110MM SLIP L=254MM (INSERT > TY28.4) 27°
YOKE SHAFT ASSY	9.03 DESIGN W/o SEAL TUBE U/JOINTS & FLANGES
2040YSA-16	SHORT COUPLE 179MM UJ CL CLOSED La= 40MM SLIP (W/o FLANGES & JOINTS)
2040YSA-17	SHORT COUPLE 257MM UJ CL CLOSED La= 60MM SLIP (W/o FLANGES & JOINTS)
2040YSA-10	SHORT COUPLE 302MM UJ CL CLOSED La= 110MM SLIP (W/o FLANGES & JOINTS)
2040YSA-8	SHORT COUPLE 248MM UJ CL CLOSED La= 50MM SLIP (W/o FLANGES & JOINTS)
2040YSA-15	SHORT COUPLE 400MM UJ CL CLOSED La= 110MM SLIP (W/o FLANGES & JOINTS)
2040YSA-21	SHORT COUPLE 434MM UJ CL CLOSED La= 180MM SLIP (W/o FLANGES & JOINTS)
SLIP-MID ASSY	
SLA28.12	IVECO INCPFIRCB111 70MM Ø CTR BRG 120X3MM Ø (W/o COVER TUBE) L=376MM
SLA28.15	MAN INC FIRCB190 75MM Ø CTR BRG 120X3MM Ø (Inc.GAITOR) L=250MM
SLA28.16	IVECO INC FIRCB194 75MM Ø CTR BRG 120X3MM Ø (Inc.GAITOR) L=250MM
SLA28.17	RENAULT/VOLVO INC FIRCB181 75MM Ø CTR BRG 120X3MM Ø L= 250MM NEEDS GAITOR 10000008401011
RUBBER BOOT	
10000008401011	RUBBER BOOT KIT TO SUIT YS28.1/SL28.3
1000008902066	CIRCLIP TO SUIT YS28.1/SL28.3
FLANGE YOKE	
FLY28.8	150MM Ø BLANK H=102MM 44°
FLY28.27	150X4X13MM Ø H=74MM
FLY28.1	150X4X13MM Ø H=82MM 25°
FLY28.16	150X4X13MM Ø H=82MM SPICER 25°
FLY28.3	150X4X13MM Ø H=102MM SPICER 44°
FLY28.17	150X4X13MM Ø H=102MM 44°
FLY28.11	150X8X12MM Ø H=102MM SPICER 44°

Part #	Comments
FLY28.15	150X8X12MM Ø H=93MM 44°
FLY28.5	165X8X16MM Ø H=90MM 35°
FLY28.21	175MM Ø 1610SAE (10.2MM HOLES) H=92MM
FLY28.37	175MM Ø 1610SAE (10.2MM HOLES) H=100MM SPICER 44°
FLY28.22	180MM Ø BLANK H=92M 44°
FLY28.10	180X10X16MM Ø H=102MM
FLY28.2	180X4X15MM Ø H=82MM 25°
FLY28.4	180X4X15MM Ø H=102MM 44°
FLY28.6	180X8X14MM Ø H=102MM 44°
FLY28.28	180X8X14MM Ø H=82MM
FLY28.7	180X8X16MM Ø H=102MM
FLY28.29	203MM Ø 1710SAE (10.2MM HOLES) H=94MM
FLY28.30	203MM Ø 1710SAE (9.6MM HOLES) H=94MM
FLY28.12	203MM Ø 1810SAE (9.7MM HOLES) H=70.5MM 25° ORIGINAL
FLY28.13	203MM Ø 1810SAE (10.2MM HOLES) H=70.5MM
FLY28.25	203MM Ø 1810SAE (11.1MM HOLES) H=70.5MM 25° ORIGINAL
FLY28.20	203MM Ø 1810SAE (11.1MM HOLES) H=92MM
FLY28.34	203MM Ø 1810SAE (11.1MM HOLES) H=100MM 44°
TUBE YOKE	
TUY28.1	TO SUIT 120X3MM Ø TUBE 25°
TUY28.6	TO SUIT 120X4MM Ø TUBE 25°
TUY28.4	SPICER TO SUIT 120X3MM Ø TUBE 25° H = 87MM
TUY28.2	SPICER TO SUIT 100X4.5MM Ø TUBE H=100MM 44°
TUY28.5	TO SUIT 100X4.5MM Ø TUBE H=100MM 44°
MID ASSY	
MDA28.1	150X4X13MM 55MM Ø CENTRE BRG / 95MM S/O 120X3MM Ø DAF
MDA28.8	150X4X13MM 55MM Ø CENTRE BRG / 80MM S/O 120X3MM Ø IVECO
MDA28.7	150X4X13MM 65MM Ø CTR BRG FIRCB46/1 90MM S/O 120X3MM Ø MAN
MDA28.11	150X4X13 55X220X22MM Ø CENTRE BRG FIRCB193 / 80MM S/O 120X3MM Ø IVECO INC PLATE & 2 BOLT RETAINER

Part #	Comments
MDA28.4	180X4X15 55MM Ø CENTRE BRG FIRCB67 / 80MM S/O 120X3MM Ø IVECO
MDA28.10	180X4X15 55X230X22MM Ø CENTRE BRG / 80MM S/O 120X3MM Ø IVECO INC PLATE & 2 BOLT RETAINER
COMP FLANGE	
CPF28.1	150X4X13MM MAN (USE WITH MDS28.1)
CPF28.2	ORIGINAL MAN 150X4X13MM (USE WITH MDS28.2)
CPF28.4	ORIGINAL IVECO 150X4X13MM H=80MM (USE WITH MDS28.3)
CPF28.5	ORIGINAL DAF 150X4X13 H=95M (USE WITH MDS28.3)
CPF28.3	ORIGINAL IVECO 180X4X15 H=80MM (USE WITH MDS28.3)
MID STUB	
MDS28.1	65MM Ø MAN CENTRE BRG 120X3MM Ø (USE WITH CPF28.1)
MDS28.3	MIDSPLINE 2040 120X3MM DAF / IVECO USE WITH CPF28.3 OR CPF28.4
MDS28.3	30 SPLINE 2040/SPL140 120X3MM TUBE (USE WITH CPF28.1 & CPF28.2)
SLEEVE	
SL28.1	TO SUIT SLA28.3 110MM SLIP / 120X3MM Ø TUBE
SL28.2	TO SUIT SLA28.4 180MM SLIP / 100X4.5MM Ø TUBE TO SUIT SHORT COUPLE
SL28.3	TO SUIT YS28.1 & FIRCB190 110MM SLIP / 120X3MM Ø TUBE - MAN
SL28.9	TO SUIT SLA28.16 & FIRCB194 SLIP MID ASSY 120X3MM Ø TUBE L=296MM - MAN
SL37.3	KLEIN TO SUIT YS28.1 & FIRCB190 110MM SLIP / 120X3MM Ø TUBE - MAN
SEAL TUBE	
ST28.1	TO SUIT SL28.1 110MM SLIP L=132MM
ST28.2	TO SUIT SL28.2 180MM SLIP L =202MM
U'JOINT	
FIR117	47.6X135.2MM 687.40 / 2040 CENTRE LUBE ORIGINAL SPICER
FIR678	47.6X135.2MM / CENTRE LUBE INC INA BRG CAPS
FIR119	47.6X135.2MM 687.40 / 2040 CENTRE LUBE ALT OF NON EUROPEAN ORIGIN
FIR357	47.6X135.2MM 687.40 / 2040 SFL ORIGINAL SPICER
FIR795	47.6X135.4MM 687.40 / 2040 C/w SKF BRG CAPS OF EUROPEAN ORIGIN (SFL)
FIR622	47.6X135.2MM 687.40 / 2040 ORIGINAL SPICER 4 X END LUBE IN BRG CAPS
FIR622A	47.6X135.2MM 687.40 / 2040 4 X END LUBE IN BRG CAPS

Part #	Comments
FIR567	47.6X135.2MM 687.40 / 2040 GENUINE (HIGH TEMP)
FIR824	47.6X135.2MM / 48X135.4 687.40 / 2040 TO KLEIN 490SRS COMBINATION - LUBE
CENTRE BRG	
FIRCB32	55X193.5X18MM TRACK IVECO (ALT)
FIRCB34	REPLACED BY FIRCB80
FIRCB34A	55X200X18MM SOLID RUBBER WITH GREASER DAF - ALTERNATIVE
FIRCB67	55X193.5X18MM 687.40 SRS ORIGINAL 15X15MM HOLES IVECO H=71.5MM
FIRCB80	55X200X18MM 687.40 SRS ORIGINAL SLOTTED RUBBER RENAULT H=69MM
FIRCB180	55X200X18MM 687.40 SRS IVECO
FIRCB193	55X220X22MM IVECO FIXED MID SHAFT H-90MM
FIRCB46/1	65X230X23MM MAN (ALT)
FIRCB46/2	65X220/230X23MM MAN (GENUINE)
FIRCB111	70X220X20MM 2 PIECE SHAFT IVECO
FIRCB194	75X220X26MM 2 PIECE SLIP MID SHAFT IVECO
FIRCB181	75X220X26MM 2 PIECE SHAFT RENAULT H=75MM
FIRCB190	75X220X26MM 2 PIECE SHAFT MAN 84 SHORE
FIRCB88A	75X230X18MM MAN.75 2040/2045 TWO PIECE
FIRCB88	SUPERCEDED BY FIRCB190
CARDBOARD	TUBE INSERTS
210.000.14465	90.7MMX4.8MM TO SUIT 100X4.5MM Ø TUBE
210.000.13584	113.7X4.8MM TO SUIT 120X3MM Ø TUBE
TUBING	
310.000.93576	TUBE 100X4.5MM Ø
310.000.93562	TUBE 120X3MM Ø
2045 / 2047	687.45 & KLEIN 590SRS 52 X 147.2MM UJ
SHAFT ASSY	
2045YSA-1	2045 YSA 1810SAE @ 457MM FFC
2045YSA-2	IVECO 2045 YSA 180X4X15MM @ 650MM FFC
2045YSA-13	VOLVO L220E VCE 180KV Lz=461MM La=80MM O.E # 15085431

Part #	Comments
20476720	VOLVO I/AXLE 180KV 180MM SLIP Lz.684MM SFL UJS PHASED 90°
590YSA-2	VOLVO INTER-AXLE 180KV SLIP Lz.684MM SFL UJS PHASED 90°
590YSA-3	VOLVO I/AXLE 180KV 180MM SLIP Lz.684MM SFL UJS PHASED 0° OE# 20476719
FIRPS61-NEW	VOLVO B10L 2045 YSA 180X4X15MM Lz=541MM FFC
FIRPS62-NEW	VOLVO B10M SHORT COUPLE YSA 1710SAE TO SUIT Lz. 490MM
FIRPS65	VOLVO FIR10M SHORT COUPLE YSA 1710SAE TO SUIT Lz. 420MM
2045YSA-4	VOLVO SHORT COUPLE SHAFT 180KV H=108MM Lz=626MM O.E # 20489408
2045YSA-7	VOLVO SHORT COUPLE SHAFT YSA 180KV Lz=447MM O.E #20506698
FIRPS58-NEW	DAF COACH 180KV @ SLIP END / 150KV @ FIXED END Lz. 534MM
YOKE SHAFT ASSY	110X5MM TUBE
SLA30.2	GWB 2045 180MM SLIP / 110X5MM Ø TUBE W/O FL & UJ L=360MM 44°
YOKE SHAFT ASSY	120X4MM TUBE
SLA30.1	GWB 2045 110MM SLIP / 120X4MM Ø TUBE W/O FL & UJ L=265MM 25°
SLA30.3	KLEIN 590 110MM SLIP / 120X4MM Ø TUBE W/O FL & UJ L=267MM 25°
SLA30.9	ALT 2045 110MM SLIP / 120X4MM Ø TUBE W/O FL & UJ L=280MM 25°
SLA30.4	KLEIN 590 180MM SLIP / 120X4MM Ø TUBE W/O FL & UJ L=360MM 44°
SLA30.16	ALT 2045 180MM SLIP / 120X4MM Ø TUBE W/O FL & UJ L=355MM 44°
YOKE SHAFT ASSY	120X5MM TUBE
SLA30.5	KLEIN 110MM SLIP / 120X5MM Ø TUBE W/O FL & UJ 25° L=265MM
SLA30.19	GWB 110MM SLIP / 120X5MM Ø TUBE W/O FL & UJ 25° L=265MM
SLA30.6	KLEIN 590 70MM SLIP / 120X5MM Ø TUBE W/O FLANGE & UJ L=267MM 25°
YOKE SHAFT ASSY	9.01 DESIGN
SLA30.13	GWB 2045 110MM SLIP / 120X4MM Ø TUBE W/O FL, UJ & SEAL TUBE H=272MM 27°
SLA30.14	2045 180MM SLIP / 120X4MM Ø TUBE W/O FL, UJ C/w SEAL TUBE H=373MM 44°
SLA30.14A	GWB 2045 180MM SLIP / 110X5MM Ø TUBE W/O FL, UJ & ST H=360MM 44°
SLA30.20	KLEIN 590 130MM SLIP / 120X4MM Ø TUBE USE WITH TY30.8 44°
YOKE SHAFT ASSY	9.03 DESIGN
2045YSA-3	2045 YSA @ 317MM UJ CL CLOSED (W/O SEAL TUBE) La.110MM
2045YSA-11	2045 YSA @ 410MM UJ CL CLOSED (c/W SEAL TUBE) La.130MM 44°
2045YSA-6	2045 YSA @ 424MM UJ CLOSED C/w SEALTUBE La.147mm

Part #	Comments
2045YSA-9	2045 YSA @ 468MM UJ CLOSED La.180MM 9.01 (0°)
SLIP-MID ASSY	
SLA30.17	SPICER 2045 120X4MM La.110MM IVECO L=267MM INC FIRCB194 75X220X26MM
SLA30.18	SPICER 2045 110MM SLIP / 120X4MM Ø MAN L=267MM INC FIRCB190 75X230X26MM
FLANGE YOKE	
FLY30.11	150X4X13MM Ø H=100MM 35°
FLY30.2	150X4X13MM Ø H=75MM 20°
FLY30.8	175MM Ø 1610 SAE H=95MM 25°
FLY30.7	180MM Ø BLANK H=95MM
FLY30.18	180X8X14MM H=100MM
FLY30.12	GWB 180X4X15MM Ø H=87MM 25°
FLY30.1	KLEIN 180X4X15MM Ø H=85MM 25°
FLY30.14	ALTERNATIVE 180X4X15MM Ø H=87MM 25°
FLY30.3	GWB 180X4X15MM Ø H=108MM 44°
FLY30.23	180X4X15MM Ø H=108MM 44°
FLY30.5	GWB 180X10X16MM H=95MM 35°
FLY30.21	180X10X16MM H=100MM 35°
FLY30.10	GWB 203MM Ø 1810SAE (M11 HOLES) H=86MM
FLY30.20	GWB 225X8X16MM Ø H=104MM 37°
FLY30.9	GWB 225X8X16MM Ø H=90MM
FLY30.24	225MM BLANK FLANGE H = 104MM
TUBE YOKE	110X5MM TUBE
TUY30.3	GWB TO SUIT 110X5MM Ø 44° H=108MM
TUY30.6	ALTERNATIVE TO SUIT 110X5MM Ø
TUBE YOKE	120X4MM TUBE
TUY30.1	TO SUIT 120X4MM Ø TUBE 25°
TUY30.5	ALTERNATIVE TO SUIT 120X4MM Ø TUBE 25° H=95MM
TUY30.7	ALTERNATIVE TO SUIT 120X4MM Ø TUBE 25° H=90MM
TUY30.2	KLEIN TO SUIT 120X4MM Ø TUBE 44° H=95MM
TUY30.8	KLEIN TO SUIT 120X4MM Ø TUBE 44° H=100MM USE WITH SLA30.20

Part #	Comments
TUBE YOKE	120X5MM TUBE
TUY30.4	KLEIN TO SUIT 120X5MM Ø TUBE 25° (AS 2047 SRS) H=108MM
MID ASSY	120X4MM TUBE
MDA30.4	180X4X15MM KLEIN INC 65MM Ø BRG FIRCB55 100MM S/O / 120X4MM 590 & 2045 DAF
MDA30.12	180X4X15 INC H.D.KLEIN 65MM Ø BRG FIRCB191 WITH FRAME SURROUND DAF
MDA30.10	180X4X15MM INC 55MM Ø BRG FIRCB80 120X4MM 2045 IVECO
MDA30.3	180X4X15MM KLEIN INC 65MM Ø BRG FIRCB45 80MM S/O / 120X4MM 590 IVECO
MDA30.14	180X4X15MM INC 55MM Ø BRG FIRCB193 80MM S/O / 120X4MM 590 IVECO
MDA30.8	180X4X15MM INC MAN 65MM Ø CENTRE BRG FIRCB46/1 / 120X4MM 2045
MDA30.10	180X4X15MM INC 55MM Ø BRG FIRCB80 120X4MM 2045 VOLVO & RENAULT
MDA30.5	180X4X15MM INC 55MM Ø BRG FIRCB80 80MM S/O 120X4MM 2045 VOLVO
MDA30.7	203MM 1810SAE INC 60MM Ø BRG FIRCB35 120X4MM TUBE RENAULT
MID ASSY	120X5MM TUBE
MDA30.6	180X4X15MM INC 65MM Ø CENTRE BRG FIRCB55 100MM S/O / 120X5MM 590 DAF
COMP FLANGE	
CPF30.1	180X4X15MM 88MM S/O / 65MM Ø C/BRG FIRCB45 IVECO GENUINE
CPF30.3	180X4X15MM USE WITH MDS30.2 MAN
CPF30.2	180X4X15MM 108MM S/O / 65MM Ø C/BRG FIRCB55 DAF GENUINE
CPF30.7	180X4X15MM 18 SPLINES (USE WITH MDS30.9 & FIRCB92 OR FIRCB92A)P VOLVO VCE
MID STUB	120X4MM TUBE
MDS30.1	120X4MM Ø TUBE (USE WITH FIRCB55 OR FIRCB45) DAF & IVECO H=153MM
MDS30.2	120X4MM Ø TUBE ALTERNATIVE (USE WITH CPF30.3 + FIRCB46/1) MAN
MDS30.5	120X4MM Ø TUBE (USE WITH CPF76.3 + FIRCB79) RENAULT H=151MM
MDS30.9	120X4MM Ø TUBE (USE WITH CPF30.7 & FIRCB92 OR FIRCB92A) 18 SPL VOLVO VCE
MID STUB	120X5MM TUBE
MDS30.3	120X5MM Ø TUBE (USE WITH FIRCB55 OR FIRCB45) DAF & IVECO H=153MM
MDS59.6	KLEIN - TO SUIT 120X5MM Ø TUBE USE & CPF59.1 & 75MM Ø BRG DAF & IVECO
MID NUT & WASHER	
243.000.17121	MID NUT (M40x1.5)
261.000.03678	MID WASHER

Part #	Comments
MID NUT TOOL	
1240082	MID NUT TOOL
SLEEVE	110X5MM TUBE
SL30.3	2045 TO SUIT SLA30.2 110MM SLIP / 110X5MM Ø TUBE
SLEEVE	120X4MM TUBE
SL30.1	KLEIN TO SUIT SLA30.3 110MM SLIP / 182MM LONG 120X4MM Ø TUBE
SL30.2	2045 TO SUIT SLA30.1 110MM SLIP / 120X4MM Ø TUBE
MID SLEEVE	
SL30.8	2045 TO SUIT MAN SLIP MID SHAFT 120X4MM L=179MM (SEE ALSO SLA30.18)
SL30.11	2045 TO SUIT MAN SLIP MID SHAFT 120X4MM L=170MM C/w FIRCB190 FITTED
SL30.9	2045 TO SUIT IVECO SLIP MID SHAFT 120X4MM L=296MM (SEE ALSO SLA30.17)
SLEEVE	120X5MM TUBE
SL30.5	KLEIN TO SUIT SLA30.5 110MM SLIP / 182MM LONG 120X5MM Ø TUBE
SEAL TUBE	
ST30.1	H=130MM TO SUIT SLA30.3 / 110MM SLIP - KLEIN
ST30.2	H=132MM TO SUIT SLA30.1 SLA30.13 / 110MM SLIP - GWB
ST30.3	H=202MM TO SUIT SLA30.14 / 180MM SLIP - GWB
ST30.6	H=200MM TO SUIT 180MM SLIP - KLEIN
U'JOINT	
FIR135	52X147.2MM / CENTRE LUBE - KLEIN
FIR338	52X147.2MM / CENTRE LUBE INC INA BEARINGS
FIR338A	52X147.2MM ALTERNATIVE
FIR319	52X147.2MM / (SFL) - KLEIN
FIR319A	52X147.2MM / (SFL) - SPICER
FIR319B	52X147.2MM 2045 (SFL) INA BEARINGS
FIR536	52X147.2MM 2045 (SFL) SKF BEARINGS
FIR651	52X147.2MM HIGH TEMPERATURE
CENTRE BRG	
FIRCB80	55X200X18MM / SLOTTED RUBBER GENUINE VOLVO / RENAULT
FIRCB34	REPLACED BY FIRCB80

Part #	Comments
FIRCB34A	55X200X18MM / SOLID RUBBER & LUBE DAF ALTERNATIVE
FIRCB92	NORDISKA NK300 & NK400 (80 SHORE)
FIRCB92A	NORDISKA NK300 & NK400 (80 SHORE)
FIRCB45	65X200X18MM / SOLID RUBBER & SEAL IVECO ORIGINAL
FIRCB126	65X200X18MM IVECO
FIRCB55	65X200X18MM / STANDARD DAF
FIRCB191	65X200X18MM SOLID RUBBER DAF - ORIGINAL KLEIN INC UPGRADED BRKT
FIRCB194	75X220X26MM 2 PIECE SLIP MID SHAFT IVECO
FIRCB94	75X220X20MM IVECO TWO PIECE SHAFT IVECO
FIRCB104	75X230X18MM KLEIN MAN
FIRCB88A	75X230X18MM GWB MAN.75
FIRCB190	75X220X26MM 2 PIECE SHAFT MAN 84 SHORE
FIRCB88	SUPERCEDED BY FIRCB190
FIRCB101	80X220X22MM KLEIN SLIP MID TYPE IVECO
CARDBOARD	TUBE INSERTS
210.000.14406	111.7X3.8MM TO SUIT 120X4MM Ø TUBE
TUBING	
310.000.93568	120X4MM Ø
TUBE120X5	120X5MM Ø
2055 / 687.55 &	620 KLEIN 57 X 152MM - (SEE ALSO ELBE 0.120 SRS)
SHAFTS	SEMI FINISHED
620AS-42	180KV FLANGES 120X6MM Ø SLIDER L=2100MM FFC C/W SFL UJS UNWELDED
620AS-27	180KV FLANGES 120X6MM Ø SLIDER L = 2100MM FFC C/W SFL UJS UNWELDED
620GL-2	180KV FLANGES 120X6MM Ø MIDSHAFT L = 2100MM FF C/W LUBE UJS UNWELDED
620GL-18	180KV FLANGES 120X6MM Ø MIDSHAFTL = 2100MM FF C/W LUBE UJS UNWELDED
YOKE SHAFT ASSY	
SLA59.2	KLEIN 110MM SLIP / H=287MM 120X6MM Ø TUBE 25°
SLA59.1	GWB 110MM SLIP / H=287MM 120X6MM Ø TUBE 25°

Part #	Comments
SLA59.17	GWB 110MM SLIP / H=296MM 120X6MM Ø TUBE 35° WIDE ANGLE
SLA59.6	ALTERNATIVE 110MM SLIP / H=287MM 120X6MM Ø TUBE 25°
SLA59.7	ALTERNATIVE 110MM SLIP / H=287MM 110X6MM Ø TUBE 25°
SLA59.20	ALTERNATIVE 180MM SLIP / H=394MM 120X6MM TUBE 25°
SLA59.9	ALTERNATIVE 140MM SLIP / H=415MM 120X6MM Ø TUBE 25°
SA59.20	GWB 180MM SLIP / H=357MM 120X6MM Ø TUBE 25°
YOKE SHAFT ASSY	9.01 DESIGN
SLA59.16	GWB 2055 La.110MM / 120X6MM Ø TUBE W/o FL, UJ & ST H=287MM 27°
SLA59.19	GWB 2055 La.110MM / 120X6MM Ø TUBE W/o FL, UJ & ST H=266MM 35°
YOKE SHAFT ASSY	9.03 DESIGN
2055YSA-12	SHORT COUPLE YSA W/O FL & UJ @ 230MM UJ CTRS CLOSED CAN SHORTEN TO 190MM UJS CTRS CLOSED La=60MM INC SEAL TUBE
2055YSA-10	SHORT COUPLE YSA W/O FL & UJ @ 286MM UJ CTRS CLOSED La=50MM INC SEAL TUBE
2055YSA-8	SHORT COUPLE YSA W/O FL & UJ 293MM UJ CTRS CLOSED La=60MM INC SEAL TUBE
2055YSA-4	SHORT COUPLE YSA W/O FL & UJ 333MM UJ CTRS CLOSED La=110MM CAN SHORTEN TO 283MM CTRS CLOSED La=50MM 2055SRS SPICER
2055YSA-2	SHORT COUPLE YSA W/O FL & UJ 505MM UJ CTRS CLOSED CAN SHORTEN TO 315MM UJ CTRS CLOSED
2055YSA-6	MAN SHORT COUPLE PROPSHAFT 8139325.6050 180X4X15MM FLANGES 500MM COMPRESSED 2055SRS SPICER SFL
SLIP-MID ASSY	
SLA59.18	GWB SLIP MID ASSY MAN INC 85MM CTR BRG FIRCB219 (84 SHORE) L=289MM
SLA59.12	GWB SLIP MID ASSY IVECO C/W 85MM Ø (55 SHORE) BRG FIRCB110 + GAITOR
SLA59.15	GWB SLIP MID ASSY IVECO INC 85MM CTR BRG FIRCB182 ** NEW IVECO **
GAITOR	
GAITOR2055	RUBBER BOOT / GAITOR TO SUIT SLA59.11 & SLA59.18
FLANGE YOKE	
FLY59.9	150X4X13MM H=92MM 25° ORIGINAL KLEIN
FLY59.1	180X4X15MM H=92MM 25° ORIGINAL KLEIN
FLY59.6	180X4X15MM H=92MM 25° 2055 / 687.55 SPICER ORIGINAL
FLY59.14	180X4X15MM H=92MM 25° 2055
FLY59.10	180X4X15MM H=59MM (LOW ANGLE)

Part #	Comments
FLY59.11	180X4X15MM H=102MM (WIDE ANGLE) 35°
FLY58.1	180X10X16MM H=95MM
FLY59.15	203MM 1810SAE H=57MM (11.2MM)
FLY59.7	203MM 1810SAE (M11.1 HOLES) H=95MM
FLY59.7/1	203MM 1810SAE (M11.1 HOLES) H=95MM
FLY58.4	225X8X16MM H=95MM ** 587.42 **
FLY58.20	225X12X16MM H=96MM 25 °
TUBE YOKE	
TUY59.1	ORIGINAL KLEIN 120X6MM Ø TUBE 25° H=100MM
TUY59.3	ALTERNATIVE 120X6MM Ø TUBE H=100MM
TUY59.4	110X6MM Ø TUBE H=105MM
TUY59.5	ORIGINAL SPICER 120X6MM TUBE 25° H=100MM
MID ASSY	
MDA59.1	180X4X15MM INC 75MM Ø BRG FIRCB26 H=107MM / 120X6MM Ø TUBE IVECO
MDA59.2	180X4X15MM INC 75MM Ø BRG FIRCB74 H=107MM / 120X6MM Ø TUBE DAF
MDA59.3	180X4X15MM INC 65MM Ø BRG FIRCB46/2 H=87MM / 120X6MM Ø TUBE MAN
MDA59.4	ALTERNATIVE 180X4X15MM INC 65MM Ø BRG H=87MM / 120X6MM Ø TUBE MAN
MDA59.5	180X4X15MM INC 70MM Ø BRG FIRCB52 H=107MM / 120X6MM Ø TUBE VOLVO
MDA59.12	180X4X15MM INC 70MM Ø BRG FIRCB192 H=107MM / 120X6MM Ø TUBE VOLVO
MDA59.13	180X4X15MM C/W 70MM Ø BRG FIRCB109 H=107MM / 120X6MM Ø TUBE VOLVO
MDA59.6	180X4X15MM INC 70MM Ø BRG FIRCB66 H=107MM / 120X6MM Ø TUBE IVECO
MDA59.7	180X4X15MM INC 70MM Ø BRG FIRCB54 H=107MM / 120X6MM Ø TUBE DAF
21096141	180X4X15MM COMP.FL + BRG FIRCB109 C/w BOLT - GENUINE VOLVO O.E. 21096141
MDA59.8	203MM (12X11.1MM)1810SAE INC 60MM Ø BRG FIRCB79 H=110MM 120X6MM Ø RVI
MID STUB	
MDS59.1	KLEIN - TO SUIT 120X6MM Ø TUBE USE & CPF59.1 & 75MM Ø BRG DAF & IVECO
MDS59.2	USE WITH CPF30.3 & FIRCB46/1 TO SUIT 120X6MM Ø TUBE MAN
MDS59.4	46 SPLINE USE WITH MN76.1 / CPF76.1 & FIRCB79 / FIRCB42 120X6MM Ø TUBE RVI
MDS59.6	KLEIN 592 SRS - TO SUIT 120X5MM Ø TUBE USE & CPF59.1 & 75MM Ø BRG DAF

Part #	Comments
MID SLEEVE	
MDS59.5	MID SPLINED SLEEVE- USE WITH CPF59.2/10038/FIRCB52, FIRCB109, FIRCB54 OR FIRCB66 TO SUIT 120X6MM Ø TUBE FOR DAF/IVECO/VOLVO
COMP FLANGE	
CPF59.1	180X4X15MM USE WITH MDS59.1 & 75MM Ø BRG DAF & IVECO
CPF59.2	180X4X15MM USE WITH CPF59.2/10038/FIRCB52,FIRCB109,FIRCB54 OR FIRCB66 FOR DAF/IVECO/VOLVO
CPF59.2/1	180X4X15MM USE WITH CPF59.2/10038/FIRCB52,FIRCB109,FIRCB54 OR FIRCB66 FOR DAF/IVECO/VOLVO
CPF59.3	DIFF-FLANGE 180X4X15 DAF 0658239
CPF59.4	DIFF-FLANGE 180X4X15 DAF 1226149
CPF59.5	DIFF-FLANGE 180X4X15 DAF 1287421
CPF59.8	DIFF-FLANGE 180X4X15 10 SPLINE DAF 1300488
1287859	DIFF-FLANGE 180X4X15 10 SPLINE DAF98XF 1287859 31 SPLINES
CPF30.5	203MM 1810 SAE 12 BOLT USE WITH MDS59.2
CPF59.6	180X4X15MM WITH 23MM PILOT BORE HOLE BOSS DIA 118MM H = 125MM
BOLT	
10038	BOLT TO SUIT MDS59.5 & CPF59.2
NUT & WASHER	
243.000.17121	MID NUT (M40x1.5)
261.000.03678	MID WASHER
MN76.1	MID NUT TO SUIT MDS59.4
MID NUT TOOL	
1240082	MID NUT TOOL
SLEEVE	
SL59.1	TO SUIT SLA59.1 / 120X6MM Ø TUBE GWB
SL59.2	TO SUIT SLA59.2 / 120X6MM Ø TUBE KLEIN
SL59.3	MAN TO SUIT YS59.1 & FIRCB110, FIRCB165 & FIRCB219 2 PIECE SLIP MID SHAFT
SL59.6	MAN 2055 SRS SLIP MID SLEEVE INCLUDING 85MM FIRCB219 CTR BRG FITTED
SEAL TUBE	
ST30.1	TO SUIT SLA59.2 130MM LONG - KLEIN
ST59.1.	TUBE TO SUIT SLA59.1 - GWB

Part #	Comments
U'JOINT	
FIR143	57X152MM / CENTRE LUBE GENUINE KLEIN
FIR144	57X152MM / CENTRE LUBE INA BRGS 587.42
FIR144/1	57X152MM / CENTRE LUBE INA BRGS 2055
FIR144A	57X152MM / CENTRE LUBE ALTERNATIVE
FIR602	57X152MM / INC LUBE IN ALL 4 BRG CAPS
FIR715	57X152MM KEMPF 1000.1096.955 WITH CTR LUBE & LUBE IN 4 BRG CAPS
FIR262	57X152MM / NON LUBE GENUINE KLEIN SFL
FIR262A	57X152MM / NON LUBE GWB SFL
FIR262B	57X152MM / NON LUBE SFL INA BEARING CAPS
FIR539	57X152MM / NON LUBE SKF BEARING CAPS (SFL) MAINTENANCE FREE
FIR710	57X172MM HIGH TEMP 60- 140 DEG CENT FOR RAIL APPPLICATIONS
FIR714	57X152MM KEMPF 1000.1096.950 C/w SKF BRG CAPS
CENTRE BRG	
FIRCB208	60X219X36MM VOLVO & RENAULT KERAX H=84.6MM
FIRCB52	70X220X20MM SLOTTED RUBBER & MTG HOLES ORIGINAL / VOLVO 1068222
FIRCB109	70X220X20MM SLOTTED RUBBER & 2 X SEALS ORIGINAL / VOLVO 20471428
FIRCB54	70X220X20MM / SOLID RUBBER DAF
FIRCB192/1	70X220/230X26MM SPICER VOLVO 2055/2060 SRS VOLVO- NOW USE FIRCB257
FIRCB257/1	70X220/230X26MM SPICER VOLVO 2055/2060 SRS VOLVO
FIRCB74	75X220X19MM / SOLID RUBBER & SEAL DAF
226.620.16344	CENTRE BRG OUTER CASING ONLY FOR FIRCB26 & FIRCB74
FIRCB26	75X220X19MM / STANDARD IVECO
FIRCB101	80X220X22MM KLEIN MAN
FIRCB182	85X220X13MM ORIGINAL GWB 2055SRS 2 PIECE SLIP MID
FIRCB219	85X220X26MM ORIGINAL GWB 2055SRS 2 PIECE SLIP MID (SHORE 84) MAN
CARDBOARD	TUBE INSERTS
210.000.13660	107.7X6.3MM TO SUIT 120X6MM Ø TUBE
TUBING	
310.000.93458	120X6MM


Part #	Comments
2060/687.60	59 X 167.7MM
SLIP ASSY	
SLA61.5	SLIPASSY 2060 180X4X15 130X6MM SFL H=385MM La=110MM
YOKE SHAFT ASSY	9.01 DESIGN
SLA61.4	110MM SLIP / 130X6MM 9.01 25° - H=225MM
YOKE SHAFT ASSY	
SLA61.1	110MM SLIP / 130X6MM Ø TUBE L=285MM
SLA61.3	110MM SLIP / 130X6MM Ø TUBE L=315MM
SLEEVE	
SL61.1	TO SUIT SA61.2 TUBE 130X6MM
SEAL TUBE	
ST61.1	SEAL TUBE TO SUIT SA61.1 H=132MM
FLANGE YOKE	
FLY61.1	180X4X15MM H=103MM 27°
FLY61.2	180X10X16 H=100MM
FLY61.3	203MM 1810SAE (M10 HOLES) H=95MM **LIMITED STOCK**
FLY61.4	203MM 1810SAE (M11 HOLES) H=95MM
TUBE YOKE	
TUY61.1	TO SUIT 130X6MM Ø TUBE H =105MM
TUY61.3	TO SUIT 130X6MM Ø TUBE H=105MM
TUY61.2	TO SUIT 120X6MM Ø TUBE
MID ASSY	
MDA61.1	180X4X15MM INC 70MM Ø BRG FIRCB54 / 130X6MM Ø HARD RUBBER DAF
MDA61.2	180X4X15MM INC 70MM Ø BRG FIRCB66 / 130X6MM Ø SLOTTED RUBBER IVECO
MDA61.3	180X4X15MM INC 70MM Ø BRG FIRCB52 / 130X6MM Ø SLOTTED RUBBER VOLVO
MDA61.5	180X4X15MM INC 70MM Ø BRG / 130X6MM Ø VOLVO 2 BOLT FITTING
MDA61.7	180X4X15MM INC 70MM Ø BRG FIRCB206 / 130X6MM Ø IVECO 2 BOLT FITTING
MDA59.8	203MM (12X11.1MM)1810SAE INC 60MM Ø BRG FIRCB79 120X6MM Ø RVI
MID SLEEVE	
MDS61.1	MID SPLINED SLEEVE- USE WITH CF59.2/10038/FIRCB52, FIRCB109, FIRCB54 OR FIRCB66 TO SUIT 130X6MM Ø TUBE FOR DAF/IVECO/VOLVO

Part #	Comments
COMP FLANGE	
CPF59.2	180X4X15MM USE WITH CF59.2/10038/FIRCB52,FIRCB109,FIRCB54 OR FIRCB66 FOR DAF/IVECO/VOLVO
BOLT	
10038	BOLT TO SUIT MS61.1 & CF59.2
U'JOINT	
FIR147	59X167.7MM / CENTRE LUBE ORIGINAL SPICER/GWB
FIR237	59X167.7MM / CENTRE LUBE
FIR238	59X167.7MM / SFL VERSION ORIGINAL SPICER/GWB
FIR238A	59X167.7MM / SFL INA BRG CAPS
FIR348	59X167.7 / MECHANICS 79X137MM RENAULT
CIRCLIPS	
1687606700000220	60X2.00MM CIRCLIP
CENTRE BRG	
FIRCB52	70X220X20MM SLOTTED RUBBER & MTG HOLES VOLVO
FIRCB109	70X220X20MM SLOTTED RUBBER & MODIFIED SEAL VOLVO
FIRCB192/1	70X220/230X26MM SPICER VOLVO 2055/2060 SRS VOLVO- NOW USE FIRCB257
FIRCB257/1	70X220/230X26MM SPICER VOLVO 2055/2060 SRS VOLVO
FIRCB54	70X220X20MM / SOLID RUBBER & SLOTTED MTG HOLES DAF
FIRCB66	70X220X20MM / SLOTTED RUBBER ROUND MTG HOLES IVECO
FIRCB206	70X220X26MM IVECO O.E. REF # 42565564
TUBE ADAPTOR	
1000000650335	TUBE ADAPTOR 130X6MM 180X4MM
CARDBOARD	TUBE INSERTS
210.000.14391	129.7X4.8MM TO SUIT 140X5MM Ø TUBE
TUBING	
TUBE130X6	130X6MM Ø
TUBE180X4	180X4MM Ø

Part #	Comments
2065 / 687.65	700 SRS KLEIN 65 X 172MM (SEE ALSO ELBE 0.122 SRS)
SHAFT ASSY	
700YSA-2	YSA W/O FL & UJ 292MM UJ CTRS La=30MM (CAN BE REDUCED TO 248MM UJ CTRS)
2065YSA-2	YSA W/O FL & UJ 240MM UJ CL La=50MM (9.06) C/w SEAL TUBE
2065YSA-5	YSA W/O FL & UJ 303MM UJ CL La=70MM (9.03) C/w SEAL TUBE
2065YSA-10	YSA W/O FL & UJ 364MM UJ CL La=110MM (9.03) W/O SEAL TUBE
YOKE SHAFT ASSY	
SLA63.1	KLEIN 150MM SLIP TO SUIT 140X5MM OR 142X6MM Ø TUBE H=413MM
SLA63.5	SPICER 110MM SLIP TO SUIT 140X5MM OR 142X6MM Ø TUBE H=308MM (27°)
SLA63.7	110MM SLIP TO SUIT 140X5MM OR 142X6MM Ø TUBE (25°) H=338MM
SLA63.4	SPICER SLIPASSY 2065 SHORT COUPLE ASSY H=308MM 9.01 DESIGN
SLA63.9	ELBE 0.122 SRS SLIPASSY 120X6MM H=384MM
YOKE SHAFT ASSY	9.01 DESIGN
SLA63.4	GWB 110MM SLIP 142X6MM Ø TUBE YOKE W/O FLANGE & UJ H=308MM (27°)
SLEEVE	
SL63.1	TO SUIT KLEIN SLA63.1 / 140X5MM Ø TUBE L=293MM
SL63.3	PROFILE SLEEVE 2065 142X6 LA.110MM
SEAL TUBE	
ST63.1	TO SUIT SLA63.1 KLEIN SEAL TUBE
GREASE SEAL	
212.700.15747	GREASE SEAL TO SUIT ST63.1
FLANGE YOKE	
FLY63.3	180X4X15MM H=100MM
FLY63.3/1	180X4X15MM H=105MM ORIGINAL SPICER
FLY63.19	180X4X15MM H=88MM
FLY63.8	180X8X14MM H=110MM
FLY63.4	180X10X16MM H=110MM
FLY63.22	180MM Ø BLANK H 110MM
FLY63.1	203MM 1810SAE (M11 HOLES) H=110MM
FLY63.15	203MM 1810SAE (M11 HOLES) H=110MM

Part #	Comments
FLY63.9	225MM Ø BLANK H 110MM
FLY63.6	225X8X16MM H=110MM
FLY63.2	225X12X16 H=110MM
FLY63.11	250X8X18MM
FLY63.7	250X12X18MM
FLY63.10	1900SAE (BLANK)
FLY63.12	1900 SAE 276.2MM Ø
FLY63.17	1880 SAE FITTING H=110MM
FLY63.21	205X10X18 H=110MM PCD=170MM FLANGE FEMALE SPIGIOT 140MM ZF APPLICATION
FLY63.18	250MM Ø BLANK H= 110MM
TUBE YOKE	
TUY63.1	KLEIN TO SUIT140X5MM & 142X6MM Ø TUBE
TUY63.2	TO SUIT140X5MM & 142X6MM Ø TUBE
MID ASSY	
MDA63.1	180X10X16MM INC 70MM Ø BRG FIRCB85 / 140X5MM Ø TUBE L=181MM S/O=107MM
MDA63.2	180X4X15MM INC 70MM Ø BRG FIRCB85 / 140X5MM Ø TUBE L=181MM S/O=107MM
MDA63.5	180X4X15MM INC Ø 70MM BRG 2 BOLT FITTING / 140X5MM Ø TUBE S/O = 107MM
MID STUB	
MDS63.1	TO SUIT 140X5MM Ø TUBE 70MM CTR BRG FIRCB85
COMP FLANGE	
CPF63.2	180X4X15MM TO SUIT MDS63.1
CPF63.1	180X10X16MM TO SUIT MDS63.1
MID NUT & WASHER	
261.700.15477	MID WASHER
243.000.16341	MID NUT
U'JOINT	
FIR148	KLEIN 65X172MM / CENTRE LUBE GENUINE
FIR148A	ALTERNATIVE TO FIR148 65X172MM
FIR268	KLEIN 65X172MM / NON LUBE GENUINE INC SKF BRG CAPS
FIR685	687.55 / 2065 SRS INC INA BRG CAPS

Part #	Comments
FIR640	GWB 4 POINT LUBE (LUBE IN EACH BRG CAP)
FIR548	P600 SCANIA 65X190MM / 587.48 COMBINATION
FIR709	65X172MM HIGH TEMP 60- 140 DEG CENT FOR RAIL APPPLICATIONS
FIR717	65X172MM KEMPF 1000.1100.950 C/w SKF BRG CAPS
CENTRE BRG	
FIRCB135	70X220X20MM CAST BRACKET IVECO
FIRCB85	70X220X45MM / CAST BRKT DAF SLOTTED BOLT HOLES
FIRCB52	70X220X20MM SLOTTED RUBBER & MTG HOLES VOLVO
FIRCB54	70X220X20MM / SOLID RUBBER DAF 2055, 2060 & 2065 DAF
FIRCB66	70X220X20 SLOTTED RUBBER ROUND MTG HOLES IVECO
CARDBOARD	TUBE INSERTS
210.000.14391	129.7X4.8MM TO SUIT 140X5MM Ø TUBE
TUBING	
310.000.93485	140X5MM Ø
310.000.93594	150X5MM Ø



Klein Style Series

196 - 700

Part #	Comments
196 KLEIN	38 X 110MM
YOKE SHAFT ASSY	
YS50.1	MAN YOKE SHAFT TO SUIT SL50.2 & FIRCB100
SLIP ASSY	
SLA50.3	110MM SLIP / 98X2MM Ø TUBE W/O FLANGE & UJ
GAITOR	
216.196.16847	RUBBER GAITOR
SLIP-MID ASSY	
SLA50.4	TO SUIT MAN 100MM Ø CENTRE BEARING FIRCB53 / 98X2MM Ø TUBE
SLA50.6	TO SUIT MAN 65MM Ø CENTRE BEARING FIRCB100 INC GAITOR / 98X2MM Ø TUBE
FIXED END	
FE50.1	120X4X11MM TO SUIT 98X2MM TUBE Ø
SLEEVE	
SL50.1	TO SUIT SLA50.3 / 98X2MM Ø TUBE MAN / IVECO
SL50.2	TO SUIT 98X2MM Ø TUBE & 65X194MM MAN CTR BRG FIRCB50 & FIRCB100
SL50.3	TO SUIT 70X4MM Ø TUBE - UNIMOG
SL50.4	TO SUIT SLA50.4 / 98X2MM Ø TUBE MAN & IVECO USE WITH FIRCB53
FLANGE YOKE	
FLY50.5	120X6X10.4MM Ø WITH SPIRAL SERRATION / UNIMOG H=75MM 35°
FLY50.2	120X4X11MM Ø H=75MM 35°
FLY50.6	120X4X13MM Ø H=75MM - 201.197.15219 UNIMOG 20°
FLY50.3	120X6X10MM Ø UNIMOG (FEMALE REGISTER)
FLY50.4	120X6X8.4MM Ø H=75MM
FLY50.7	120X8X10MM Ø H=75MM 35°
TUBE YOKE	
TUY50.1	TO SUIT 98X2MM Ø TUBE

Part #	Comments
TUY50.2	UNIMOG / 70X4MM Ø TUBE
TUY50.3	TO SUIT 52X4MM Ø TUBE
TUY50.4	TO SUIT 60X4MM Ø TUBE
TUY50.5	TO SUIT 80X3.5MM Ø TUBE H=85MM - UNIMOG
U'JOINT	
FIR97	MAN 38X110MM / NON LUBE
FIR100	IVECO 38X110MM / CENTRE LUBE
FIR520	MERCEDES UNIMOG 38X110MM
CENTRE BRG	
FIRCB53	MAN & IVECO 100X194X13MM ORIGINAL KLEIN
FIRCB53/1	MAN & IVECO 100X194X13MM ALTERNATIVE
221.195.16111	CIRCLIPS TO SUIT FIRCB53
FIRCB100	MAN 65X193.6X18MM ** INC FLINGERS/SEALS & CIRCLIP**
FIRCB100/1	ALT TO FIRCB100 65X193.6X18MM
FIRCB50	MAN 65X220X18MM
GAITOR	
216.196.16847	TO SUIT SLA50.4 MAN SLIP MID ASSY
CARDBOARD	TUBE INSERTS
210.000.14363	93.7MMX2.8MM TO SUIT 98X2MM Ø TUBE
TUBING	
310.000.93535	KLEIN 196 SRS 98X2MM Ø
210.000.48822	120MM Ø SWAGED TO 100MM Ø - 1208MM
210.000.48823	120MM Ø SWAGED TO 100MM Ø - 1221MM
210.000.48824	120MM Ø SWAGED TO 100MM Ø - 1235MM
210.000.48825	120MM Ø SWAGED TO 100MM Ø - 1310MM
210.000.48853	120MM Ø SWAGED TO 100MM Ø - 1345MM
210.000.13875	120MM Ø SWAGED TO 100MM Ø - 1390MM
210.000.14423	120MM Ø SWAGED TO 100MM Ø - 1393MM
221.000.49051	120MM Ø SWAGED TO 100MM Ø - 1664MM
210.000.48873	120MM Ø SWAGED TO 100MM Ø - 1739MM

Part #	Comments
210.000.48854	120MM Ø SWAGED TO 100MM Ø - 1769MM
210.000.14829	120MM Ø SWAGED TO 100MM Ø - 1782MM
210.000.48827	120MM Ø SWAGED TO 100MM Ø - 1903MM
210.000.48832	120MM Ø SWAGED TO 100MM Ø - 1954MM
210.000.48829	120MM Ø SWAGED TO 100MM Ø - 1956MM
210.000.48830	120MM Ø SWAGED TO 100MM Ø - 1963MM
253 KLEIN	See 587.15 Series
375 KLEIN	See 587.20 Series
490 KLEIN	
SHAFT ASSY	
1244408	ORIGINAL DAF INTER AXLE SHAFT 1244408 180KV 180MM SLIP 44° @ 693MM FFC
SLIP ASSY	
SLA37.3	110MM SLIP / 120X3MM Ø TUBE W/O FLANGE & UJ L=250MM
SLA37.4	110MM SLIP / 100X4.5MM Ø TUBE W/O FLANGE & UJ
SLA37.11	180MM SLIP / 100X4.5MM Ø TUBE W/O FLANGE & UJ 44° 180KV - KLEIN L=344MM
GAITOR	
216.000.16456	TO SUIT MAN SLIP MID ASSY
FLANGE YOKE	
FLY37.3	150X4X13MM H=82MM 25°
FLY37.2	150X4X13MM H=102MM 44°
FLY37.1	180X4X15MM H=82MM 25°
TUBE YOKE	
TUY37.1	TO SUIT 120X3MM Ø TUBE 25° KLEIN
TUY37.2	TO SUIT 100X4.5MM Ø TUBE 44° KLEIN
TUY37.4	TO SUIT 100X4.5MM Ø TUBE 44°
MID ASSY	
MDA37.1	150X4X13MM 65MM Ø CENTRE BRG / 95MM S/O 120X3MM Ø DAF

Part #	Comments
MDA51.2	150X4X13MM 65MM Ø CENTRE BRG / 95MM S/O 85X5MM Ø DAF
MDA37.4	150X4X13MM 65MM Ø CENTRE BRG / 80MM S/O 120X3MM Ø IVECO
MDA37.3	180X4X15MM 65MM Ø CENTRE BRG / 80MM S/O 120X3MM Ø IVECO
MDA37.2	180X4X15MM 65MM Ø CENTRE BRG / 95MM S/O 120X3MM Ø DAF
MDA37.5	180X4X15MM 65MM Ø H.D. CENTRE BRG FIRCB191 / 95MM S/O 120X3MM Ø DAF
COMP FLANGE	
CPF37.1	150X4X13MM / TO SUIT 65MM Ø C/BRG FIRCB55 DAF
CPF37.2	150X4X13MM / TO SUIT 65MM Ø C/BRG FIRCB45 IVECO
CPF30.1	180X4X15MM / TO SUIT 65MM Ø C/BRG FIRCB45 IVECO
MID STUB	
MDS37.1	TO SUIT 120X3MM Ø TUBE
MDS51.2	TO SUIT 85X5MM Ø TUBE USE WITH FIRCB55 & CPF37.1 DAF
MID NUT & WASHER	
243.000.17121	MID NUT (M40x1.5)
261.000.03678	MID WASHER
MID NUT TOOL	
1240082	MID NUT TOOL
SLEEVE	
SL37.1	TO SUIT SLA37.3 110MM SLIP / 120X3MM Ø TUBE
SEAL TUBE	
ST37.1	TO SUIT SLA37.3 130MM LONG
U'JOINT	
FIR125	UNIVERSAL JOINT 48X135.4MM / CENTRE LUBE ORIGINAL
FIR358	UNIVERSAL JOINT 48X135.4MM / SFL NON LUBE ORIGINAL
FIR497	UNIVERSAL JOINT 48X135.4MM / SFL NON LUBE ORIGINAL INC SKF BRG CAPS
FIR353	UNIVERSAL JOINT 490 SRS ALTERNATIVE INA BRG CAPS
FIR824	UNIVERSAL JOINT 47.6X135.2MM / 48X135.4 687.40 / 2040 & 490SRS COMB - LUBE
CENTRE BRG	
FIRCB55	65X200X18 SOLID RUBBER DAF
FIRCB45	65X200X18MM SLOTTED RUBBER IVECO ORIGINAL

Part #	Comments
FIRCB126	65X200X18MM KLEIN INC TWIN RADIAL SEAL - IVECO
FIRCB104	75X230X18MM TO SUIT TWO PIECE SHAFT MAN
CARDBOARD	TUBE INSERTS
210.000.14465	90.7MMX4.8MM TO SUIT 100X4.5MM Ø TUBE
210.000.13584	113.7X4.8MM TO SUIT 120X3MM Ø TUBE
TUBING	
310.000.93576	100X4.5MM Ø
310.000.93562	120X3MM Ø
495 KLEIN	See 587.30 Series
590 KLEIN	See 687.45 Series
MID ASSY	
MDA30.12	180X4X15 INC H.D.KLEIN 65MM Ø BRG FIRCB191 WITH FRAME SURROUND DAF
MDA30.3	180X4X15MM KLEIN INC 65MM Ø BRG FIRCB45 80MM S/O / 120X4MM 590 IVECO
MDA30.6	180X4X15MM INC 65MM Ø CENTRE BRG FIRCB55 100MM S/O / 120X5MM 590 DAF
COMPANION FLANGE	
CPF30.1	180X4X15MM 88MM S/O / 65MM Ø C/BRG FIRCB45 IVECO GENUINE
CPF30.2	180X4X15MM 108MM S/O / 65MM Ø C/BRG FIRCB55 DAF GENUINE
MID STUB	
MDS30.1	120X4MM Ø TUBE (USE WITH FIRCB55 OR FIRCB45) DAF & IVECO H=153MM
MDS30.3	120X5MM Ø TUBE (USE WITH FIRCB55 OR FIRCB45) DAF & IVECO H=153MM
MDS59.6	KLEIN - TO SUIT 120X5MM Ø TUBE USE & CF59.1 & 75MM Ø BRG DAF & IVECO
MID NUT AND WASHER	
243.000.17121	MID NUT (M40x1.5)
261.000.03678	MID WASHER
600 KLEIN	See 587.35 Series

Part #	Comments
620 KLEIN	See 687.55 and 587.42 Series
MDS59.1	KLEIN - TO SUIT 120X6MM Ø TUBE USE & CPF59.1 & 75MM Ø BRG DAF & IVECO
CPF59.1	180X4X15MM USE WITH MDS59.1 & 75MM Ø BRG DAF & IVECO
243.000.17121	MID NUT (M40x1.5)
261.000.03678	MID WASHER
FIRCB74	O.E. KLEIN 620 SRS SOLID RUBBER
680 KLEIN	57 X 172MM
YOKE SHAFT ASSY	
SLA62.1	ORIGINAL KLEIN 110MM SLIP / 140X5MM L=355MM
FLANGE YOKE	
FLY62.1	180X10X16MM H=110M
FLY62.2	180X4X15MM H=100MM
TUBE YOKE	
TUY62.1	TO SUIT 140X5MM Ø TUBE H=110MM
MID ASSY	
MDA62.1	180X4X15MM INC 60MM Ø BRG FIRCB78 140X5MM Ø TUBE IVECO/DAF H=107MM
MDA62.2	180X10X16MM INC 60MM BRG FIRCB78 140X5MM Ø TUBE IVECO/ DAF H=107MM
MID STUB	
MDS62.1	TO SUIT 140X5MM Ø TUBE & 60MM Ø CTR BRG FIRCB78 H=175MM
COMP FLANGE	
CPF62.2	180X4X15MM TO SUIT MDS62.1
CPF62.1	180X10X16MM TO SUIT MDS62.1
MID NUT & WASHER	
243.000.17121	MID NUT (M40x1.5)
261.000.03678	MID WASHER
MID NUT TOOL	
1240082	MID NUT TOOL
SEAL TUBE	
ST62.1	SEAL TUBE TO SUIT SLA62.1 H=160MM

Part #	Comments
U'JOINT	
FIR145	57X172MM / CENTRE LUBE GENUINE KLEIN
FIR145A	57X172MM / CENTRE LUBE ALTERNATIVE
FIR424	57X172MM KLEIN 680 SRS NON LUBE IVECO & DAF
CENTRE BRG	
FIRCB78	60X220X36MM / CAST BRKT DAF & IVECO ROUND BOLT HOLES - KLEIN
FIRCB78A	60X220X36MM / CAST BRKT DAF & IVECO ROUND BOLT HOLES
CARDBOARD	TUBE INSERTS
210.000.14391	107.7X6.3MM TO SUIT 120X6MM Ø TUBE
TUBING	
310.000.93485	140X5MM Ø





Scania Style Series

P300 - P600

Part #	Comments
CENTRE BRG	BRACKETS
1377022 (1505799)	UPPER BRACKET SCANIA 4 SERIES
1486855	LOWER BRACKET SCANIA 3 & 4 SERIES
P300	38 X 148MM UJ
YOKE SHAFT ASSY	
SLA34.1	YOKE SHAFT & SLEEVE - 80MM BASE - TUBE 90X5MM H=274MM
TUBE YOKE	
TUY34.1	80MM Ø BASE - TUBE 90X5MM - H=63MM
TUY34.5	80MM Ø BASE - TUBE 90X5MM - H=94MM
MID STUB	
MDS34.1	80MM Ø BASE - TUBE90X5MM L=122MM USE WITH FIRCB39 CTR BRG 24SPL
MDS34.8	80MM Ø BASE - TUBE90X5MM L=122MM USE WITH FIRCB115 CTR BRG 24SPL
MDS31.1	P400 24 SPLINES 100X5MM Ø TUBE (USE WITH ENY31.1 & MN32.3) L=122MM
MDS34.4	P300 FRICTION WELD TYPE 92X5MM Ø TUBE H=175MM FIRCB115 60X26MM BRG
MID NUT	
MN32.3	MID NUT
END YOKE	
ENY34.1	4.5 °TAPER H=100MM OVERALL HEIGHT / SPLINE HEIGHT = 59MM O.E REF # 1340753
MID ASSY	
MDA34.1	C/W FIRCB39 60X22MM Ø BRG FIRCB39 81MM BASE
MDA34.2	C/W FIRCB39 60X26MM Ø BRG FIRCB115A 81MM BASE
MDA34.3	C/W FIRCB39 60X26MM Ø BRG FIRCB115 81MM BASE
U'JOINT	
FIR99	38X148MM C/W BRACKETS C/W INA BRG CAPS

Part #	Comments
FIR476	38X148MM C/W BRACKETS - MAINTENANCE FREE SFL C/W INA BRG CAPS
FIR542	38X148MM SKF BRG CAPS MAINTENANCE FREE C/W BRKTS
CENTRE BRG	
FIRCB39	60X22MM (NEW TYPE ONLY, 85MM SEAL) O.E REF # 1113031
FIRCB115	60X26MM (ALT TYPE SEALED) NON LUBE O.E REF # 1387764
FIRCB115A	60X26MM (ALT TYPE SEALED) NON LUBE O.E REF # 1387764
1.888E+12	STEEL SHROUD FOR FIRCB115
TUBE	
TUBE90X5	90X5MM Ø
310.000.93427	90X5.5MM Ø
T60	44 X 149MM UJ
SLIP STUB	
SS114.1	P60 SLIP STUB L=238MM 90X5MM Ø TUBE - USE WITH SL114.1
SLEEVE YOKE	
SL114.1	P60 SLEEVE YOKEL=237MM 90X5MM Ø TUBE - USE WITH SL114.1
TUBE YOKE	
TUY114.1	P60 TUBE YOKE 95X5MM Ø TUBE H=89MM
U/JOINT	
FIR110	SCANIA T60 44X149
P400 / P420	48 X 161MM UJ WITH 4.5 ° TAPER BRACKETS
YOKE SHAFT ASSY	
SLA31.1	P400 (YOKE SHAFT & SLEEVE) / 100X5MM Ø TUBE - RILSAN COATED
SLA31.2	P420 WIDE ANGLE160MM SLIP INTER AXLE SHAFTS / 85MM Ø BASE
SLA31.3	P420 WIDE ANGLE160MM SLIP INTER AXLE SHAFTS / 100X5MM Ø TUBE
SLA31.4	P400 (YOKE SHAFT & SLEEVE) / 100X5MM Ø TUBE - GLIDECOTE SPLINE
SLA31.5	P400 (YOKE SHAFT & SLEEVE) / 100X6MM Ø TUBE - RILSAN COATED
TUBE YOKE	
TUY31.1	P400 90MM BASE - TUBE 100X5MM Ø

Part #	Comments
TUY31.6	P420 WIDE ANGLE 90MM BASE - TUBE 100X5MM Ø H=95MM
TUY31.2	P420 WIDE ANGLE 85MM BASE - TUBE 95X5MM Ø H=95MM
TUY31.3	P420 WIDE ANGLE 90MM BASE - TUBE 100X5MM Ø H=76MM
TUY31.5	P400 88MM BASE - TUBE 100X6MM Ø
TUY31.7	P400 100X5MM H=82MM
MID ASSY	
MDA31.2	COMPLETE P400 MID ASSY C/w FIRCB39 60X22MM 24 SPLINE 100X5MM Ø TUBE
MDA31.3	COMPLETE P400 MID ASSY C/w FIRCB115 60X26MM 24 SPLINE 100X5MM Ø TUBE
MDA31.4	COMPLETE P400 MID ASSY C/w FIRCB115A 60X26MM 24 SPLINE 100X5MM Ø TUBE
MID STUB	
MDS31.1	P400 24 SPLINES 100X5MM Ø TUBE (USE ENY31.1 & MN32.3) FOR FIRCB39 & FIRCB115
MDS31.4	P400 FRICTION WELD TYPE 100X6MM Ø TUBE H=175MM FIRCB115 60X26MM BRG
END YOKE	
ENY31.1	P400 24 SPLINES (USE WITH MDS31.1) 4.5° TAPER O.E REF # 1422427
ENY31.4	P400 24 SPLINES SCANIA 8X4 2ND DIFF INPUT YOKE O.E REF # 1308761
ENY31.2	DIFF YOKE P420 (OUTPUT 1st DIFF) 6X4 O.E REF # 1101295
ENY31.3	DIFF YOKE P420 (INPUT 2nd DIFF) 8X4 O.E REF # 1116640
MID NUT	
MN32.3	MID NUT
U'JOINT	
FIR17	48X161MM C/W BRACKETS & INA BEARING CAPS
FIR17A	48X161MM C/W BRACKETS
FIR477	48X161MM SFL MAINTENANCE FREE SFL C/W BRACKETS
FIR731	48X161MM CENTRE LUBE P400 / C/W THREADED BRKTS (M16X2)
FIR764	48X161MM SFL MAINTENANCE FREE P400 / C/W THREADED BRKTS (M16X2)
CENTRE BRG	
FIRCB39	60X22MM (NEW TYPE ONLY, 85MM SEAL) O.E REF # 1113031
FIRCB115	60X26MM (ALT TYPE SEALED) NON LUBE O.E REF # 1387764
FIRCB115A	60X26MM (ALT TYPE SEALED) NON LUBE O.E REF # 1387764
SCANIA SHROUD	STEEL SHROUD FOR FIRCB115

Part #	Comments
TUBING	
TUBE92X5	95X2MM Ø INTER AXLE
TUBE100X5	100X5MM Ø
SHAFT ASSY	
PF40INTERAXLE	P420 SHAFT C/W UJ'S (588MM UJ CENTRES CLOSED)
PF40INTERAXLE/1	P420 SHAFT C/W UJ'S (498MM UJ CENTRES CLOSED)
PF40INTERAXLE/2	P420 SHAFT C/W UJ'S (530MM UJ CENTRES CLOSED)
PF40INTERAXLE/4	P420 SHAFT C/W UJ'S (700MM UJ CENTRES CLOSED)
P400YSA	P400 YSA C/W UJ'S (350MM UJ CENTRES,) PSV APPLICATION
SLEEVE	
SL31.1	PROFILE SLEEVE TO SUIT SLA31.1 100X5MM Ø TUBE
OIL SEAL	
1.16046	GEARBOX END YOKE OIL SEAL (85X105X13/18) O.E. REF 1393331 (1502384)
1.16047	FIRST DRIVE DIFF ASSY OIL SEAL O.E. REF 1502385
P500 / P520	57 X 164MM UJ WITH 4.5 ° TAPER BRACKETS
YOKE SHAFT ASSY	
SLA32.1	P500 (YOKE SHAFT SET 69X2.5 (30 INV) 108X5.5MM Ø TUBE / 110MM SLIP L=314MM
SLA32.2	P520 / PF50 92X5MM Ø TUBE W/ANGLE INTER AXLE 35° L = 382MM O/A
SLA32.10	P520 / PF50 92X5MM Ø TUBE W/ANGLE INTER AXLE L=355MM UJ CTR TO WELD 35°
SLA32.3	P520 / 80.2MM Ø BASE W/ANGLE INTER AXLE 165MM SLIP
SLA32.8	P500 YOKE SHAFT SET 108X5.5MM Ø TUBE / 110MM SLIP L=297MM FRICTION WELD
SLA32.9	P500 YOKE SHAFT SET 108X5.5MM Ø TUBE / 110MM SLIP L=375MM GLIDCOTE SPL
SLA32.5	P500 YOKE SHAFT SET 110X6MM Ø TUBE / 110MM SLIP L=310MM GLIDCOTE SPLINE
SLEEVE	
SL32.1	SLEEVE P500 100X5MM (FRICTION WELD) FITS SLA32.1
SL32.3	SLEEVE P500 92X5MM ORIGINAL SPLINE (FITS SLA32.2)
TUBE YOKE	
TUY32.1	T71 / 88.2MM TUBE BASE Ø
TUY32.2	P500 / 108X5.5MM Ø TUBE H=120MM

Part #	Comments
TUY32.3	P520 / PF50 92X5MM Ø TUBE W/A 35° H=95MM
TUY32.8	P520 / PF50 92X5MM Ø TUBE W/A 35° H=100MM
TUY32.4	P520 ALTERNATIVE 80.2MM Ø BASE W/A 35° YOKE
TUY32.6	P500 / 110X6MM TUBE H = 90MM
TUY32.9	P500 / 108X5.5MM TUBE H = 76MM **SCANIA OEM ** USE FOR NEW SHAFTS ONLY
FLANGE YOKE	
FLY32.1	P500 180KV 4X15MM
MID ASSY	
MDA32.2	COMPLETE P500 MID ASSY 24 SPLINE C/W FIRCB39 60X22MM
MDA32.3	MID STUB, END YOKE & MID NUT ONLY 24 SPLINE (LESS CTR BRG FIRCB39)
MDA32.4	COMPLETE P500 MID ASSY 24 SPLINE C/W FIRCB115 60X26MM
MDA32.5	COMPLETE P500 MID ASSY 24 SPLINE C/W FIRCB115A 60X26MM
MID STUB	
MDS32.1	24 SPLINE 22MM BRG TRACK (FIRCB39 ENY32.1 & MN32.3) 108X5.5MM Ø TUBE
MDS32.2	24 SPLINE 26MM BRG TRACK (FIRCB115 ENY32.1 & MN32.3) 108X5.5MM Ø TUBE
MDS32.5	24 SPLINE FRICTION WELD TYPE 108X5.5MM Ø TUBE H=175MM FIRCB115 60X26MM
END YOKE	
ENY32.1	P500 24 SPLINE (USE WITH MDS32.1 & MDS32.3) 4.5° TAPER
DIFF YOKE	
ENY32.2	P520 FINAL DRIVE END YOKE 24 SPLINE (FITS REAR DIFF INPUT) O.E # 1325906
ENY32.3	P520 FIRST DRIVE END YOKE 22 SPLINE OUTPUT (FITS REAR OF 1ST DRIVE) O.E # 1528989
OIL SEAL	
1.16046	GEARBOX END YOKE OIL SEAL (85X105X13/18) O.E. REF 1393331 (1502384)
MID NUT	
MN32.3	MID NUT
U'JOINT	
FIR140	57X164MM C/W BRACKETS & INA BEARING CAPS
FIR140A	57X164MM C/W BRACKETS
FIR705	57X164MM C/W LUBE INA BRG CAPS & THREADED BRACKET HOLES M16X2

Part #	Comments
FIR765	57X164MM C/W SFL INA BRG CAPS & THREADED BRACKET HOLES M16X2
FIR757	57X164MM C/W SKF BRG CAPS & THREADED BRACKET HOLES M16X2
FIR478	57X164MM MAINTENANCE FREE SFL C/W BRACKETS INA BRG CAPS
CENTRE BRG	
FIRCB39	60X22MM (NEW TYPE ONLY, 85MM SEAL) O.E REF # 1113031
FIRCB115	60X26MM (ALT TYPE SEALED) NON LUBE O.E REF # 1387764
FIRCB115A	60X26MM (ALT TYPE SEALED) NON LUBE O.E REF # 1387764
SCANIA SHROUD	STEEL SHROUD FOR FIRCB115
TUBING	
TUBE90X5	90X5MM Ø
TUBE92X5	92X5MM Ø INTER AXLE
TUBE108X5.5	108X5.5MM Ø
SHAFT ASSY	
P500AS-2	P520 INTER AXLE SHAFT C/W UJ'S (530MM UJ CENTRES CLOSED)
P500AS-3	P520 INTER AXLE SHAFT C/W UJ'S (490MM UJ CENTRES CLOSED)
P500AS-4	P520 INTER AXLE SHAFT C/W UJ'S (570MM UJ CENTRES CLOSED)
P500AS-7	P520 INTER AXLE SHAFT C/W UJ'S (600MM UJ CENTRES CLOSED)
P500AS-8	P520 INTER AXLE SHAFT C/W UJ'S (715MM UJ CENTRES CLOSED)
OIL SEAL	
1.16047	FIRST DRIVE DIFF ASSY OIL SEAL O.E. REF 1502385
P600	65 X 190MM UJ WITH 4.5 DEGREE TAPER BRACKETS
PROPSHAFT	
P600GL-3	P600 SCANIA MIDSHAFT 1637MM UJ C/L C/w FIR227 LUBE UJS & FIRCB39 CTR BRG
P600GL-6	P600 SCANIA MIDSHAFT 1637MM UJ C/L C/w FIR447 SFL UJS & FIRCB115 CTR BRG
P600GL-8	P600 SCANIA MIDSHAFT 1648MM UJ C/L C/w FIR447 SFL UJS & FIRCB115 CTR BRG
YOKE SHAFT ASSY	
SLA71.6	SLIP ASSY 114.3X5.5MM TUBE RILSAN H=394MM
SLA71.9	SLIPASSY 114.3X5.5MM TUBE RILSAN MAX SWING=209.5MM H=394MM
SLA71.7	SLIPASSY H=355MM (9.01) DESIGN FOR SHORT COUPLE SHAFT

Part #	Comments
SLA71.8	SLIPASSY H=390MM (9.01) DESIGN FOR SHORT COUPLE SHAFT
TUBE YOKE	
TUY71.1	FRICTION WELD TYPE
TUY71.2	TO SUIT 114.3X5.5MM Ø TUBE H=92.5MM
TUY71.4	TUBE BASE 106.2MM FOR SHORT COUPLE SHAFTS
FLANGE YOKE	
FLY71.1	TO SUIT P600 UNIVERSAL JOINT 200X4X15MM H=95.6MM
FLY71.2	TO SUIT P600 UNIVERSAL JOINT 200X4X15MM H=96.5MM
MID ASSY	
MDA71.2	COMPLETE MID ASSY 114.3X5.5MM Ø TUBE COMPRISING OF - ENY71.2 / MDS71.2 / FIRCB39 / MN32.3 / 1.15114
MDA71.3	MID ASSY AS MDA71.2 LESS FIRCB39 CENTRE BRG 114.3X5.5MM Ø TUBE
MDA71.6	COMPLETE MID ASSY 114.3X5.5MM Ø TUBE COMPRISING OF - ENY71.3 / MDS71.3 / FIRCB115A / MN32.3 / 188800198513
MDA71.4	COMPLETE ORIGINAL MID ASSY 208MM KV 114.3X5.5MM Ø TUBE H=80MM COMPRISING OF - CPF71.2 / ,MDS71.3 / FIRCB115A / MN32.3 / 1.15114 / 188801983513
MID STUB	
MDS71.2	TO SUIT 114.3X5.5MM Ø 24 SPLINE - TO SUIT FIRCB39 60X22MM CENTRE BRG
MDS71.3	TO SUIT 114.3X5.5MM Ø 24 SPLINE - TO SUIT FIRCB115 60X26MM CENTRE BRG
MDS71.4	TO SUIT 114.3X5.5MM FRICTION WELD TYPE Ø TUBE H=175MM FIRCB115 60X26MM
COUPLING FLANGE	
CPF71.1	208X4X14MM TAPPED HOLES H-71MM 24T INVOLUTE SPLINE 59.75MM MAJOR DIA
CPF71.2	208X4X14MM TAPPED HOLES H-71MM 24T INVOLUTE SPLINE 59.75MM MAJOR DIA
CPF71.3	208X4X14MM G/BOX OUTPUT FLANGE H=67MM C/w 2 X DOWEL PINS O.E # 1868018
END YOKE	
ENY71.2	END YOKE 24 SPLINE W/o SEAL
YOKE SHIELD	
1.15114	PLASTIC SHIELD TO SUIT ENY71.2 (1300977)
OIL SEAL	
1.16046	GEARBOX END YOKE OIL SEAL (85X105X13/18) O.E. REF 1393331 (1502384)
1.16047	FIRST DRIVE DIFF ASSY OIL SEAL O.E. REF 1502385

Part #	Comments
MID NUT	
MN32.3	MID NUT
U'JOINT	
FIR227	65X190MM
FIR227A	65X190MM ALTERNATIVE
FIR447	65X190MM - NON LUBE SFL INA BRG CAPS
FIR544	65X190MM SKF MAINTENANCE FREE SFL
FIR548	65X190MM / 587.48 65X172MM COMBINATION
CENTRE BRG	
FIRCB39	60X22MM (NEW TYPE ONLY, 85MM SEAL) O.E REF # 1113031
FIRCB115	60X26MM (ALT TYPE SEALED) NON LUBE O.E REF # 1387764
FIRCB115A	60X26MM (ALT TYPE SEALED) NON LUBE O.E REF # 1387764
SCANIA SHROUD	STEEL SHROUD FOR FIRCB115
TUBING	
TUBE114.3X5.5	114.3X5.5MM Ø

Mercedes Style Series

286.33 - 802.79

(Including Vito, Sprinter and ML)

Part #	Comments
MERCEDES	ORIGINAL EQUIPMENT
PROPSHAFTS	DOUBLE JOINT 116X4X10MM (67/67 - 70MM MALE SPIGOT) CV JOINT 97/6-8MM - 86MM PCD
ML-270	ML270 FRONT PROPSHAFT 'EL' 766MM A163.410.0301
ML-270/1	ML 270 REAR PROPSHAFT DOUBLE JOINTED A163.410.0402
ML-270/2	ML270 FRONT PROPSHAFT 'EL' 696MM A163.410.0201
ML-270/3	ML270 FRONT PROPSHAFT 'EL' 717MM 97X6X8 & 116X4X10 A163.410.0901
ML-270/4	ML270 FRONT PROPSHAFT 'EL' 571MM 97X6X8 & 116X4X10 A163.410.0101
ML-270/5	ML270 / ML500 PROPSHAFT L.???MM A163.410.1202
ML-270/6	ML320 PROPSHAFT L.???MM A163.410.0702
ML-270/7	ML270 PROPSHAFT L.???MM A163.410.0802
VITO	24X74.5MM STAKED - ORIGINAL EQUIPMENT PROPSHAFTS
MB-VITO/1	O.E REF # A6394103006 - 3 PIECE SHAFT OVERALL LENGTH = 2240MM
MB-VITO/14	O.E REF # A6394103406 - 3 PIECE SHAFT OVERALL LENGTH = 2143MM
MB-VITO/15	O.E REF # A6394103106 - 3 PIECE SHAFT OVERALL LENGTH = 2470MM
MB-VITO/16	O.E REF # A6394103506 - 3 PIECE SHAFT OVERALL LENGTH = 2373MM
MB-VITO/17	O.E REF # A6394103206 - 3 PIECE SHAFT OVERALL LENGTH = 2211MM
MB-VITO/18	O.E REF # A6394103306 - 3 PIECE SHAFT OVERALL LENGTH = 2441MM
MB-VITO/19	O.E REF # A6394107006 - 3 PIECE SHAFT OVERALL LENGTH = 2176MM (V6) C/w CV
MB-VITO/21	O.E REF # A6394101516 - 3 PIECE SHAFT OVERALL LENGTH = 2211MM (V6) C/w CV
MB-VITO/22	O.E REF # A6394101716 - 3 PIECE SHAFT OVERALL LENGTH = 2143MM C/w CV
MB-VITO/23	O.E REF # A6394103606 - 3 PIECE SHAFT OVERALL LENGTH = 2173MM
MB-VITO/24	O.E. REF # A6394107106 - 3-PIECE SHAFT OVERALL LENGTH = 2406MM (V6)
MB-VITO/25	O.E. REF # A6394101816 / 6806 - 3-PIECE SHAFT OVERALL LENGTH = 2373MM (V6)
MB-VITO/26	O.E REF # A6394108506 - 3 PIECE SHAFT OVERALL LENGTH = 2286MM

Part #	Comments
MB-VITO/27	O.E REF # A6394108406 - 3 PIECE SHAFT OVERALL LENGTH = 2156MM
MB-VITO/28	O.E REF # A6394108406 - 3 PIECE SHAFT OVERALL LENGTH = 1903MM
MB-VITO/29	O.E REF # A6394103416 - 3 PIECE SHAFT OVERALL LENGTH = 2206MM
MB-VITO/30	O.E REF # A6394103516 - 3 PIECE SHAFT OVERALL LENGTH = 2436MM
U'JOINT	
FIR37	24X74.5MM STAKED (SFL) MERCEDES VITO GU299 INA BEARINGS
FIR37/1	24X74.5MM STAKED (SFL) MERCEDES VITO GU299 BUDGET
FIR547	24X74.5MM STAKED (SFL) MERCEDES VITO GU299 ORIGINAL OEM SPEC
CENTRE BRG	
FIRCB120	VITO - OE REF # 6394100081 30X148X12MM H= 100MM FRONT ORIGINAL
FIRCB120A	VITO - OE REF # 6394100081 30X148X12MM H= 100MM FRONT ALTERNATIVE
FIRCB121	VITO - OE REF # 6394100281 30X148X12MM H=97MM REAR ORIGINAL
FIRCB121A	VITO - OE REF # 6394100281 30X148X12MM H=97MM REAR ALTERNATIVE
FIRCB270	VITO V6 - OE REF 32X148X13MM ORIGINAL
FIRCB270A	VITO V6 - OE REF 32X148X13MM "ALTERNATIVE"~
FIRCB291	VITO - "D" SHAPE 32X148X13MM
207/208/307/308/	407/408/410 - 24X74.5MM STAKED
U'JOINT	
FIR37	24X74.5MM STAKED (SFL) MERCEDES VITO GU299 INA BEARINGS
FIR37/1	24X74.5MM STAKED (SFL) MERCEDES VITO GU299 BUDGET
FIR547	24X74.5MM STAKED (SFL) MERCEDES VITO GU299 ORIGINAL OEM SPEC
CENTRE BRG	
FIRCB03	45X195X19MM / 307 / 410
GAITOR	
MB-GAITOR	GAITOR + CLIPS (601.411.0197)
MB-SPR	24X88MM
U'JOINT	
FIR566	MERCEDES SPRINTER & E CLASS (SFL)

Part #	Comments
FIR566/1	MERCEDES SPRINTER & E CLASS C/W INA BRG CAPS (SFL)
801	26X69.8MM
FLANGE YOKE	
FLY40.1	90X6X10MM H=48MM
FLY40.2	90X6X8MM H=48MM
YOKE SHAFT	
YS40.1	34MM SPLINE - 2 PIECE SHAFTS 207/ 307 ETC (USE WITH SL40.1 & FIR46) H=220MM
SLEEVE	
SL40.1	FOR TWO PIECE SHAFTS (USE WITH YS40.1 & FIRCB03) 50X2MM Ø TUBE H=145MM
U'JOINT	
FIR46	26X69.8MM EXT. CIRCLIP U741
CENTRE BRG	
FIRCB03	45X195X19MM / 307 / 410 ETC
SPRINTER	ORIGINAL EQUIPMENT PROPSHAFTS
SHAFT ASSY	COMPLETE 2 SECTION PROPSHAFT- L= FLANGE - C/L OF CENTRE BRG
MB-SPR-2P	901.410.7406 @ 2724MM OVERALL LENGTH (FLANGE - CTR BRG L=1167MM)
MB-SPR-2P/1	901.410.6616 @ 2248MM OVERALL LENGTH (FLANGE - CTR BRG L=990MM)
MB-SPR-2P/2	901.410.2627 @ 2627MM OVERALL LENGTH (FLANGE - CTR BRG L=1067MM)
MB-SPR-2P/3	901.410.3806 @ 2260MM OVERALL LENGTH (FLANGE - CTR BRG L=1090MM)
MB-SPR-2P/5	901.410.4806 @ 2690MM OVERALL LENGTH (FLANGE - CTR BRG L=1130MM)
MB-SPR-2P/6	901.410.5906 @ 2176MM OVERALL LENGTH (FLANGE - CTR BRG L=880MM)
MB-SPR-2P/24	901.410.8906 @ 2123MM OVERALL LENGTH (FLANGE - CTR BRG L=2123MM)
MB-SPR-2P/28	901.410.9206 @ 2400MM OVERALL LENGTH (FLANGE - CTR BRG L=965MM)
MB-SPR-2P/33	901.410.8506 @ 2542MM OVERALL LENGTH (FLANGE - CTR BRG L=1290MM)
	OTHER PART Nos AVAILABLE UPON REQUEST
SHAFT ASSY	**COMPLETE 3 SECTION PROPSHAFT**
MB-SPR-3P	132X4X10MM 901.410.2216 @ 2813MM OVERALL LENGTH / 3 SECTIONS

Part #	Comments
SHAFT ASSY	**FRONT SHAFT**
MB-FRONT/2	120X4X10MM / FIXED MIDSHAFT 853MM FL-FL
MB-FRONT/2A	120X4X10MM / FIXED MIDSHAFT 952MM FL-FL
MB-FRONT/12	120X4X10MM / FIXED MIDSHAFT 777MM FL-FL
MBVAN-FRONT	120X4X10MM / FIXED MIDSHAFT 1057MM FL-FL
CV DRIVESHAFT	
A901.330.0001	CV JOINTED DRIVESHAFT L=640MM
C.V.JOINT	
FIRCV09	TO SUIT SPRINTER OMNIBUS 100.2X6X8.2MM - 12MM PLUNGE - H =104.5MM
U'JOINT	
FIR200	27X74MM / MERC SPRINTER STAKED
FIR200/1	27X74MM / (SFL) MERC SPRINTER C/w INA BEARING CAPS
CENTRE BRG	
FIRCB59	45X194X19MM / EARLY SPRINTER ONLY
FLANGE YOKE	
FLY3.9	1310SR5 27X81.8MM UJ 120X4X10MM MERCEDES SPRINTER
FLY42.17	287.10SR5 97X4X10MM H=48MM 1310SAE
FLY42.2	287.10SR5 120X4X10MM MERCEDES SPRINTER
SLIP-MID ASSY	
SLA24.13	MERC SPRINTER Y/SHAFT & SLEEVE W/o 45MM FIRCB59 Ø TUBE 76.2X2.4MM
SLA24.14	MERC SPRINTER Y/SHAFT & SLEEVE W/o 47MM FIRCB196 Ø TUBE 76.2X2.4MM
SLA24.15	MERC SPRINTER Y/SHAFT & SLEEVE C/w 50MM BRG Ø TUBE 70X2MM H=222MM
SLEEVE	
SL42.1	MID SLEEVE TO SUIT 70X3MM Ø TUBE & FIRCB59 CTR BRG
SL24.4	MB SPRINTER 45MM Ø MID SLEEVE SPRINTER 2020 FIRCB59 3X.095"
TUBE	
TUBE70X2	70X2MM Ø TO SUIT MERCEDES VAN
TUBE70X2/90X2	SWAGED TO SUIT 70X2/90X2 Ø 1315MM O/A TO SUIT MERCEDES VAN
GAITOR	
MB-GAITOR	GAITOR + CLIPS (901.411.0097)

Part #	Comments
SPRINTER	27X88MM STAKED 132X4X10MM
SLIP-MID ASSY	
SLA24.14	MERC SPRINTER Y/SHAFT & SLEEVE W/o 47MM FIRCB196 Ø TUBE 76.2X2.4MM
U'JOINT	
FIR582	(SFL) NEW MERCEDES SPRINTER "INA BRG CAPS"
FIR582A	(SFL) NEW MERCEDES SPRINTER *ALTERNATIVE*
CENTRE BRG	
FIRCB196	SPRINTER 47X194X21MM 906.410.1881 O.E. SLIP MID H=73MM
FIRCB196A	SPRINTER 47X194X21MM 906.410.1881 ALTERNATIVE H=73MM
FIRCB197	SPRINTER 47X194X21MM 906.410.0181/0381 O.E. SLIP MID H=68MM
FIRCB197A	SPRINTER 47X194X21MM 906.410.0181/0381 ALTERNATIVE H=68MM
FIRCB268	SPRINTER 47X194X21MM O.E.REF 906.410.1081 FOR MID SHAFTS H=68MM
FIRCB268A	SPRINTER 47X194X21MM 906.410.1081 ALTERNATIVE H=68MM
FIRCB269	SPRINTER 47X194X21MM O.E. REF 906.410.1381 FOR MID SHAFTS H=73MM
FIRCB269A	SPRINTER 47X194X21MM 906.410.1381 ALTERNATIVE FOR MID SHAFTS H=73MM
COUPLING FLANGE	
CPFMB-SPR	O.E. 906.410.1581 COUPLING FLANGE C/w CTR BRG (FIRCB268 H=68MM)
CPFMB-SPR/1	O.E. 906.410.1681 COUPLING FLANGE C/w CTR BRG (FIRCB269 H=73MM)
RUBBER COUPLING	
FC-20	"SPRINTER DAMPER COUPLING O.D. = 160MM , P.C.D. = 120MM 8X12MM HOLES 36MM OVERALL THICKNESS, 16MM BUSH"
FRONT MID SHAFT	BOLT HOLE SPACING = 71.9X85.8MM 67MM DIN (FEMALE SPIGOT)
MB-SPR-FRONT/6	L=821MM 132X4X10MM FLANGE PCD=111MM FEMALE SPIGOT TUBE Ø 70MM
MB-SPR-FRONT/3	L=853MM 132X4X10MM FLANGE PCD =111MM TUBE Ø 70MM A9064103401 / 2E0521101T
MB-SPRFRONT/10	L=891MM FE 146X4X12 PCD=120MM / CPF 132X4X10MM PCD=111MM A9064102001
MB-SPR-FRONT/1	L=921MM 132X4X10MM FLANGE PCD=111MM TUBE Ø 70MM A9064102201 / 2E0521099D
SHAFT ASSY	
MB-SPR-1P/2	Lz. 515MM 132X4X10MM TUBE DIA Ø 70MM
MB-SPR-1P/3	Lz. 1217MM 132X4X10MM SWAGED TUBE DIA Ø 70MM / 80MM

Part #	Comments
MB-SPR-2P/11	Lz. 2399MM 132X4X10MM / 146X4X12MM A906.410.5306
MB-SPR-2P/13	Lz. 2554MM 132X4X10MM 9064107616 / 2E0521101J / 2E0521163R
MB-SPR-2P/19	Lz.2850MM 132X4X10MM 2 PIECE SHAFT 9064104406
MB-SPR-2P/20	Lz.2748MM 132X4X10 2 PEICE SHAFT 9064109906
MB-SPR-2P/21	Lz.2843MM 132X4X10MM 2 PIECE SHAFT A9064102016
MB-SPR-2P/22	Lz.2360MM 132X4X10MM 2 PEICE SHAFT A9064102006
MB-SPR-2P/25	Lz.2775MM 132X4X10MM 2 PIECE SHAFT A9064102106
MB-SPR-2P/26	Lz.2767MM 132X4X10MM 2 PEICE SHAFT 901.4105606
MB-SPR-2P/30	Lz.2789MM 132X4X10MM 2 PIECE SHAFT A9064103816
MB-SPR-2P/31	Lz.2811MM 132X4X10MM 2 PIECE SHAFT A9064100916
MB-SPR-2P/32	Lz.2787MM 132X4X10MM 2 PIECE SHAFT A9064105806
MB-SPR-2P/34	Lz.2736MM 132X4X10MM 2 PIECE SHAFT A9064107606
MB-SPR-2P/35	Lz.2396MM 132X4X10MM 2 PIECE SHAFT A9064106606/6616
MB-SPR-2P/36	Lz.2816MM 132X4X10MM 2 PIECE SHAFT / RUBBER COUPLING @ G/BOX END A9064103616 (FRONT TUBE 80X2X907MM) (REAR TUBE 70X2X1443MM)
MB-SPR-2P/37	Lz.2814MM 132X4X10MM / 146X4X12MM 2 PC SHAFT A9064105306
MB-SPR-2P/38	Lz.2351MM 132X4X10MM 2 PIECE SHAFT A9064105506 L=2351MM
MB-SPR-2P/39	Lz.2385MM A906.410.0616 2 PIECE SHAFT A9064100616 L=2385MM
MB-SPR-2P/40	Lz.2372MM 146X4X12MM / 132X4X10MM 2 PC SHAFT A9064105706
MB-SPR-2P/41	Lz.2372MM 132X4X10 2PC SHAFT A9064105706 (FRONT=1095MM RUBBER COUPLING > C/L CTR BRG)
MB-SPR-2P/42	Lz.2727MM 132X4X10MM 2 PIECE SHAFT A9064103400
MB-SPR-2P/43	Lz.2412MM 132X4X10MM / 132X4X10MM 2 PC SHAFT A9064101416 / A9064103706
MB-SPR-2P/45	132X4X10MM 2PC SHAFT A9064101006
MB-SPR-2P/46	Lz.2315MM 132X4X10MM 2PC SHAFT A9064100716 / A9064102706
MB-SPR-2P/47	Lz.2785MM 146X4X12 / 132X4X10MM 2PC SHAFT A9064107406
MB-SPR-2P/48	132X4X10MM / 160X4X12MM 2PC SHAFT A9064103200 / A9064105716
MB-SPR-2P/8	Lz.2582MM 132X4X10MM 2 PIECE SHAFT
MB-SPR-2P/9	Lz.2428MM 132X4X10MM 2 PIECE SHAFT
MB-SPR-3P/1	Lz.2774MM 132X4X10MM 3 PIECE SHAFT A9064101716
MB-SPR-3P/2	Lz.2842MM 132X4X10MM 3 PIECE SHAFT A9064101616

Part #	Comments
SPRINTER / VITO	30.2X81.8MM EXTERNAL CIRCLIP 687.20SR5
FLY24.31	VITO 120X4X10.2MM H=58MM PCD 101.5MM FEMALE SPIGOT = 57MM
FLY24.26	VITO 132X4X10.2MM H=58MM PCD=112MM FEMALE SPIGOT = 58MM
FLY24.23	SPRINTER 120X4X10.2MM H=58MM PCD =101.5MM FEMALE SPIGOT = 57MM
FLY24.21	SPRINTER 132X4X10.2MM ROUND H=58MM PCD=112MM FEMALE SPIGOT=67MM
FLY24.41	SPRINTER 132X4X10.2MM SQUARE H=44MM PCD=112MM FEMALE SPIGOT=67MM
FLY24.22	SPRINTER 132MM DIA BLANK Ø H=58MM FEMALE SPIGOT = 67MM
FLY24.38	SPRINTER 146X4X12.2MM H=58MM PCD=120MM FEMALE SPIGOT 67MM
SLIP-MID ASSY	
SLA24.13	SPRINTER Y/SHAFT & SLEEVE W/o 45MM FIRCB59 Ø TUBE 76.2X2.4MM
SLA24.14	SPRINTER Y/SHAFT & SLEEVE W/o 47MM FIRCB196 Ø TUBE 76.2X2.4MM
SLA24.15	SPRINTER Y/SHAFT & SLEEVE C/w 50MM BRG Ø TUBE 70X2MM H=222MM
TUBE YOKE	
TUY24.7	70X2MM Ø TUBE H=55MM
TUY24.11	70X2MM Ø TUBE H=72MM
TUY24.13	70X2.41MM Ø TUBE H=53MM
TUY24.12	76.2X2.4MM (3.0X.095") Ø TUBE H=53MM - SPRINTER
TUY24.14	70X2.35MM Ø TUBE H=53MM TUBE BASE=65.3MM - SPRINTER
RUBBER COUPLING	
FC-20	"SPRINTER DAMPER COUPLING O.D. = 160MM , P.C.D. = 120MM 8X12MM HOLES 36MM OVERALL THICKNESS, 16MM BUSH"
SPRINTER	31X88MM STAKED 132X4X10MM
SHAFT ASSY	
MB-SPR-FRONT/3	L=854MM 132X4X10MM FLANGE YOKE PCD=111MM 66.6MM FEMALE SPIGOT TUBE DIA Ø 70MM OE# 9064103401
MB-FRONT/21	L = 891MM OVERALL (LESS RUBBER) 857MM OVER FLANGE FACES 738MM WELD CTRS SWAGED 60/70MM - FLANGE 132X4X10MM PCD=112MM OE # 906.410.4801
MB-SPR-2P/23	Lz.2554MM 132X4X10 9064102716 (FRONT = 1064MM 70MM DIA TUBE) REAR SWAGED 70MM TO 105MM - REPLACED BY SPRINTER-2P/29
MB-SPR-2P/29	L = 2560MM OVERALL CLOSED - FLANGES 132X4X10MM PCD=112MM TUBE SWAGED 70/105MM 1215MM WELD CTRS OE # 906.410.7916

Part #	Comments
801.21	31X88MM STAKED (GENUINE) MERCEDES 608/609D
SHAFT ASSY	
FIRPS33	SLIDING SHAFT / 687.30SR5 120X6X10MM 1600MM FFC
FIRPS31-NEW	FIXED MIDSHAFT / STAKED ORIGINAL 120X6X10MM 1530MM FF
U'JOINT	
FIR78	31X88MM STAKED BRG CAPS
CENTRE BRG	
FIRCB58	30X156X19MM ROUND / 608D & 609D SPECIAL
FIRCB04	35X155X20MM / 608D
FIRCB05	35X160X20MM ROUND 609D / 709D
MID ASSY	
MDA120610	120X6X10 MERCEDES 709D CUT OUTS (LIMITED STOCK)
MERCEDES	G WAGEN 31X88MM STAKED (GENUINE)
U'JOINT	
FIR78	31X88MM STAKED (SFL)
FIR78/1	31X88MM STAKED (END LUBE)
SHAFT ASSY	
MB-GWAG	O.E SPECIFICATION 460.410.2218 (TRANSFER BOX - FRONT AXLE) Lz.945MM FFC
MB-GWAG/1	O.E SPECIFICATION 460.410.4604 Lz.566MM
MB-GWAG/2	O.E SPECIFICATION 460.410.3804 Lz.380MM
MB-GWAG/3	O.E SPECIFICATION 460.410.6204 Lz.306MM
MB-GWAG/4	O.E SPECIFICATION 460.410.4504 Lz.616MM
MB-GWAG/5	O.E SPECIFICATION Lz.1020MM
MB-GWAG/6	O.E SPECIFICATION 460.410.4704 Lz.490MM
MB-GWAG/7	O.E SPECIFICATION 460.410.5004 Lz.1064MM
MB-GWAG/10	O.E SPECIFICATION 460.410.1418 Lz.306MM 100X8X8MM
MB-GWAG/13	O.E SPECIFICATION 460.410.2118 Lz.990MM 70MM SLIP 100X8X8MM
FURTHER MERCEDES G WAGEN GENUINE OE SHAFTS AVAILABLE DETAILS ON REQUEST	

Part #	Comments
802.31	31X110MM ****MERCEDES ATEGO & VARIO 815 & 817****
U/JOINT	
FIR340	MERCEDES ATEGO C/w INA BEARINGS & LUBE
FIR340A	MERCEDES ATEGO WITH LUBE ALTERNATIVE
MID ASSY	
MDA47.1	120X4X11 C/W FIRCB41 90X2.5MM Ø TUBE
MDA47.2	120X4X11 C/W FIRCB07 90X2.5MM Ø TUBE
MDA47.4	120X4X11MM C/W 45MM Ø BRG FIRCB41 130X5MM Ø TUBE
CENTRE BRG	
FIRCB07	45X190X23MM ROUND TYPE
FIRCB41	45X160X19MM C/W U SHAPE BRACKET
FLINGER	
A381.413.0461	FLINGER TO SUIT FIRCB07 BRG
A971.413.0061	FLINGER TO SUIT FIRCB41 BRG
UNIMOG	KLEIN 125 SERIES - 34X89MM EXTERNAL CIRCLIP
SLIP ASSY	
SLA69.1	100X4X10.5MM FLANGE (8MM RAISED KEY) TO SUIT 52X4MM Ø TUBE. L=345MM
TUBE YOKE	
TUY69.1	TO SUIT 52X4MM TUBE H=50MM Ø
FLANGE YOKE	
FLY69.1	100X4X10.5MM 8MM RAISED KEY FACE H=48MM
U/JOINT	
FIR205	34X89MM EXTERNAL CIRCLIP / LUBE
TUBE	
TUBE52X4	52X4MM Ø

Part #	Comments
UNIMOG	KLEIN 200 SERIES - 38X89.2MM EXTERNAL CIRCLIP
SLIP ASSY	
SLA70.1	LESS FLANGE & UJ TO SUIT 52X4MM Ø TUBE. L=237MM
TUBE YOKE	
TUY70.1	TO SUIT 52X4MM Ø TUBE
FLANGE YOKE	
FLY70.1	96X4X10.5MM (8MM RAISED KEY FACE)
FLY70.2	100X4X10.5 H=48MM 15°
U/JOINT	
FIR192	38X89.2MM EXTERNAL CIRCLIP / LUBE
UNIMOG	GWB 587.12 - 38X104.MM - MERCEDES UNIMOG
FLANGE YOKE	
FLY98.1	120X8X10MM H=75MM
FLY98.2	120X4X11MM H=70MM
TUBE YOKE	
TUY98.1	TO SUIT 70X4MM Ø TUBE
SLEEVE YOKE	
SL98.1	SLEEVE YOKE H=210MM
SLIP STUB	
SS98.1	SLIP STUB TO SUIT 70X4MM Ø TUBE
U'JOINT	
FIR191	38X104MM 9MM OFFSET
TUBE	
TUBE70X4MM	TUBE 70X4MM Ø
UNIMOG	KLEIN 196 SERIES - 38X110MM EXTERNAL CIRCLIP
SLIP ASSY	
SLA50.1	LESS FLANGE & UJ TO SUIT 60X4MM Ø TUBE
SLEEVE	
SL50.3	TO SUIT 70X4MM Ø TUBE - UNIMOG

Part #	Comments
TUBE YOKE	
TUY50.2	TO SUIT 70X4MM Ø TUBE - UNIMOG
TUY50.4	TO SUIT 60X4MM Ø TUBE - UNIMOG
FLANGE YOKE	
FLY50.6	120X4X13MM H=75MM - 201.197.15219 26 TEETH ON FLANGE FACE
FLY50.4	120X6X8.4MM H=53MM - 201.197.01042
FLY50.3	120X6X10MM H=75MM - 201.195.16347
FLY50.5	120X6X10.4MM H=56MM - 201.197.01042
U'JOINT	
FIR520	38X110MM EXTERNAL CIRCLIP / LUBE
286.22	42X106MM ****MERCEDES ATEGO & VARIO 815/ 817/818****
FLANGE YOKE	
FLY47.2	120X4X11MM H=70MM
FLY47.1	130X8X10MM H=70MM
FLY47.3	150X8X12MM H=70MM
SLIP ASSY	
SLA47.2	LESS JOINT & FLANGE 90X2.5MM Ø TUBE L=295MM
SLA47.3	LESS JOINT & FLANGE 3.50"X0.095" Ø TUBE L=280MM
SLEEVE	
SL47.2	TO SUIT 3.50X.095 (90X3)MM Ø TUBE
SL47.3	TO SUIT 90X4MM Ø TUBE **LIMITED STOCK**
TUBE YOKE	
TUY47.1	TO SUIT 90X2.5MM Ø TUBE H=80MM
TUY47.3	TO SUIT 90X3MM Ø TUBE H=84MM 25°
TUY47.4	TO SUIT 100X5MM Ø TUBE H=80MM **LIMITED STOCK**
MID STUB	
MDS47.1	TO SUIT COMPANION FLANGES CPF47.1 & CPF47.2 & FIRCB07 90X2.5 MM Ø
MDS47.3	TO SUIT CPF47.1 & 130X5MM Ø TUBE
COMP FLANGE	
CPF47.1	120X4X10.1MM THREADED TO SUIT MDS47.1 / MDS47.2 & FIRCB07

Part #	Comments
CPF47.2	130X8X10MM TO SUIT MDS47.1 / MDS47.2 & FIRCB07
MID ASSY	
MDA47.1	120X4X11MM 90X2.5MM Ø TUBE C/W FIRCB41 45MM Ø ADJUSTABLE CENTRE BRG
MDA47.2	120X4X11MM 90X2.5MM Ø TUBE C/W FIRCB07 45MM Ø CENTRE BRG
MDA47.3	130X8X10MM 90X2.5MM Ø TUBE C/W ROUND 45MM BRG
MDA47.4	120X4X11MM 130X5MM Ø TUBE C/W FIRCB41 45MM Ø ADJUSTABLE CENTRE BRG
MID END SUNDRIES	
SPACER	A3832820262 END WASHER FOR MDA47.1
BOLT	A383.990.0019 MID STUB BOLT 16X1,5X60MM
A381.413.0461	A381.413.0461 FLINGER TO SUIT FIRCB07 CTR BRG
A971.413.0061	A971.413.0061 FLINGER TO SUIT FIRCB41 BRG
CENTRE BRG	
FIRCB07	45X190X23MM ROUND
FIRCB41	45X160X19MM / U SHAPED BRACKET
U'JOINT	
FIR15	42X106MM / INA BEARINGS / CENTRE LUBE
FIR15A	42X106MM / CENTRE LUBE
FIR391	42X106MM NON LUBE
TUBE	
TUBE90X35	90X3MM Ø
TUBE350X095	3.5X.095 (90X3MM) Ø
TUBE100X5	100X5MM Ø
TUBE130X5	130X5MM Ø
286.33	48X126MM / 0.387 SERIES / 286.33 SERIES
SLIP ASSY	
SLA52.3	LESS FLANGE & UJ 130X5MM Ø TUBE
SLA52.4	LESS FLANGE & UJ 90X4MM & 92X5MM Ø TUBE 110MM SLIP L =327MM
SLA52.6	LESS FLANGE & UJ 90X4MM & 92X5MM TUBE 180MM SLIP INTER AXLE L=400MM

Part #	Comments
SLEEVE	
SL52.1	TO SUIT 90X4MM & 92X5MM TUBE 110MM SLIP
SL52.2	TO SUIT 130X5MM TUBE 110MM SLIP
SL52.3	TO SUIT 90X4MM & 92X5MM TUBE 130MM SLIP
FLANGE YOKE	
FLY52.1	150X4X13MM H=75MM
FLY52.2	150X4X13MM W/A H=90MM
FLY52.3	150X8X12MM H=75MM
FLY52.10	150X8X12MM H=82MM
FLY52.4	150X8X12MM H=90MM
FLY52.7	175MM 1610SAE H=82MM
FLY52.13	180X8X14MM H=75MM
TUBE YOKE	
TUY52.1	TO SUIT 90X4MM & 92X5MM Ø TUBE H=101MM
TUY52.2	TO SUIT 130X5MM Ø TUBE
TUY52.3	TO SUIT 90X4MM & 92X5MM Ø TUBE WIDE ANGLE
MID STUB	
MDS52.1	TO SUIT 55X190X25MM FIRCB30 CENTRE BEARING / 90X4MM & 92X5MM Ø TUBE
MDS52.2	TO SUIT 55X190X25MM FIRCB30 CENTRE BEARING / 130X5MM Ø TUBE
WASHER	
A3894110162	WASHER 28633 28637 MID ASSY
BOLT	
A383.990.0019	MID STUB BOLT 16X1,5X60MM
COMP FLANGE	
CPF52.1	150X8X12MM / TO SUIT MDS52.1 & MDS52.2
CPF52.2	150X4X13MM / TO SUIT MDS52.1 & MDS52.2
U'JOINT	
FIR124	48X126MM LUBE TYPE INA BEARINGS
FIR124A	48X126MM LUBE TYPE ALTERNATIVE
FIR30	48X126MM NON LUBE SFL

Part #	Comments
FIR659	48X126MM LUBE IN ALL 4 BRG CAPS
CENTRE BRG	
FIRCB30	55X190X25MM ROUND
FIRCB99	55X190X23MM NEW SPEC. U-SHAPE - MAY NEED A9734110052 SPACER RING
FLINGER	
A385.413.0461	FLINGER TO SUIT FIRCB30 BRG
A973.413.0061	FLINGER TO SUIT FIRCB99 BRG
SPACER	
A973.411.0052	SPACER RING
TUBE	
TUBE91.8X5	ORIGINAL MERCEDES 91.8X5MM Ø
TUBE 92X5	92X5MM Ø
TUBE130X5	130X5MM Ø
286.37 (186.37)	53X135MM / 0.389 SERIES / 286.37 SERIES
SHAFT ASSY	
286.37AS-2	INTER-AXLE SHAFT LONG SLIP 165X4X12.9MM Lz. 747MM OEM 654.410.4102
286.37AS-3	INTER-AXLE SHAFT LONG SLIP 165X4X12.9M Lz. 662MM OEM 389.410.3902
SLIP ASSY	
SLA53.1	W/o FLANGE & UJ 150MM SLIP / 100X5MM Ø TUBE (30°) L=373MM UJ C/L > WELD
SLA53.2	W/o FLANGE & UJ 110MM SLIP / 140X5MM Ø TUBE
SEAL TUBE	
ST53.1	SEAL TUBE L=180MM
FLANGE YOKE	
FLY53.2	150X4X13MM H=85MM
FLY53.17	150X4X13MM H=100MM (44°)
FLY53.1	150X8X12MM H=90MM
FLY53.6	165X4X14MM INTER AXLE ONLY H=95MM
FLY53.5	165X8X16MM H=90MM
FLY53.3	180X10X16MM H=87MM **LIMITED STOCK**

Part #	Comments
FLY53.7	180X4X15MM H=85MM
FLY53.12	180X8X14MM H=86MM *ELBE ORIGINAL*
TUBE YOKE	
TUY53.1	100X5MM Ø TUBE H=90MM
TUY53.2	140X5MM Ø TUBE
TUY53.3	TO SUIT 100X5MM Ø TUBE 35°
MID ASSY	
MDA53.1	150X4X13MM C/W FIRCB38 60MM Ø CENTRE BEARING / 100X5MM Ø TUBE
MID STUB	
MDS53.1	TO SUIT 100X5MM Ø TUBE (USE WITH CPF 53.1 OR CPF53.2, FIRCB38 OR FIRCB90)
COMP FLANGE	
CPF53.1	150X4X13MM (USE WITH MDS53.1, FIRCB38 OR FIRCB90)
WASHER	
A3894110162	WASHER 28633 28637 MID ASSY
BOLT	
A383.990.0019	MID STUB BOLT 16X1,5X60MM
U'JOINT	
FIR136	53X135MM LUBE TYPE INA BEARINGS
FIR136A	53X135MM LUBE TYPE
FIR136/1	53X135MM / CENTRE LUBE **SKF BEARINGS**
FIR33	53X135MM NON LUBE
FIR537	53X135MM SKF MAINTENANCE FREE
CENTRE BRG	
FIRCB38	60X247X25MM ROUND
FIRCB90	60X190X22MM U-SHAPE - MAY NEED A6544110052
FLINGER	
A389.413.0361	FLINGER TO SUIT FIRCB38 BRG
A654.413.0061	FLINGER TO SUIT FIRCB90 BRG
SPACER	
A654.411.0052	SPACER RING

Part #	Comments
TUBE	
TUBE100X5	100X5MM Ø
310.000.93485	140X 5MM Ø
587.42 & KLEIN	650 - 57X152MM
SLIP ASSY	
SLA58.1	150MM SLIP / 140X5MM / 144X7MM Ø TUBE H=400MM MERCEDES / KLEIN
SLA58.2	150MM SLIP / 110X6MM Ø TUBE H=405MM MERCEDES & MAN / KLEIN
SLA58.3	180MM SLIP / 110X6MM Ø TUBE H=394MM MERCEDES & MAN
FLANGE YOKE	
FLY59.14	180X4X15MM H=92MM 25° 2055
FLY58.1	180X10X16MM H=95MM
TUBE YOKE	
TUY59.4	110X6MM Ø TUBE H=116MM
TUY58.2	140X5MM / 144X7MM Ø TUBE H=108MM MERCEDES
MID STUB	
MDS58.3	TO SUIT FIRCB47 & FIRCB77 CENTRE BRG 140X5MM Ø TUBE (ORIGINAL)
MDS58.8	TO SUIT FIRCB47 & FIRCB77 CENTRE BRG 140X5MM Ø TUBE (ALT TO MDS58.3)
COMP FLANGE	
CPF58.2	180X4X15MM
MID ASSY	
MDA58.1	180X4X15MM 70MM FIRCB47 CENTRE BEARING / 110X6MM Ø TUBE
MDA58.2	180X4X15MM 70MM FIRCB47 CENTRE BEARING / 140X5MM / 144X7MM Ø TUBE
MDA58.4	180X4X15MM 70MM FIRCB77 CENTRE BEARING / 110X6MM Ø TUBE
MDA58.5	180X4X15MM 70MM FIRCB77 CENTRE BEARING / 140X5MM Ø TUBE
U'JOINT	
FIR144	57X152MM / CENTRE LUBE INA BRGS 587.42
FIR144/1	57X152MM / CENTRE LUBE INA BRGS 2055
FIR144A	57X152MM CENTRE LUBE ALTERNATIVE
FIR539	57X152MM SKF MAINTENANCE FREE

Part #	Comments
CENTRE BRG	
FIRCB47	70X242X25MM ROUND
FIRCB77	70X190MM U-SHAPE - MAY NEED A655.411.0052 SPACER
FLINGER	
A395.413.0061	FLINGER TO SUIT FIRCB47 BRG
A656.413.0061	FLINGER TO SUIT FIRCB77 BRG
MID NUT	
A389.411.0062	MID NUTWASHER TO SUIT DC587.42/385.60/802.68
BOLT	
1113708217060	BOLT 20X1.5X80MM TO SUIT DC587.42/385.60/802.68
TUBE	
TUBE110X6	110X6MM Ø
310.000.93485	140X5 MM Ø
385.60	68X89MM UJ INTERNAL CIRCLIP 140X5MM Ø TUBE
SHAFT ASSY	****SHORT COUPLE ASSY LESS UJ & FLANGES****
385.60YSA-1	300MM UJ CENTRES = 500MM FFC
385.60YSA-2	325MM UJ CENTRES = 535MM FFC
385.60YSA-3	450MM UJ CENTRES = 650MM FFC
SLIP ASSY	
SLA66.2	SLEEVE YOKE ASSY LESS UJ & FLANGE 140X5MM / 144X7MM Ø TUBE H=400MM
SLA66.5	SLEEVE YOKE ASSY LESS UJ & FLANGE 140X5MM / 144X7MM Ø TUBE H=372MM
SLA66.6	SLEEVE YOKE ASSY LESS UJ & FLANGE 140X5MM 9.01 TYPE H=345MM SLIP 100MM
	(SUITABLE FOR SHORT COUPLES - TUBE YOKES INSERTS INTO SLIP ASSY)
FLANGE YOKE	
FLY66.1	180X4X15MM H=100MM
FLY66.2	180X4X15MM H=100MM ALTERNATIVE
MID ASSY	
MDA58.5	180X4X15MM 70MM CENTRE BRG FIRCB77 / 140X5MM Ø TUBE

Part #	Comments
MID STUB	
MDS58.3	TO SUIT FIRCB47 & FIRCB77 CENTRE BRG 140X5MM Ø TUBE
MDS58.8	TO SUIT FIRCB47 & FIRCB77 CENTRE BRG 140X5MM Ø TUBE (ALT TO MDS58.3)
TUBE YOKE	
TUY66.1	TO SUIT 140X5MM / 144X7MM Ø TUBE H=145MM ORIGINAL
TUY66.3	TO SUIT 140X5MM / 144X7MM Ø TUBE H=145MM ALTERNATIVE
MID ASSY	
MDA58.2	180X4X15MM 70MM CENTRE BRG FIRCB47 / 140X5MM / 144X7MM Ø TUBE
U'JOINT	
FIR150	MERCEDES ACTROS 68X89MM I/C INTERNAL CIRCLIP WITH LUBE INA BRG CAPS
FIR150A	MERCEDES ACTROS 68X89MM I/C INTERNAL CIRCLIP WITH LUBE
FIR75	MERCEDES ACTROS 68X89MM I/C INTERNAL CIRCLIP SFL NON LUBE
FIR686	MERCEDES ACTROS 68X89MM I/C INTERNAL CIRCLIP NON LUBE - SPICER
CENTRE BRG	
FIRCB47	70X24X25MM ROUND
FIRCB77	70X190X20MM U-SHAPE
FLINGER	
A395.413.0061	FLINGER TO SUIT FIRCB47 BRG
A656.413.0061	FLINGER TO SUIT FIRCB77 BRG
BOLT	
1113708217060	BOLT 20X1.5X80MM TO SUIT DC587.42/385.60/802.68
TUBE	
310.000.93485	140X5 MM Ø
802.68	68X89MM UJ INTERNAL CIRCLIP 110X6MM Ø TUBE
SLIP ASSY	
SLA66.3	SLEEVE YOKE ASSY LESS FLANGE & UJ 110X6MM Ø TUBE H=338MM
SLA66.4	SLEEVE YOKE ASSY LESS FLANGE & UJ 110X6MM Ø TUBE H=380MM
SLEEVE	
SL66.2	TO SUIT 110X6MM Ø TUBE

Part #	Comments
TUBE YOKE	
TUY66.2	TO SUIT 110X6MM Ø TUBE H=125MM
FLANGE YOKE	
FLY66.1	180X4X15MM H=100MM
FLY66.2	180X4X15MM H=100MM ALTERNATIVE
MID STUB	
MDS58.4	TO SUIT FIRCB77 CENTRE BRG 110X6MM Ø TUBE H=148MM
COMP FLANGE	
CPF58.2	180X4X15MM TO SUIT MDS58.3 & MDS58.4
MID ASSY	
MDA58.4	180X4X15MM 70MM CENTRE BRG FIRCB77 / 110X6MM Ø TUBE
MDA58.5	180X4X15MM 70MM CENTRE BRG FIRCB77 / 140X5MM Ø TUBE
U/JOINT	
FIR150	MERCEDES ACTROS 68X89MM I/C INTERNAL CIRCLIP WITH LUBE INA BRG CAPS
FIR150A	MERCEDES ACTROS 68X89MM I/C INTERNAL CIRCLIP WITH LUBE
FIR75	MERCEDES ACTROS 68X89MM I/C INTERNAL CIRCLIP NON LUBE SKF BRG CAPS
FIR686	MERCEDES ACTROS 68X89MM I/C INTERNAL CIRCLIP NON LUBE - SPICER
CENTRE BRG	
FIRCB77	70X190MM U-SHAPE
FLINGER	
A656.413.0061	FLINGER TO SUIT FIRCB77 BRG
SPACER	
A655.411.0052	SPACER RING
MID NUT	
A389.411.0062	MID NUT/WASHER TO SUIT DC587.42/385.60/802.68
BOLT	
1113708217060	BOLT 20X1.5X80MM TO SUIT DC587.42/385.60/802.68
TUBE	
TUBE110X6	110X6MM Ø

Part #	Comments
802.79	68X117MM UJ INTERNAL CIRCLIP 144X7MM Ø TUBE
SLIP ASSY	
SLA89.1	TO SUIT 144X7MM TUBE Ø H=369MM
SLEEVE	
SL89.1	SLEEVE MERCEDES 80279 144X7MM TUBE
SEAL TUBE	
ST89.1	SEAL TUBE MERCEDES 80279 H=190MM
SHORT COUPLE	
802.79YSA-2	802.79 YSA (9.01) L=449MM UJ CTRS La.110MM SPLINE: 90X2.5
802.79YSA-3	802.79 YSA (9.03) L=424MM UJ CTRS La.95MM SPLINE: 90X2.5
802.79YSA-4	802.79 YSA (9.03) L=444MM UJ CTRS La.95MM SPLINE: 90X2.5
TUBE YOKE	
TUY89.1	TO SUIT 144X7MM TUBE Ø H=140MM
FLANGE YOKE	
FLY89.1	200X4X15MM H=113MM
MID STUB	
MDS89.1	TO SUIT 80MM CTR BRG 144X7MM Ø TUBE H=147MM
COMP FLANGE	
CPF89.1	200X4X15MM TO SUIT 80MM CTR BRG
CPF89.2	200X4X15MM TO SUIT 70MM CTR BRG
MID ASSY	
MDA89.2	200X4X15 C/W 70MM Ø BRG & 144X7MM Ø TUBE
U/JOINT	
FIR409	68X117MM UJ INTERNAL CIRCLIP (SFL)
CENTRE BRG	
FIRCB87	80X245X25MM ROUND TYPE
FIRCB87A	80X245X25MM ROUND TYPE ALTERNATIVE
FIRCB77	70X190MM U-SHAPE
FLINGER	
A656.413.0061	FLINGER TO SUIT FIRCB77 BRG

Part #	Comments
A659.410.0309	FLINGER TO SUIT FIRCB87 BRG
SPACER	
A655.411.0052	SPACER RING
MID NUT	
A389.411.0062	MID NUT/WASHER TO SUIT DC587.42/385.60/802.68
BOLT	
1113708217060	BOLT 20X1.5X80MM TO SUIT DC587.42/385.60/802.68
11138080170000	BOLT FOR 802.79 FOR MDS89.1 MERCEDES
TUBE	
TUBE144X7	144X7MM Ø





Volvo Style Series

NK300 - NK600

(Including Compact Style Options)

Part #	Comments
SHAFT ASSY	FANSHAFTS
FIRFS16	2015 SRS FANSHAFT TO SUIT B10M B9M MK4 MK3 O.E. REF # 3037490-4
FIRFS18	2015 SRS FANSHAFT VOLVO B10M / L.480MM O.E. REF # 20565732
FIRFS19	2015 SRS FANSHAFT VOLVO B12 / L.518.5MM O.E. REF # 21038602 22070240
FIRFS20	2015 SRS FANSHAFT VOLVO COACH / L.437MM O.E. REF # 20854105
FIRFS21	2015 SRS FANSHAFT VOLVO COACH / L.460MM O.E. REF # 21174448
FIRFS22	2015 SRS FANSHAFT VOLVO COACH / L.478MM O.E. REF # 21017681
FIRFS23	2015 SRS FANSHAFT VOLVO BUS / L=385MM O.E. REF # 2212175
NK300	NK300 PROPSHAFTS
SHAFT ASSY	COACH APPLICATIONS
300YSA-1	175MM 1610SAE SHORT COUPLE SHAFT AT 410MM FFC
NK400	NK400 PROPSHAFTS
SHAFT ASSY	8X4 VOLVO FL10 + FL12
262946	PROPSHAFT INTER AXLE 1610SAE Lz. 690MM
262953	PROPSHAFT INTER AXLE 1610SAE Lz. 830MM
SHAFT ASSY	COACH APPLICATIONS
FIRPS61-NEW	VOLVO B10L 2045 YSA 180X4X15MM @ 541MM FFC
FIRPS62-NEW	SHORT COUPLE YSA 1710SAE TO SUIT VOLVO B10M Lz. 490MM
FIRPS65	SHORT COUPLE YSA 1710SAE TO SUIT VOLVO B10M Lz. 420MM
SHAFT ASSY	"OFF HIGHWAY" APPLICATIONS
400YSA-2	YSA NK500 SPLINE (75x2.5mm PROFILE) 1810SAE / 1610SAE 11.1MM BOLT Lz. 420MM

Part #	Comments
NK 300	44X126MM UJ
SLIP ASSY	
SLA19.2	LESS UJ & FLANGE TO SUIT 85X4MM Ø TUBE H=311MM
FLANGE YOKE	
FLY19.1	175MM 1610SAE H=62MM
FLY19.4	150X8X12MM H=75MM
TUBE YOKE	
TUY19.1	44X126MM UJ / 85X4MM Ø TUBE
MID ASSY	
MDA19.1	175MM 1610SAE C/W FIRCB62 LUBE BEARING (COMPACT STYLE)
MDA19.2	175MM 1610SAE C/W FIRCB09 / 85X4MM Ø TUBE
MDA19.3	175MM 1610SAE C/W FIRCB134 45MM Ø NON LUBE BRG
MID STUB	
MDS19.1	TO SUIT 85X4MM Ø H=150MM STUB Ø = 60MM
COMP FLANGE	
CPF19.1	175MM 1610SAE
FIXINGS	
MN20.1	NK300/400 MID NUT
MW20.1	NK300/400 MID WASHER
MC20.1	NK300/400 CIRCLIP
MLW20.1	NK300/400 LOCK WASHER
NK23227	NK300/400 FLINGER
SLEEVE	
SL19.1	SLEEVE TO SUIT SLA19.1 / 85X4MM Ø TUBE
U'JOINT	
FIR108	44X126MM C/W PLATES & BOLTS CENTRE LUBE **PREMIUM**
CENTRE BRG	
FIRCB09	60X198X30MM
FIRCB09/A	60X198X30MM ALTERNATIVE
FIRCB134	45X194X19MM / SOLID RUBBER W/o LUBE

Part #	Comments
FIRCB37	60X198X30MM CAST BRACKET / MOXY DUMPTRUCK
FIRCB92	60X198X30MM (HARD RUBBER SHORE 80)
TUBE	
TUBE 85X4	85X4MM
NK 400	50X152.6MM UJ
YOKE SHAFT ASSY	9.03 DESIGN
400YSA-3	YSA (SHORT COUPLE LESS UJS & FLANGES C/w SEAL TUBE) @ 393MM UJ CL
9800410310300	SHORT COUPLE Lz=415MM FLANGES 1810SAE & 1610SAE NK500 SPLINES
9800400310421	SHORT COUPLE Lz=420MM FLANGES 203/12X11MM1810SAE
9800410310400	SHORT COUPLE Lz=425MM FLANGES 1810SAE & 1610SAE NK500 SPLINES
9800410310500	SHORT COUPLE Lz=425MM FLANGES 203/16X11MM NK500 SPLINES
9800400310440	SHORT COUPLE Lz=440MM FLANGES 203/12X11MM 1810SAE
9800400310461	SHORT COUPLE Lz=460MM FLANGES 203/12X11MM 1810SAE
9800400310491	SHORT COUPLE Lz=490MM FLANGES 203/12X11MM 1810SAE
9800400310515	SHORT COUPLE Lz=515MM FLANGES 203/12X11MM 1810SAE
SLIP ASSY	LESS FLANGE & UJ
SLA20.7	92X5MM Ø TUBE 110MM SLIP "ALT" H=365MM
SLA20.3	92X5MM Ø TUBE 110MM SLIP (32°) H=333MM
SLA20.5	91X4.5MM Ø TUBE 160MM SLIP (32°) H=354MM
FLANGE YOKE	
FLY20.1	1610SAE 8 X 9.6MM BOLT (32°) H=76MM VOLVO INTERAXLE
FLY20.2	1710SAE 8 X 9.6MM BOLT (22°) H=76MM
FLY20.3	1810SAE 12 X 11.1MM BOLT (22°) H=76MM
FLY20.5	1810SAE X 16 11.1MM BOLT (22°) H=76MM OFF HIGHWAY
FLY20.8	1810SAE 12 X 10MM BOLT (22°) H=76MM
TUBE YOKE	
TUY20.1	91X4.5MM Ø TUBE (22°) H=90MM
TUY20.2	92X5MM Ø TUBE INTER AXLE (32°) H=110MM

Part #	Comments
MID ASSY	
MDA20.1	203MM 1810SAE FIRCB09 / 91X4.5MM Ø TUBE H=78MM
MDA20.2	203MM 1710SAE FIRCB09 / 91X4.5MM Ø TUBE H=78MM
MDA20.3	7C 60MM CAST BRG (FIRCB37) TO SUIT MOXY DUMP TRUCK
MID STUB	
MDS20.1	91X4.5MM Ø TUBE H=150MM STUB Ø = 60MM
COMP FLANGE	
CPF20.1	1710SAE 9.6MM BOLT
CPF20.2	1810SAE 11.1MM BOLT
CPF20.4	180X8X14MM
FIXINGS	
MN20.1	NK300/400 MID NUT
MW20.1	NK300/400 MID WASHER
MC20.1	NK300/400 CIRCLIP
MLW20.1	NK300/400 LOCK WASHER
NK23227	NK300/400 FLINGER
SLEEVE	
SL20.1	FEMALE SLEEVE 160MM SLIP / 91X4.5MM Ø TUBE H=258MM
SL52.4	FEMALE SLEEVE 160MM SLIP / 92X5MM Ø TUBE
U'JOINT	
FIR134	50X152.6MM C/W PLATES & BOLTS **PREMIUM INA BRG CAPS**
FIR134A	50X152.6MM C/W PLATES & BOLTS ALTERNATIVE
CENTRE BRG	
FIRCB09	60X198X30MM
FIRCB09/A	60X198X30MM ALTERNATIVE
FIRCB37	60X198X30MM CAST BRACKET / MOXY DUMPTRUCK
FIRCB92	60X198X30MM (HARD RUBBER SHORE 80)
TUBE	
TUBE 92X5	92X5MM Ø

Part #	Comments
NK 500	57X152MM UJ
SLIP ASSY	
SLA21.2	LESS FLANGE & UJ / 100X6MM Ø TUBE H=342MM
FLANGE YOKE	
FLY21.2	203MM 1810SAE 57X152MM UJ H=80MM
TUBE YOKE	
TUY21.1	57X152MM UJ / 100X6MM Ø TUBE H=115MM
SLEEVE	
SL21.1	SLEEVE TO SUIT 100X6MM Ø TUBE H=245MM
MID ASSY	
MDA21.1	203MM 1810SAE C/W FIRCB48 70X198X20MM CENTRE BRG 100X6MM Ø TUBE
MID STUB	
MDS21.1	TO SUIT 100X6MM Ø TUBE H=130MM STUB DIA=70MM
MDS21.2	TO SUIT 130X6MM Ø TUBE (2060)
COMP FLANGE	
CPF21.1	203MM NK600 12 BOLT HOLES 1810 SAE
FIXINGS	
MN21.1	NK500/600 MID NUT
MC21.1	NK500/600 CIRCLIP
MLW21.1	NK500/600 LOCK WASHER
NK24149-500	NK500/600 FLINGER
U'JOINT	
FIR142A	57X152MM C/W PLATES & BOLTS ** ALTERNATIVE **
FIR142	57X152MM C/W PLATES & BOLTS CENTRE LUBE **PREMIUM**
FIR220	57X152MM NON LUBE C/W PLATES & BOLTS GENUINE NORDISKA
CENTRE BRG	
FIRCB48	70X198X20MM
FIRCB48A	70X198X20MM ALTERNATIVE NK500 & NK600 VOL.70
FIRCB48/A	70X198X20MM LESS OUTER BRACKET

Part #	Comments
TUBE	
310.000.93431	100X6MM Ø
NK 600	57X152MM UJ
YOKE SHAFT ASSY	
SLA22.1	LESS FLANGE & UJ / HEAVY DUTY SPLINE 114.3X5.5MM Ø TUBE H=350MM
FLANGE YOKE	
FLY21.2	203MM 1810SAE 57X152MM UJ H=80MM
TUBE YOKE	
TUY22.1	57X152MM UJ / 114.3X5.5MM Ø TUBE H=115MM
MID ASSY	
MDA22.1	203MM 1810SAE C/W FIRCB48 70X198X20MM 114X5.5MM Ø TUBE
COMP FLANGE	
CPF21.1	203MM 1810 SAE TO SUIT MDS22.1
MID STUB	
MDS22.1	TO SUIT 114.3X5.5MM TUBE H=130MM
FIXINGS	
MN21.1	NK500/600 MID NUT
MC21.1	NK500/600 CIRCLIP
MLW21.1	NK500/600 LOCK WASHER
NK24149-500	NK500/600 FLINGER
U'JOINT	
FIR142A	57X152MM C/W PLATES & BOLTS ** ALTERNATIVE **
FIR142	57X152MM C/W PLATES & BOLTS CENTRE LUBE **PREMIUM**
FIR220	57X152MM NON LUBE C/W PLATES & BOLTS GENUINE NORDISKA
CENTRE BRG	
FIRCB48	70X198X20MM NK24552
FIRCB48A	70X198X20MM ALTERNATIVE VOL.70
FIRCB48/A	70X198X20MM LESS OUTER BRACKET

Part #	Comments
TUBE	
TUBE114.3X5.5	114.3X5.5MM Ø
2045 / 2047	687.45 & KLEIN 590SRS 52 X 147.2MM UJ
SHAFT ASSY	
20476720	VOLVO I/AXLE 180KV 180MM SLIP Lz.684MM SFLUJS PHASED 90° ORIGINAL
590YSA-2	VOLVO INTER-AXLE 180KV SLIP Lz.684MM SFL UJS PHASED 90° OE#20476719
590YSA-3	VOLVO I/AXLE 180KV 180MM SLIP Lz.684MM SFL UJS PHASED 0° OE# 20476719
590YSA-4	VOLVO I/AXLE 180KV 180MM SLIP Lz.684MM LUBE UJS PHASED 0° OE# 20476719
FIRPS61-NEW	VOLVO B10L 2045 YSA 180X4X15MM @ 541MM FFC
2045YSA-7	VOLVO SHORT COUPLE YSA 180KV Lz=447MM O.E #20506698
2045YSA-4	VOLVO SHORT COUPLE SHAFT 180KV H=108MM Lz=626MM O.E # 20489408
2045YSA-9	VOLVO SHORT COUPLE YSA @ 468MM UJ CLOSED La.180MM 9.01 (0°)
FLANGE YOKE	
FLY30.3	GWB 180X4X15MM Ø H=108MM 44°
FLY30.23	180X4X15MM Ø H=108MM 44°
UJOINT	
FIR135	52X147.2MM / CENTRE LUBE (KLEIN)
FIR338	52X147.2MM C/w INA BEARING CAPS
FIR338A	52X147.2MM ALTERNATIVE
FIR319	52X147.2MM / SEALED FOR LIFE (KLEIN)
FIR319A	52X147.2MM / SEALED FOR LIFE (GWB)
FIR319B	52X147.2MM 2045 (SFL) INA BEARINGS
FIR536	52X147.2MM 2045 (SKF) BEARINGS
2055 / 687.55	& 620 KLEIN 57 X 152MM
YOKE SHAFT ASSY	
SLA59.2	KLEIN 110MM SLIP / H=287MM 120X6MM Ø TUBE 25°
SLA59.1	GWB 110MM SLIP / H=287MM 120X6MM Ø TUBE 25°
SLA59.6	ALTERNATIVE 110MM SLIP / 120X6MM Ø TUBE 25°

Part #	Comments
FLANGE YOKE	
FLY59.9	150X4X13MM H=92MM 25° ORIGINAL KLEIN
FLY59.1	180X4X15MM H=92MM 25° ORIGINAL KLEIN
FLY59.6	180X4X15MM H=92MM 25° 2055 ORIGINAL
FLY59.14	180X4X15MM H=92MM 25° 2055
TUBE YOKE	
TUY59.1	ORIGINAL KLEIN 120X6MM Ø TUBE 25° H=100MM
TUY59.3	ALTERNATIVE 120X6MM H=Ø TUBE H=105MM
TUY59.5	ORIGINAL SPICER 120X6MM TUBE 25° H=100MM
MID ASSY	
MDA59.5	180X4X15MM C/W 70MM Ø BRG FIRCB52 H=107MM / 120X6MM Ø TUBE VOLVO
MDA59.12	180X4X15MM C/W 70MM Ø BRG FIRCB192 H=107MM / 120X6MM Ø TUBE VOLVO
MDA59.13	180X4X15MM C/W 70MM Ø BRG FIRCB109 H=107MM / 120X6MM Ø TUBE VOLVO
21096141	180X4X15MM COMP.FL + BRG FIRCB109 C/w BOLT - GENUINE VOLVO O.E.21096141
MID SLEEVE	
MDS59.5	MID SPLINED SLEEVE- USE WITH CPF59.2/10038/FIRCB52 OR FIRCB109 TO SUIT 120X6MM Ø TUBE
COMP FLANGE	
CPF59.2	180X4X15MM USE WITH CPF59.2/10038/FIRCB52 OR FIRCB109
CPF59.2/1	180X4X15MM USE WITH CPF59.2/10038/FIRCB52,FIRCB109,FIRCB54 OR FIRCB66
BOLT	
10038	BOLT TO SUIT MDS59.5 & CPF59.2
SLEEVE	
SL59.1	TO SUIT SLA59.1 / 120X6MM Ø TUBE GWB
SL59.2	TO SUIT SLA59.2 / 120X6MM Ø TUBE KLEIN
SEAL TUBE	
ST30.1	TO SUIT SLA59.2 130MM LONG - KLEIN
ST59.1.	TUBE TO SUIT SLA59.1 - GWB
U'JOINT	
FIR143	57X152MM / CENTRE LUBE GENUINE KLEIN
FIR262	57X152MM / NON LUBE GENUINE KLEIN

Part #	Comments
FIR262A	57X152MM / NON LUBE
FIR262B	57X152MM / NON LUBE SFL INA BEARING CAPS
FIR539	57X152MM / NON LUBE SKF BEARING CAPS (SFL) MAINTENANCE FREE
FIR679	57X152MM SPICER GENUINE WITH LUBE
CENTRE BRG	
FIRCB52	70X220X20MM SLOTTED RUBBER & MTG HOLES O.E. / 1068222
FIRCB109	70X220X20MM SLOTTED RUBBER & 2 X SEALS O.E. / 20471428
FIRCB192/1	70X220/230X26MM SPICER VOLVO 2055/2060 SRS VOLVO- NOW USE FIRCB257
FIRCB257/1	70X220/230X26MM SPICER VOLVO 2055/2060 SRS VOLVO
TUBING	
310.000.93458	120X6MM
2060 / 687.60	59 X 167.7MM
SLIP ASSY	
SLA61.5	SLIPASSY 2060 180X4X15 130X6MM SFL H=385MM La=110MM
YOKE SHAFT ASSY	
SLA61.1	110MM SLIP / 130X6MM Ø TUBE L=285MM
SLA61.3	110MM SLIP / 130X6MM Ø TUBE L=315MM
SLA61.4	110MM SLIP / 130X6MM 9.01 25° - CAN INSERT TUBE YOKE FOR SHORT COUPLE USE WITH ST61.1 SEAL TUBE
SLEEVE	
SL61.1	TO SUIT SLA61.2 TUBE 130X6MM
FLANGE YOKE	
FLY61.1	180X4X15MM H=103MM
FLY61.3	203MM 1810SAE (M11 HOLES) H=95MM
FLY61.4	203MM 1810SAE (M11 HOLES) H=92MM
TUBE YOKE	
TUY61.1	TO SUIT 130X6MM Ø TUBE
TUY61.3	TO SUIT 130X6MM Ø TUBE H=105MM

Part #	Comments
MID ASSY	
MDA61.3	180X4X15MM C/W 70MM Ø BRG FIRCB52 / 130X6MM Ø SLOTTED RUBBER VOLVO
MDA61.5	180X4X15MM C/W 70MM Ø BRG / 130X6MM Ø VOLVO 2 BOLT FITTING
21096141	180X4X15MM COMP.FL + BRG FIRCB109 C/w BOLT - GENUINE VOLVO O.E. 21096141
MID SLEEVE	
MDS61.1	MID SPLINED SLEEVE- USE WITH CPF59.2/10038/FIRCB52 OR FIRCB109 TO SUIT 130X6MM Ø TUBE
COMP FLANGE	
CPF59.2	180X4X15MM USE WITH CPF59.2/10038/FIRCB52 OR FIRCB109
BOLT	
10038	BOLT TO SUIT MDS59.5 & CPF59.2
SLEEVE	
SL59.1	TO SUIT SLA59.1 / 120X6MM Ø TUBE SPICER
SL59.2	TO SUIT SLA59.2 / 120X6MM Ø TUBE KLEIN
U'JOINT	
FIR147	59X167.7MM / CENTRE LUBE ORIGINAL SPICER
FIR237	59X167.7MM / CENTRE LUBE
FIR238	59X167.7MM / SFL VERSION ORIGINAL SPICER
FIR238A	59X167.7MM / LUBE C/w INA BRG CAPS
CENTRE BRG	
FIRCB52	70X220X20MM SLOTTED RUBBER & MTG HOLES VOLVO
FIRCB109	70X220X20MM SLOTTED RUBBER & MODIFIED SEAL VOLVO
FIRCB192/1	70X220/230X26MM SPICER VOLVO 2055/2060 SRS VOLVO- NOW USE FIRCB257
FIRCB257/1	70X220/230X26MM SPICER VOLVO 2055/2060 SRS VOLVO
TUBE ADAPTOR	
1000000650335	TUBE ADAPTOR 130X6MM 180X4MM
TUBING	
TUBE130X6	130X6MM
TUBE180X4	180X4MM
IF YOU REQUIRE AN ITEM NOT LISTED HERE PLEASE CONTACT OUR SALES OFFICE	
PLEASE ALSO NOTE THAT PRICES ARE NEGOTIABLE FOR QUANTITY PURCHASES	

SAE Style Series

1140 - 1880

Part #	Comments
0.500	19X52MM UJ
SLEEVE YOKE	
SL88.1	SLEEVE YOKE 0500SRS L=109MM SLIP 82MM
SLIP STUB	
SS88.1	SLIPSTUB 0500 SRS L=87MM 26.7MM BASE
SS88.2	SLIPSTUB 0500 30MM BASE TUBE 25MM SLIP L=85MM
TUBE YOKE	
TUY88.1	TUBEYOKE 0500SRS L=42MM BASE=26.7MM
TUY88.2	TUBEYOKE 0500SRS L=64MM BASE=30MM
FLANGE YOKE	
FLY88.1	FLANGE 0500SRS 58X4X5MM H=38.5MM
FLY88.2	FLANGE 0500SRS 65X4X6MM H=38.5MM
UNIVERSAL JOINT	
FIR120	19X52MM 0500 / CENTRE LUBE GU350
1140	23.8 X 61.3MM UJ
SLEEVE YOKE	
SL1.1	SLEEVE 43MM SLIP H=110MM 17° / 1403.018
SL1.19	SLEEVE H=94MM 17° / 1403.1288
SL1.13	SLEEVE 43MM SLIP 17° H=129MM
TRANSMISSION SLEEVE	
SL1.2	35MM Ø 25 SPLINES FORD / 1403.2398 L=149MM CASE HARDENED
SL1.2/1	35MM Ø 25 SPLINES FORD / 1403.2398 L=149MM EUROPEAN ORIGIN
SL1.3	30MM Ø 16 SPLINES FORD / 1403.2418 L=120MM (ORIGINAL WAS 135MM)
SL1.5	30MM Ø 20 SPLINES / 1403.2488 L=135MM

Part #	Comments
FLEXIBLE JOINT	
RS1187CK	REVERSE SLEEVE 30MM Ø FORD 1.6LTR / BONDED TYPE
RS1270GK	REVERSE SLEEVE 35MM Ø 25 SPLINES FORD / BONDED TYPE
SLIP STUB	
SS1.13	43MM SLIP / 1.75X.095" TUBE RILSAN COATED 1442-1891 L=104MM
SS1.1	43MM SLIP / 2X.064" TUBE 1442.1901 L=104MM
SS1.7	43MM SLIP / 2X.064" TUBE RILSAN COATED 1442-1901 L=104MM
SS1.5	43MM SLIP / 2X.095" TUBE RILSAN COATED 1442-2531 L=110MM
SS1.14	43MM SLIP / 2X.095" TUBE 1442-2531 L=110MM
SS1.2	43MM SLIP / 2.5X.064" TUBE 1442.1921 L=104MM
SS1.10/1	43MM SLIP / 2.5X.064" TUBE RILSAN COATED 1442.1921 L=104MM
SS1.4	43MM SLIP / 2.75X.064" TUBE 1442-1931 L=110MM
SS1.9	35MM SLIP / 2.75X.064" TUBE 1442-3271 L=146MM
SLIP ASSY	
SLA1.1	43MM SLIP / 2X.064" TUBE (STUB & SLEEVE ONLY) L=125MM
SLA1.6	43MM SLIP / 2X.095" TUBE (STUB & SLEEVE ONLY) L=125MM
SLA1.2	43MM SLIP / 2X.064" TUBE (STUB/SLEEVE/UJ & 87x4x5/16 "SAE FLANGE)
SLA1.5	60MM SLIP / 2X.095" TUBE (YOKE SHAFT & SLEEVE) RILSAN L=161MM 34X1.75 INV SPLINE COMPACT STYLE
YOKE SHAFT	
YS1.1	YOKE SHAFT H=135MM 17°
YS1.2	YOKE SHAFT H=110MM 17°
FIXED JOINT	
FE1.1	STANDARD 1140SAE (87X4X5/16") 2X.064" TUBE
FE1.2	FORD 109X4X10 2X.064" TUBE
FLANGE YOKE	
FLY1.1	STANDARD 1140SAE 87X4X8.2 (5/16") H=30.2MM (SPOTFACED) 1402.039
FLY1.25	STANDARD 1140SAE 87X4X8.2 (5/16") H=30.2MM 1402.039
FLY1.19	STANDARD 1140SAE 87X4X8.2 (5/16") HEAVY DUTY H=35MM 1402.039
FLY1.3	75X6X6MM H=39MM 1402.1359

Part #	Comments
FLY1.4	90X4X8MM H=40MM 1402.1369
FLY1.5	92X4X3/8" BLMC H=40MM 1402.459
FLY1.2	110X4X8.2MM H=44MM PCD=91.2 MM MALE SPIGOT=74MM SCENIC / KANGOO
FLY1.6	109X4X10.4MM FORD H=40MM MALE SPIGOT=56MM 1402.1379
FLY1.17	109MM DIA BLANK FLANGE H = 40MM
FLY1.11	VAUXHALL BRAVA 88X4X8MM H=36MM
FLY1.12	FREELANDER H=30.2MM PCD=75MM SPIGOT=57.1MM BHC=50X55MM)
FLY1.22	BM 102X4X10.2MM H=41MM PCD=84MM MDS-47MM
TUBE YOKE	
TUY1.5	1.75X.095" TUBE 1426-897 H=35MM
TUY1.1	2X.064" TUBE 1426.017 H=35MM
TUY1.6	2X.095" FORD TRANSIT 1426.037 H=35MM
TUY1.2	2.5X.064" TUBE 1426.067 H=35MM
TUY1.4	2.75X.064" TUBE 1426.137 H=33.5MM
TUY1.3	3X.064" TUBE 1426.717 H=36.5MM
MID STUB	
MDS1.9	TRANSIT 1140 2.1X.095" TUBE Ø 23 SPLINES (USE WITH MDY1.5 & 30MM BRG)
MDS1.5	TRANSIT 2X.064" TUBE Ø (USE WITH MDY1.5)
MDS1.8	TRANSIT 1140 1300 2.5X.064" TUBE Ø 26 SPLINES (USE WITH MDY1.4)
MID YOKE	
MDY1.5	TRANSIT MID YOKE H=86MM (USE WITH MDS1.5 & MDS1.9)
MDY1.4	MIDYOKE 26 SPLINE H=80.7MM (USE WITH MDS1.8)
ENY1.2	FREELANDER 1404.206672
COMP FLANGE	
CPF1.1	1140SAE PILOT BORE .5"
END YOKE	
ENY1.3	52MM SOLID BASE H=80MM
CENTRE BRG	
FIRCB131	KIT CAR APPLICATIONS 30X76MM (USE WITH 31141400600 FLINGERS) 7MM OFFSET
FIRCB226	FREELANDER 30X82X15MM

Part #	Comments
FIRCB96	FREELANDER 30X138X15MM 3180-3015
FIRCB96/1	FREELANDER 30X138X15MM 3180-3015 ORIGINAL
FIRCB96/2A	c/w STRENGTHENING BLOCKS TOQ000060 - ALTERNATIVE
FIRCB216	LONDON TAXI 30X138X15MM
FIRCB57	FORD TRANSIT 30X144X13MM 3180-3004 (USE WITH 31141400600 FLINGERS)
FIRCB61	FORD TRANSIT 30X140X13MM 1480-3002 (USE WITH 31141400600 FLINGERS)
FIRCB168	FORD SIERRA / SCORPIO 30X150X13MM
FIRCB224	KIT CAR APPLICATIONS 35X76X14MM - 7MM BRG OFFSET
FIRCB19	FORD TRANSIT 45X144X16MM 3180-4511
440888	RUBBER INSERT FOR ROUND FORD CTR BRGS
U'JOINT	
FIR194	1140 STANDARD / SIDE LUBE (EXTENDED NIPPLE)
FIR161/1	1140 STANDARD / SFL
FIR31	1140 STANDARD / CENTRE LUBE
FIR29	1140 PREMIUM DUTY / LUBE
FIR29/1	1140 PREMIUM DUTY / LUBE HS152 C/W THRUST WASHERS
FIR230	1140 HEAVY DUTY / SFL (FREELANDER) GKN
FIR414	1140 STANDARD / END LUBE IN CAP
FIR621	1140 (MATSUBA / UJ-023) SIDE LUBE
FIR621/1	1140 (GMB) SIDE LUBE
SHAFT ASSY	FREELANDER
TDB103520	FREELANDER 4X4 1.8L FRONT WHEEL DRIVE SHAFT LH & RH C/w WITH CVs
14D-1	FREELANDER 3-PIECE PROPSHAFT C/W DAMPER
14D-2	FREELANDER FRONT SECTION C/w CV PLUNGE JOINT - OE REF FTC5428 (NEW REF TVB000090)
14D-2A	FREELANDER FRONT SECTION C/w CV PLUNGE JOINT - O E # FTC5428 / TVB000090 - ALTERNATIVE
14D-6	FREELANDER REAR SECTION 710MM WELD-WELD - FTC5430/TVB000190
UL9U010	FREELANDER VISCOUS COUPLING (OEM)
UL9U034	FREELANDER VIBRATION DAMPER (OEM)

Part #	Comments
	DISCOVERY
TVB500360	RANGE ROVER FRONT C/w CV JOINTS
TVB500360A	RANGE ROVER FRONT C/w CV JOINTS - ALTERNATIVE
	RANGE ROVER
TVB500510	RANGE ROVER SPORT & DISCOVERY FRONT SHAFT 2005 ONWARDS (CV & PLUNGE JOINTS) (OEM)
TVB500510A	RANGE ROVER SPORT & DISCOVERY ALTERNATIVE TO O.E.
TVB500390	RANGE ROVER SPORT 2 PIECE PROPSHAFT
Y.S.A.	
14KS-4	1140 SRS C/w 1140 SAE FLANGES @ 194MM COMPRESSED 21MM SLIP
SEMI FINISHED WELDED ONE END PROPSHAFTS	
14AS-8	1140 SRS WELDED @ FIXED JOINT END 1220MM FF 2X.095" Ø TUBE LENGTH = 1000MM
14AS-9	1140 SRS WELDED @ FIXED JOINT END 1720MM FF 2X.095" Ø TUBE LENGTH = 1500MM
1210	27 X 61.9MM UJ
SHAFT ASSY	
FL-35	SANDERSON SHAFT LESS ADAPTOR PLATE 1140SAE (Image # 1) L = 180MM
FL-36	MANITOU SHAFT 1410SAE (M12) / 188MM FL - UJ CL CLOSED
SHAFT ASSY	
DAIHATSU-1	30MM Ø 19 SPLINE + 2 MASTER (1210 SERIES / UN-WELDED FORM) L=980MM
SLIP STUB	
SS87.4	SLIPSTUB 1210 2.5X064" 16 SPLINE H=155MM (USE WITH SL87.4)
SS87.6	SLIPSTUB 1210 2X.064" 16 SPLINE RILSAN H=125MM (USE WITH SL87.4)
SS87.2	SLIPSTUB 1210 2.5X064" 16 SPLINE H=197MM (USE WITH SL87.8)
SS87.7	SLIPSTUB 1210 2X.082" 16 SPLINE RILSAN H=152MM (USE WITH SL87.4)
SLEEVE YOKE	
SL87.4	SLEEVE 1210 SRS 14/16 SPLINE H=162 MM (USE WITH SS87.4)
SL87.8	SLEEVE 1210 SRS 14/16 SPLINE H=203MM (USE WITH SS87.2)
TRANSMISSION SLEEVE	
SL87.5	TOYOTA 21 SPLINES 35MM Ø H=152.4MM

Part #	Comments
FLANGE YOKE	
FLY87.1	1140SAE 87X4X5/16" H=31MM
FLY87.2	TOYOTA 100X8X8MM PCD=78MM BHC=55X55MM SPIGOT= 46MM
FLY87.3	NISSAN & DAIHATSU 102X4X10MM H=43MM SPIGOT=50MM BHC=57X57MM
TUBE YOKE	
TUY87.1	TO SUIT 2X0.064" TUBE H=38.1MM 2-28-827
TUY87.2	TO SUIT 2.5X.064" TUBE H=33MM 2-28-1947
U'JOINT	
FIR49	STANDARD 27X61.9MM END LUBE
FIR49/1	ORIGINAL SPICER 27X61.9MM END LUBE -5-443X
FIR492/1	STANDARD 27X61.9MM SFL
FITTING KITS	
2-94-28X	U-BOLT KIT 1210/1310/1330
2.70.18X	STRAP & BOLT KIT - CONSISTS OF 1 X STRAP & 2 X BOLTS
1300	27 X 74.6MM UJ (SEE ALSO 2015) ***SEE 2015 SECTION UNDER GWB***
YOKE SHAFT	
YS2.1	BRD 33 SERIES 16 SPLINE TO SUIT SL2.6/SL2.9 3082-13431
SLEEVE YOKE	
SL2.1	50MM SLIP STD / 3003.068 L=137MM
SL2.3	FORD TRANSIT C/W 1410 H.D. SPLINE USE WITH SS6.7 L156MM
SL2.6	LAND ROVER 3123.548 2.X.095" TUBE USE WITH YS2.1 & YS3.3 16 SPLINE
SL2.12	JAGUAR & TRANSIT SLEEVE SLIPMID 3X.064W" 1410SPL L=150MM
TRANSMISSION SLEEVE	
SL2.2	FORD TRANSMISSION SLEEVE 35MM Ø (25 SPLINES) 3003.4798 H=154MM
SL2.10	GETRAG TRANSMISSION SLEEVE 38MM Ø (27 SPLINE) H=132MM
SL2.23	TREMEC TRANSMISSION SLEEVE 38MM Ø H=132MM (27 SPLINE) SPICER
SL2.11	NISSAN TRANSMISSION SLEEVE 35MM Ø (24 SPLINE)
SL2.24	MAZDA TRANSMISSION SLEEVE 35MM Ø H=150MM (20/22 SPLINES)

Part #	Comments
SLIP STUB	
SS2.3	50MM SLIP / 2X.095" TUBE RILSAN COATED SPLINE L=129MM
SS3.2	70MM SLIP / 2X.095" TUBE 3142.3061 RILSAN COATED SPLINE L=146MM
SS3.13	70MM SLIP/ 2X.095"W/o RILSAN
SS3.3	111MM SLIP / 2X.095" TUBE 3142.3081 L=196MM
SS3.4	50MM SLIP / 2.5X.064" TUBE RILSAN COATED L=128MM
SS2.4	50MM SLIP / 2.5X.095" TUBE L=128MM
SS3.8	50MM SLIP / 2.75X.064" TUBE RILSAN COATED
SS3.10	50MM SLIP / 3X.064" TUBE RILSAN SPLINE
SLIP ASSY	
SLA2.3	50MM SLIP / 2X.095" TUBE (W/o UJ & FL) RILSAN STUB & SLEEVE ONLY
SLA2.5	50MM SLIP / 2.5X.064" TUBE (W/o UJ & FL) RILSAN STUB & SLEEVE ONLY
SLA2.4	50MM SLIP / 3X.064" TUBE (W/o UJ & FL) NON-RILSAN STUB & SLEEVE ONLY
FLANGE YOKE	
FLY2.3	87X4X5/16" STANDARD 1140SAE H=43MM
FLY2.6	97X4X9.6MM STANDARD FLANGE 1310SAE H=35MM 3002.239
FLY2.16	97X4X10.2MM 1310SAE MDS=60.3 PCD =79.4MM H=35MM
FLY2.30	BM 102X4X10.2MM PCD=84MM MDS=47MM H=41MM
FLY2.1	FORD 109X4X10MM 3002.1409 SPIGOT 56MM H=40MM
FLY2.11	ISUZU 109.5X4X10MM 65MM SPIGOT / 85MM PCD H=40MM
FLY2.9	NISSAN TAXI 115X4X10.1MM 65MM SPIGOT 95MM PCD
FLY2.10	NISSAN 102X4X12MM 50MM SPIGOT / 81.25MM PCD H=45MM 57X57MM HOLES SPACING
FLY2.20	120MM BLANK H=40MM MDS=40MM
FLY2.2	FORD 120X4X12 40MM SPIGOT H=40MM
FLY2.4	FORD 120X4X12 56MM SPIGOT H=40MM
TUBE YOKE	
TUY2.17	50X3MM TUBEYOKE WITH EXTENDED SOLID BAR BASE H=383MM
TUY2.10	2X.064" TUBE 3026.2064 H=44.5MM - SOLID BASE
TUY2.5	2X.095" TUBE 3026.2607 H=44.5MM

Part #	Comments
TUY2.13	2X.095" TUBE 3026.2607 H=50MM WIDE ANGLE - HOLLOW BASE
TUY2.11	61.5M SOLID BASE O/ALL HEIGHT = 72MM / UJ CTR TO WELD PREP 52MM
TUY2.9	73MM SOLID BASE O/ALL HEIGHT = 74MM / UJ CTR TO WELD PREP 52MM
TUY2.2	2.5X.064" TUBE 3026.1577
TUY2.8	2.5X.095" TUBE H=50MM
TUY2.3	2.75X.064" TUBE 3026.212027
TUY2.1	3X.064" TUBE 3026.1567 H=44.5MM
TUY2.18	3X.095" TUBE H=44.5MM
MID STUB	
MDS2.1/1	TRANSIT LONG MID STUB / 2X.095" USE WITH MDY2.1/1 & MDY1.2/1
MDS2.2/1	TRANSIT LONG MID STUB / 3X.064" USE WITH MDY2.1/1 & MDY24.4
MDS2.12	LONG MIDSTUB 1140 1300 2X.064" 26 SPL USE WITH MDY1.4 & MDY2.1/1 H=82MM
MID YOKE	
MDY2.1/1	TRANSIT MID YOKE "LONG" H=80.2MM USE WITH MDS2.12 / MDS2.1/1 & MDS2.2/1
END YOKE	
ENY3004.004	61MM SOLID BASE H=100MM (90°)
CV JOINT	
FIRCV03	FORD TRANSIT CV JOINT 94MM DIA FORD REF 1526894 / 72BG4606CA
DL5074	FORD TRANSIT METAL SHROUD WITH RUBBER BOOT
DOUBLE JOINT	
DBJ2.1	NOW USE DBJ3.5
CENTRE BRG	
FIRCB96	FREELANDER 30X138X15MM 3180-3015
FIRCB96/1	FREELANDER 30X138X15MM 3180-3015 ORIGINAL
FIRCB96/2A	FREELANDER c/w STRENGTHENING BLOCKS TOQ000060 - ALTERNATIVE
FIRCB57	FORD TRANSIT 30X144X13MM 3180-3004
FIRCB57A	O.E. FORD TRANSIT 30X144X13MM (99VB4826AB/YCIW4826BC)
FIRCB61	FORD TRANSIT 30X140X13MM 1480-3002
FIRCB19	FORD TRANSIT 45X144X16MM 3180-4511
FIRCB02	FREIGHT ROVER & VOLVO 3180-4501

Part #	Comments
U'JOINT	
FIR195	STANDARD UNIVERSAL JOINT 27X74.6MM
FIR195A	1300 HEAVY DUTY (MATSUBA UJ-055) SIDE LUBE
FIR195B	1300 (GMB GU-1100) SIDE LUBE
FIR332	1300 UNIVERSAL JOINT 27X74.6MM CENTRE LUBE
FIR52	1300 INTERMEDIATE SHROUDED SEALS & THRUST WASHERS
FIR52/2	1300 SPICER ITALCARDANO - SIDE LUBE
FIR52/3	1300 SRS PREMIUM DUTY (METAL SEALS & THRUST WASHERS)
FIR766	1300 / 1310 SRS COMBINATION JOINT 27X74.6/ 81.8MM C/w THRUST WASHERS
FIR54	1300 (SFL) STEEL SEAL RETAINERS & THRUST WASHERS
FIR297	1300 27X74.6MM SFL PREMIUM DUTY
SEMI FINISHED WELDED ONE END PROPSHAFTS	
30AS-4	1300 SRS WELDED @ FIXED JOINT END 2"Ø TUBE LENGTH 1000MM
1310	27 X 81.8MM UJ
YOKE SHAFT	
YS3.3	YOKE SHAFT 167MM
YS3.4	YOKE SHAFT 125MM (TO SUIT 31K001)
YS3.5	YOKE SHAFT 137MM (TO SUIT 31K006)
YS3.6	YOKE SHAFT 174MM (TO SUIT 31K005)
SLEEVE YOKE	
SL3.1	50MM SLIP STD / 3103.128
SL3.2	WIDE ANGLE 70MM SLIP / 3103.3658 L=166MM
SL3.3	WIDE ANGLE 111MM SLIP / 3103.4218
SL3.6	37MM SLIP (TO SUIT YSA 31K006) H=126MM
SL3.7	20MM SLIP (TO SUIT YSA 31K001) H=104MM
SL3.4	OLD IVECO DAILY SLIP MID SLEEVE (70MM SLIP) USE WITH MDS3.1 & FIRCB60
SL3.15	NEW IVECO DAILY SLIP MIDSLEEVE USE WITH MDS3.4/FIRCB91 & BOOT KIT 232817/232818
TRANSMISSION SLEEVE	
SL3.27	ISUZU REVERSE SLEEVE 38MM Ø H=163MM 26 SPLINES 1 X MASTER

Part #	Comments
SL3.8	TREMEC / FORD T5 REVERSE SLEEVE 38MM Ø H=152MM (MAX SPLINE 28)
SL3.9	U.S. APPLICATIONS 38MM Ø H=132MM (27 SPLINE) SPICER 2-3-6081X FITS T350 & TH350 GEARBOX
SL3.9/1	AMERICAN APPLICATIONS 38MM Ø H=132MM (27 SPLINE) SPICER 2-3-6081X FITS T350 & TH350 GEARBOX - CHROME FINISH + SUPERIOR STRENGTH
SL3.12	TH400 REVERSE SLEEVE 47.9MM Ø H=140MM (31/32 SPLINE)
SL3.13	NISSAN SERENA/CABSTAR SLEEVE 35MM Ø H=153.6MM (22/24 SPLINE)
SL3.14	NISSAN & MITSUBISHI L200 SLEEVE 35.96MM Ø H=136MM (23/24 SPLINE)
SL3.16	NISSAN LARGO REVERSE SLEEVE 38MM ØX154MM (24/26 SPLINE)
SL3.17	NISSAN REVERSE SLEEVE 42MM Ø H=192MM (28/30 SPLINE)
SL3.18	NISSAN 300ZX REVERSE SLEEVE 42X159MM 28/30 SPLINE H=160MM
SL3.20/1	TOYOTA REVERSE SLEEVE 38MM Ø H=152MM (21 SPLINES) W/ANGLE 2-3-11661X
SL3.28	TOYOTA TRANSMISSION SLEEVE 40MM Ø H=146MM (23 SPLINES) 2-3-11721X
SL3.29	CHEVY TRANSMISSION SLEEVE 38MM Ø H=152MM (16 SPLINES) 2-3-1331X
SL3.31	FORD EXPLORER TRANSMISSION SLEEVE 40.6MM Ø H=208MM (27/28 SPLINES)
SLIP STUB	
SS2.3	50MM SLIP / 2X.095" TUBE RILSAN COATED SPLINE L=129MM
SS3.13	70MM SLIP/ 2X.095"W/o RILSAN
SS3.3	111MM SLIP / 2X.095" TUBE 3142.3081
SS3.4	50MM SLIP / 2.5X.064" TUBE RILSAN COATED
SS3.6	79MM SLIP / 2.5"X.082" TUBE 2-40-1711
SS2.4	50MM SLIP / 2.5X.095" TUBE
SS3.11	NOW USE SS3.6
SS3.8	50MM SLIP / 2.75X.064" TUBE RILSAN COATED
SS3.10	50MM SLIP / 3X.064" TUBE RILSAN SPLINE
SS3.9	50MM SLIP / 3.5X.064" TUBE 2-40-991
SLIP ASSY	
SLA3.1	111MM SLIP / 2X.095" TUBE (W/o UJ & FL) STUB & SLEEVE ONLY
SLA3.6	50MM SLIP / 2X.095" TUBE (W/o UJ & FL) RILSAN STUB & SLEEVE ONLY
SLA3.15	50MM SLIP / 2.5X.064" TUBE (W/o UJ & FL) RILSAN STUB & SLEEVE ONLY
SLA3.18	70MM SLIP / 2.00X.095" TUBE (W/o UJ & FL) NON RILSAN STUB & SLEEVE ONLY

Part #	Comments
SLA3.13	70MM SLIP / 2.5X064" TUBE (W/o UJ & FL) STUB & SLEEVE ONLY
SLA3.17	50MM SLIP / 3.0X.095" TUBE (W/o UJ & FL) RILSAN STUB & SLEEVE ONLY
SLA3.16	60MM SLIP / 2X.095" TUBE (YOKE SHAFT & SLEEVE) RILSAN H=164MM 34X1.75 INV SPLINE COMPACT STYLE
SLA3.2	115MM SLIP / 3X.064" TUBE (YOKE SHAFT & SLEEVE) L=245MM IVECO DAILY
TUBE ADAPTOR	
ADAPTOR/5	TUBE ADAPTOR 2.50X.095" TO 3.00X.064" (63.5X2.4X76.2X1.64) H=44MM
FIXED END	
FE3.6	100X6X8MM HEAVY DUTY WIDE ANGLE FIXED JOINT TO SUIT 2.5X.064" TUBE
DOUBLE JOINT	
DBJ3.2	SSANGYONG MUSSO 105X4X12 / 63.5X2.4MM TUBE
DBJ3.3	CHEROKEE 1310 SRS HALF ROUND / 50.8X3.05MM TUBE
DBJ3.4	CHEROKEE 1310 SRS HALF ROUND / 63.5X2.1MM TUBE (2.5X.083")
DBJ3.6	MERCEDES ML270 1310 SRS 63.5X2.1MM (67/67MM BOLT HOLE CTRS)
DBJ3.12	"TOYOTA HILUX 1310 PCD=93.34MM MDS=46MM 11.2MM BOLT HOLES BHC=66X66MM TUBE Ø 63.5X2.4MM H=181MM "
DBJ3.8	DOUBLE JOINT 1410SAE (12MM) H=181MM 2.5X.095" (63.5X2.4MM)TUBE DIA
H-SECTION	
31H-1	FORD TRACTOR 1310 SERIES H COUPLING W/o UJ'S / FLANGES H=70MM
31H-2	1310 H-COUPLING ONLY H=68MM (AMERICAN)
31H-3	1310 H-COUPLING ONLY H=68MM (DANA SPICER OEM)
31H-4	1310 H-COUPLING ONLY H=75MM UJ CENTRES
BALL KIT	
7-0081	DBJ REPAIR KIT (FOR GREASEABLE UJ)
7-0081NG	DBJ REPAIR KIT (FOR SFL UJ)
FLANGE YOKE	
FLY3.27	87X4X5/16" (88X4X8.2MM) 1140SAE FITTING H=40MM
FLY3.48	87X4X5/16" (88X4X8.2MM) 1140SAE FITTING H=44MM
FLY3.32	90MM BLANK FLANGE H=50MM
FLY3.10	90X4X8MM H=50MM

Part #	Comments
FLY3.14	92X4X9.8MM H=35MM PCD=76.2MM SPIGOT=57.1MM LDV *LIMITED AVAILABILITY*
FLY3.6	97X4X10.2MM H=35MM 1310SAE METRIC BOLT HOLES
FLY3.2	97X4X3/8" / 3102.329 H=35MM 1310SAE STANDARD
FLY3.3	97X4X3/8" / 3102.459 H=41MM 1310SAE 30° WIDE ANGLE RECTANGULAR
FLY3.53	97X4X3/8" H=41MM 1310SAE 30° WIDE ANGLE ROUND
FLY3.40	97X4X3/8" / 2-2-329 H=35MM 1310SAE SPICER ORIGINAL 2-2-329
FLY3.41	97X4X3/8" / 1310 SAE H=54MM 10.3MM BOLT HOLES TO SUIT DOUBLE JOINT 31H-4
FLY3.30	99X6X8.1MM CHEVY,JEEP,FORD CV JOINT CONVERSION H=67.9MM PCD= 86MM SPIGOT=49.9MM
FLY3.15	100MM BLANK H=53MM
FLY3.1	100X6X8MM / H=48MM 3102.1359
FLY3.25	100X6X8MM / H=53MM 3102.10068
FLY3.45	100X8X8MM MERCEDES G WAGEN H=55MM TO SUIT DOUBLE JOINT 31H-4
FLY3.23	102X4X10MM H=45MM PCD=81.25MM SPIGOT=50MM BHC=57X57MM (NISSAN SERENA & LARGO) WIDE ANGLE
FLY3.16	105X4X8MM VAUXHALL BRAVA / ISUZU H=42MM PCD=85MM SPIGOT=65MM
FLY3.8	108X4X10MM ISUZU & SSANGYONG H=45MM PCD=85MM SPIGOT=65MM 3003.243
FLY3.17	105X4X10MM TOYOTA HILUX H=42MM PCD=84.84MM BHC=60X60MM
FLY3.42	105X4X10MM TOYOTA D/J FLANGE PCD=84.84MM SPIGOT=46MM BHC=60X60MM
FLY3.69	108X4X8MM KIA SPORTAGE H=59MM MDS=45 PCD=89MM BHC=63X63MM
FLY3.24	FORD RANGER & MAZDA 1310 H=45 MDS=45 PCD=104.6 BHC=74X74 MM 2-2-1859 C/w 2 TAPPED HOLES FOR VIBRATION DAMPER
FLY3.43	110X4X10MM TOYOTA D/J FLANGE PCD=93.18MM SPIGOT=46MM BHC=70X61.5MM
FLY3.44	110X4X10MM TOYOTA D/J FLANGE PCD=93.34MM SPIGOT=46MM BHC=66X66MM
FLY3.66	110X4X10.5MM KIA PCD=90MM SPIGOT=60MM H=59MM BHC=63.7X63.7MM
FLY3.34	113X4X11MM TOYOTA LANDCRUISER H=43MM SPIGOT=46MM BHC=66X66MM
FLY3.62	115X4X10MM MITSUBISHI DOUBLE JOINT PCD=90MM SPIGOT=60MM BHC=58X69MM
FLY3.7	116X4X12MM 1410SAE H=35MM PCD=95.3MM SPIGOT=69.9MM 2-2-1459
FLY3.5	116X4X7/16" 1410SAE H=35MM PCD=95.3MM BHC=69.9MM 3102.479 / 2.2.479
FLY3.22	116X4X10.2MM MITSUBISHI H=45MM PCD=90MM SPIGOT=60MM BHC=69X58MM
FLY3.28	117.5X4X12.4MM FORD COBRA & SSLANYONG H=42MM PCD=88.9MM SPIGOT = 50.8MM BHC=63X63MM 2.2.939

Part #	Comments
FLY3.9	120X4X10.2MM MERCEDES SPRINTER H=58MM PCD=101.5MM
FLY3.71	120X4X10.5MM MAZDA / KIA H=59 PCD=96.2MM MDS=45MM BHC=68X68MM
FLY3.74	120X4X12MM NISSAN D/JOINT FLANGE H= MDS=65 PCD=95MM BHC=67X67MM
FLY3.63	120X6X10MM H=58MM PCD=101.5MM SPIGOT=75MM
FLY3.21	120X8X10MM H=52MM PCD=101.5MM SPIGOT=75MM
FLY3.13	121X4X12MM NISSAN H=43.5MM PCD=95MM SPIGOT=65MM BHC=67X67MM
FLY3.38	124X4X12.2MM CHRYSLER H=49MM PCD=99.99MM SPIGOT=54.9MM BHC=71X71MM
FLY3.49	125MM DIAMETER BLANK H=56MM 30 DEGREES
FLY3.72	125X4X12.9MM NISSAN H=59MM MDS=65MM PCD=107.5MM BHC=76X76MM
FLY3.76	125X4X12.9MM NISSAN H=56MM FS=65MM PCD=107.5MM BHC = 76X76MM
FLANGE YOKE (CV)	
FLY3.20	CHEROKEE JEEP OPEN FLANGE YOKE C/w BALL (THREADED HOLES)
FLY3.33	LANDROVER FLANGE C/w BALL (67X67MM BHC - 65MM MALE SPIGOT) H=41.3MM
FLY3.60	LANDROVER FLANGE C/w BALL (67/67MM BHC - 65MM MALE SPIGOT) H=56MM
FLY3.35	MERCEDES ML270 (4X4) C/w BALL (67/67MM BOLT HOLE - 70MM REGISTER)
TUBE YOKE	
TUY3.15	1.75X.095" TUBE 2-28-3187
TUY3.14	50X3MM TUBE (30°)
TUY3.2	2X.095" TUBE 3126.1417 H=42.9MM
TUY3.4	2X.095" TUBE 3126.2057 (30°) H=49.2MM
TUY3.8	2.5X.064" TUBE 3126.2907 H=47MM
TUY3.16	2.5X.082" TUBE
TUY3.1	2.5X.095" TUBE
TUY3.19	2.5" SOLID BASE / CENTRED 72MM UJ CTR > END
TUY3.5	3X.064" TUBE H=55MM (30°)
TUY3.17	3X.064" TUBE H=43MM (20°) 3126-2897
TUY3.6	3X.082" TUBE 2-28-437
TUY3.10	3X.095" TUBE H=44.5MM
TUY3.7	3.5X.064" TUBE - SPICER H=43MM

Part #	Comments
TUY3.25	3.5X.064" TUBE - H=45MM
TUY3.12	4.0X.082" (101.6X2.1MM TUBE)
TUY3.9	70x2
TUBE YOKE (CV)	
TUY3.11	CHEROKEE JEEP C/w PIN 50.8X3.00MM TUBE H=28.6MM
TUY3.13	CHEROKEE JEEP C/w PIN 44.5X2.41MM TUBE H=36.5MM
TUY3.20	MERCEDES ML270 (4X4) C/w PIN 63.5X2.1MM TUBE H=36.5MM
TUY3.22	TUBEYOKE CV 1310 50X3MM H=52MM USE WITH 31H-4
TUY3.26	TUBEYOKE CV 1310 63.5X2.5 (2.0X.095") H=55MM
COMP FLANGE	
CPF3.1	1310SAE 10 SPLINE 1.375" & 35MM DIA C/BRG TO SUIT MDS3.3 3101.2831
CPF3.2	100X6X8MM 10SLINE 1.375" & 35MM DIA C/ BRG H=60.7MM
CPF3.3	PILOT BORED 1310SAE 3101.113
CPF3.7	1410SAE (M12) TO SUIT MDS3.10 * IVECO APPLICATIONS *
MID STUB	
MDS3.1	TO SUIT 3X.082" (USE WITH SL3.4 & FIRCB60) OLD IVECO DAILY
MDS3.3	TO SUIT 35MM C/BRG / 2.5X.095" TUBE USE WITH CPF3.1 3157.1441 10 SPLINES
MDS3.4	TO SUIT 3X.082" (USE WITH SL3.15/FIRCB91 & BOOT KIT 232817/232818) IVECO DAILY
MDS3.5	TO SUIT 35MM C/BRG FIRCB14 70X2MM TUBE USE WITH CPF3.1 3157.1441 10 SPLINES
MDS3.9	PUMP MID STUB 3" Ø TUBE TAPERED WITH KEY & NUT 30MM DIAMETER
MDS3.10	TO SUIT 40MM C/BRG FIRCB91 3X.082" (USE WITH CPF3.7) IVECO DAILY
MDS3.11	TO SUIT 35MM C/BRG FIRCB14 2.00X.095" TUBE 1 3/8 "10 SPLINE USE WITH CPF3.1 / CPF3.2
MDS3.12	TO SUIT 35MM C/BRG FIRCB14 50X3MM TUBE 1 3/8 "10 SPLINE USE WITH CPF3.1 / CPF3.2
MDS3.13	TO SUIT 35MM C/BRG FIRCB14 2.75X.064 TUBE 1 3/8" 10 SPLINE USE WITH CPF3.1 / CPF3.2
MID ASSY	
MDA3.1	PUMP / INDUSTRIAL MID ASSY TAPER SHAFT & 1310SAE COMP FLANGE 2.5" Ø SOLID C/W KEY & NUT

Part #	Comments
BOOTKIT	
232817 (232818)	1310/1410 BOOTKIT (Inc. RUBBER GAITOR/CLIPS + CAN) USE WITH MDS3.4/SL3.15
1501008400891	1310/1410 RETAINING CLIP 60MM Ø
1501008400892	1310/1410 RETAINING CLIP 65MM Ø
1501001900100	1310/1410 BOOT CAN
END YOKE	
ENY3.1	MID YOKE IVECO USE WITH MDS3.2 30 OFF INVOLUTE SPLINES
ENY3.2	1" BORE X 6MM KEYWAY FOR JCB 2-4-2993
ENY3.3	1.25"X.5/16" (31.75X8MM) JCB 2-4-2863
ENY3.4	1.125"X5/16" (31.75X 8MM) JCB 2-4-2853
ENY3.5	15 INV.SPLINE (ALT 2-4-4921) 1" MAJOR Ø
ENY3.6	13 INV.SPLINE (ALT 2-4-3331) 0.875" MAJOR MIDEND PUMP TAPER 1310SAE 54MM SOLID
ENY3.7	1310 MID YOKE FOR FORD RANGER 2P PROPSHAFT 2-4-8261
ENY3.8	14 SPLINE (2-4-1741) 32.2MM MAJOR Ø H=65MM
ENY3.16	BORE 0.875" X 0.25" KEY H=65MM
ENY3.20	ENDYOKE 14 SPLINE JCB 914/54201 MAJOR. SPLINE DIA=32MM H=65MM
END YOKE (PINION)	
ENY3.11	DANA 35 PINION YOKE 26 SPLINE 29.1MM MAJOR Ø (2-4-4601-1)
ENY3.12	PINION YOKE 1310 29 SPLINE 32.4MM MAJOR Ø (38.1MM BOTTOM OF SPLINE) 47.6MM GROUND HUB DIAMETER
ENY3.19	ENDYOKE 1310 14 "c" SPL 1.25" 12/24 SAE H=82.5MM (2-4-13106)
CV FIXED JOINT	
0617512000000	1310SAE CV FIXED JOINT H=150MM / MAX ANGLE 40° "PELJOB APPLICATION"
U/JOINT	
FIR55	1310 STANDARD 27X81.8MM
FIR55/1	1310 C/w LARGER CROSS JOURNAL (PIN Ø 18.2M)
FIR55/2	1310 (GMB GU-1000) SIDE LUBE
FIR50	1310 HEAVY DUTY METAL SEAL & THRUST WASHER 27X81.8MM
FIR50/1	1310 SPICER ITALCARDANO SIDE LUBE
FIR50/2	1310 H.D. METAL & RUBBER SEAL & THRUST WASHER

Part #	Comments
FIR50/3	1310 H.D. AYRA SPICER TYPE - IVECO
FIR50/4	1310 H.D. PLASTIC SEALS & THRUST WASHER
FIR50/5	1310 H.D. METAL SHROUD & THRUST WASHER - HS152
FIR592	1310 HEAVY DUTY (SFL)
FIR728	1310 (MATSUBA UJ-016) SIDE LUBE
FIR605	1310 ORIGINAL SPICER 5-153X
FIR247	1310 SFL 27X81.8MM ORIGINAL SPICER 5-625X
FIR570	1310 END LUBE VERSION 5-810X ALTERNATIVE
FIR733	1310 ORIGINAL SPICER 5-1310-1X (5-810X) LUBE IN CAP - FORD RANGER
FIR300	1310 SFL NON LUBE
FIR781	1310 (SFL) GMB TYPE GU1310SP
FIR586	1310 H.D. WITH 6.4MM OFFSET
FIR834	(SFL) IVECO DAILY ORIGINAL EQUIPMENT STAKED
FIR617	1310 SRS C/w HOLE IN BODY TO SUIT 1310SRS DOUBLE JOINT DBJ3.1 27X84.4MM
FIR766	1300 / 1310 SRS COMBINATION JOINT 27X74.6/ 81.8MM C/w THRUST WASHERS
FIR345	1310 / 1330 COMB (27X92MM ON OPPOSITE SPAN)
FIR345/1	1310 / 1330 COMB (27X92MM ON OPPOSITE SPAN) SPICER ORIGINAL 5-134X
FIR131	1310 / 1350 COMB (30.2X92.1MM ON OPPOSITE SPAN)
FIR432	1310 27X81.8MM & 28X56MM INTERNAL COMBINATION
FIR603	CLEVELAND S55-55-675 28.58X81.8MM / 27X60.45MM I/C & 81.8MM EXT CIRCLIP
FIR712	1330 SRS TO 7290 SRS COMBINATION 27X92.1MM / 28.6X66.6MM INTERNAL CIRCLIP ON OPPOSITE SPAN
FIR438	1310 SRS TO 3RL COMBINATION / 27X81.8MM / 28.6X65MM I/C
FIR656	1310 / 28X80MM I/C ON OPPOSITE SPAN - DAIHATSU
FIR509	1310 / 27X81.8MM / 2 X 2C MECHANICS COMBINATION
FIR508	1310SRS COMBINATION 28.6X60MM / 27X81.8MM
FIR555	1310 / 7260 COMB 27.4X54MM I/C ON OPPOSITE SPAN
FIR489	25.4X59.4MM INTERNAL CIRCLIP (P.T.O) & OLDSMOBILE 2060D
FIR694	1310 / 2R 27X81.8MM COMBINATION 25.4X59.4MM I/C ON OPPOSITE SPAN 2060W

Part #	Comments
FITTING KITS	
2-94-28X	U-BOLT KIT 1210/1310/1330
2.70.18X	STRAP & BOLT KIT - CONSISTS OF 1 X STRAP & 2 X BOLTS
CENTRE BRG	
FIRCB14	STANDARD 35X168X25MM 3180-3501
FIRCB56	IVECO DAILY & RENAULT / 35X168X17MM
FIRCB60	IVECO DAILY RANGE / 35X168X22MM
FIRCB17	1410 & 1510 / 45X168X27MM 5180-4001
FIRCB17/1	1410 & 1510 / 45X168X27MM SPICER 212139-1X
FIRCB91	IVECO DAILY 40X168X22MM - EXTENDED SHROUD - ORIGINAL 211926-2X
FIRCB91A	IVECO DAILY 40X168X22MM - ALTERNATIVE TO 211926-2X
SHORT COUPLE SHAFTS (YSAs)	
31K001	YSA 1310SRS 181MM (La. 45MM)
31K002	YSA 1310SRS 217MM (La. 51MM)
31KS-1	YSA 1310 JCB 914/37400 1410SAE / ENDYOKE 1.125" X 0.3125" KEY
31KS-3	YSA 1310SRS 180MM UJ CTRS - CAN BE REDUCED TO 123MM (COMPACT STYLE) 35X30X16 Ø SPLINE
31K005	YSA 1310SRS 270 - 320MM
31K006	YSA 1310SRS 246 - 282MM
SEMI FINISHED WELDED ONE END PROPSHAFTS	
31AS-4	1310 SRS W.O.E. WELDED @ FIXED JOINT END 2" Ø TUBE LENGTH 1000MM
31AS-4/1	1310 SRS W.O.E. WELDED @ FIXED JOINT END 2" Ø TUBE LENGTH 1200MM
31AS-9A	1310 H.D. WELDED @ SLIP END C/w 287.10 SRS COMPACT SPLINES 50X3MM Ø TUBE 1000MM 30° WIDE ANGLE
1310	27X82MM UJ - STAKED - IVECO
U/JOINT	
FIR834	27X82MM STAKED (SFL) IVECO DAILY ORIGINAL EQUIPMENT
CENTRE BRG	
FIRCB293	IVECO DAILY O.E. 30X168X14MM. TO SUIT 1310 SRS STAKED PROPSHAFTS
FIRCB293	IVECO DAILY ALT 30X168X14MM. TO SUIT 1310 SRS STAKED PROPSHAFTS

Part #	Comments
FLEXIBLE COUPLING KIT	
FC-21	IVECO DAILY ORIGINAL EQUIPMENT TO SUIT 1310 SRS STAKED PROPSHAFTS PCD = 105MM 6X12MM HOLES C/w 3 BOLT YOKE, BUSH, BOLTS & NUTS
1330	27X92.1MM UJ
FLANGE YOKE	
FLY4.1	1330 1410SAE 11.1MM H=39.7MM
FLY4.2	LANDROVER 1310SAE FITTING 10.1MM H=40.5MM
FLY4.5	FORD CHEVY 50.8MM FEMALE REG 88.9MM PCD 12.3MM HOLES H=41.3MM
FLY4.8	TOYOTA 130X4X12.2MM PCD=93MM BHC=66X66 MALE SPIGOT 46MM H=42MM
FLY4.10	TOYOTA 116X4X11.2MM PCD=93MM SPIG=46MM BHC=66X66MM H=43MM
FLY4.11	CHRYSLER 124X4X10.2MM PCD=99.9MM FS=54.9 BHC=71X71MM H=49MM
FLY4.12	FORD RANGER / NISSAN 1330 132X4X12.2MM PCD=108MM, H=41.4MM, FS=65MM (5MM DEEP), BHC=76X76MM
FLY4.13	FORD RANGER / NISSAN 1330 132X4X12.2MM PCD=108MM, H=43.4MM, FS=65MM (7MM DEEP), BHC=76X76MM
FLY4.7	FORD RANGER / NISSAN 134X4X12.2MM PCD=108MM H=43MM FS=65MM BHC=76X76MM
TRANSMISSION SLEEVE	
SL4.1	TREMEC.TKO / C6 G/BOX- 30/31 SPLINE 42.7MM SEAL Ø L=152MM (2-3-6041X)
SL4.2	T5 / C4 GEARBOX - 27/28 SPLINE 38.1MM SEAL Ø L=150MM (2-3-5981X)
SL4.3	FORD F150 GEARBOX - 27/28 SPLINE 40.7MM SEAL Ø L=168MM (2-3-14061X)
SL4.5	700R4 GEARBOX - 26/27 SPLINE 38.1MM SEAL Ø L=171MM (2-3-12051X)
SL4.7	TH400 GEARBOX - 31/32 SPLINE 47.6MM SEAL Ø L=126MM (USE 2-70-28X STRAP KIT)
SL4.11	T400 GEARBOX 31/32 SPLINE 47.9X172MM SEAL Ø L=172MM GM88-95 (2-3-10831X)
SLEEVE YOKE	
SL2.6	LAND ROVER 3123.548 2.X.095" TUBE USE WITH YS4.1
SL4.8	SLEEVE YOKE La. 82MM H=169MM USE WITH SS4.1 (2-3-7681KX)
SL4.12	SLEEVE YOKE La.79MM H=190MM (15/16 SPL)
SL4.9	SLEEVE 2.0X.095" TUBE Ø - USE WITH YS4.1
GAITOR	
211932X	GAITOR C/W CLIPS TO SUIT SL4.12

Part #	Comments
SLIP ASSY	
SLA4.1	SLIP ASSY 1330 3X.082W" FORD RANGER ALT H=166MM, La.60MM
SLIP STUB	
SS4.1	SLIP STUB 3X.064W" 82MM SLIP RILSAN USE WITH SL4.8 (2-40-1221)
YOKE SHAFT	
YS4.1	RILSAN SPLINE - LANDROVER 3382.001 - USE WITH SL4.9
TUBE YOKE	
TUY4.8	TO SUIT 2.50X.082" TUBE 2-28-1607
TUY4.2	TO SUIT 3.00X.064" TUBE 2-28-1177
TUY4.1	TO SUIT 3.00X.082" TUBE 2-28-1697
TUY4.4	TO SUIT 3.50X.064" TUBE 2-28-1977
TUY4.5	TO SUIT 3.50X.082" TUBE 2-28-1717
TUY4.7	TO SUIT 4.00X082" TUBE 3326-40
3 ARM FLANGE	
CPF4.1	COMP-FLANGE 96MM PCD 3-HOLE 2"X.082MM TUBE Ø H=24MM - LAND ROVER
U/JOINT	
FIR59	27X92.1MM 1330 SERIES SIDE LUBE
FIR782	27X92.1MM 1330 SERIES SIDE LUBE GMB G5-213X.
FIR800	27X92.1MM 1330 **NEAPCO GOLD LINE** (SFL)
FIR669	27X92.1MM 1330 SERIES SIDE LUBE SPICER 5-273X
FIR681	27X92.1MM END LUBE SPICER 5-812X (FORD RANGER)
FIR684	27X92.1MM 1330 SFL DANA SPL25 SFL
FIR452	27X92.1MM 1330 SERIES LANDROVER DISCOVERY GKN TYPE
FIR347	1330 / INTERNAL CIRCLIP COMB 30X92.1 / 28.6X60 / 65MM IC
FIR345	27X81.8MM 1310 / 1330 27X92.1MM COMBINATION ON OPPOSITE SPAN
FIR345/1	27X81.8MM 1310 / 1330 27X92.1MM COMBINATION ON OPP SPAN SPICER 5-134X
FIR578	1330 / 1350 COMBINATION 27X92.1 / 30.2X92.1 5-648X
MID ASSY	
MDA4.2	FORD RANGER MID ASSY 3"X.095" FIRCB260 - 1350 SRS

Part #	Comments
MID YOKE	
ENY4.1	1330 MID YOKE FORD RANGER 2P PROPSHAFT
ENY4.2	1330 MID YOKE FORD RANGER (2P PROPSHAFT) ALT H=84.2MM USE WITH MDS4.2
MID STUB	
MDS4.2	MID STUB 1330 RANGER ALT USE WITH ENY4.2 H=56.5MM 63.5X2.1MM 2.50X.082" TUBE
CENTRE BRG	
FIRCB205	FORD RANGER 28X181X15MM
FIRCB149	FORD RANGER 30X150X13MM
FIRCB177	FORD MAVERICK 30X175X15.5MM (AUTO)
FIRCB178	FORD MAVERICK 30X175X15.5MM (MANUAL)
FIRCB260	FORD RANGER 3 & MAZDA 35X180X14MM - ORIGINAL
FIRCB260A	FORD RANGER 3 & MAZDA 35X180X14MM - ALTERNATIVE
FITTING KITS	
2-94-28X	U-BOLT KIT 1210/1310/1330
2.70.18X	STRAP & BOLT KIT - CONSISTS OF 1 X STRAP & 2 X BOLTS
2-70-28X	STRAP & BOLT KIT (EXT'D BOLT / USE WITH SL4.7 / INC. 4 X BOLTS + 2 X STRAPS)
3R	28.6X64.9MM I/C UJ (CHEVROLET/PONTIAC/GMC)
FLANGE YOKE	
FLY106.1	79.4MM FEMALE REG 108MM PCD 11.4MM HOLES H=42.8MM
FLY106.2	100KV PCD=74MM H=50.8MM BOLT HOLES=8.48MM
SLEEVE YOKE	
SL106.1	31/32 SPLINE H=187MM
TUBE YOKE	
TUY106.1	TO SUIT 76.2X2.4MM TUBE H=44.4MM
TUY106.2	TO SUIT 88.9X1.65MM TUBE H=47.6MM
DOUBLE JOINT	
FE3.2	SAGINAW DBJ 76X76MM BOLT HOLES 79.37MM SPIGOT (4137268)

Part #	Comments
U/Joint	
FIR67	SAGINAW / DOUBLE JOINT 28.6X60.2/64.9MM 3031B
FIR347	28.6X60 / 65MM / 27X92.1MM 1330 / 3R COMBINATION
FIR577	28.6X64.9MM / 30X92.1MM 1350 / 3R COMBINATION
STRAP KIT	
534-10	U-BOLT & NUT KIT (2 X U-BOLTS & 4 X NUTS)
2-70-80X	STRAP & BOLT KIT (2 X STRAPS/4 X BOLTS)
1350	30.2X92.1MM UJ
FLANGE YOKE	
FLY5.1	STANDARD FLANGE 116X4X11.1MM HOLES H=40MM 3502.119
FLY5.5	FORD TRANSIT 3502.300 108MM PCD 12.75MM HOLES SPIGOT = 50.8MM H=42MM
FLY5.8	MITSUBISHI 90MM PCD (64/64MM BOLT) H=55MM
FLY5.9	133X4X12.7 H=41MM BHC=76X7MM FEMALE SPIGOT=65MM AMERICAN / NISSAN
FLY5.11	LANDROVER DEFENDER 1310 SAE 97X4X10.2MM H=64MM
FLY5.13	MERCEDES SPRINTER 132X4X10MM TELMA H=45MM FEMALE SPIGOT 67MM
FLY5.15	GM 100KV 4X8.5MM BOLT HOLES PCD=74MM H=50.8MM
TRANSMISSION SLEEVE	
SL5.6	CHEVY 38ØX148MM 26/27 SPLINES (1X MASTER) 148MM C/L OF UJ TO END OF SLEEVE
SL5.8	TREMEC / FORD C4 / = SEAL Ø =38X168MM - 28 SPLINE 27/28 SPLINE
SL5.5	TH400 / ST10 SEAL Ø = 47.9X203MM - 30/32 SPLINE (DANA 3-3-5551X)
SL5.12	T400 / SEAL Ø = 47.89X139.7MM - 31/32 SPLINE (DANA 3-3-2431X) CHEVY GEARBOX T400/T10
SL5.12/1	T400 / SEAL Ø = 47.89X139.7MM - 31/32 SPLINE (DANA 3-3-2431X) CHROME FINISH + SUPERIOR STRENGTH - CHEVY GEARBOX T400/T10
SL5.11	DODGE VIPER SEAL Ø = 42.7X168MM - 29/30 SPLINE (DANA 3-3-3931X)
SL5.13	C6 SLEEVE 1350 SEAL Ø = 42.8X163MM 30/31 SPLINE (DANA 3-3-2491X)
SL5.16	31/32 SPLINE H=176MM 47.9MM (1.886") Ø 3-3-4261X
SL5.18	NISSAN PATHFINDER 43.9MM SEL Ø 30/32 SPL MAJOR SPLINE DIA. 1.378" (35MM)
SLEEVE	
SL5.15	16 SPLINE H=100MM 19MM SLIP 38.1MM SPLINE Ø 3-3-388KX

Part #	Comments
SL5.1	16 SPLINE H=148MM 52MM SLIP 38.1MM SPLINE Ø 3503-598
SL5.2	16 SPLINE H=186MM 82MM SLIP 38.1MM SPLINE Ø
SL5.7	FORD TRACTOR H=92MM TO SUIT 60X2.5MM TUBE BTB220
SL5.10	15/16 SPLINE CHEVROLET /FORD H=203MM 38.1MM Ø SPLINE USE WITH MDS5.2
SL5.19	SLEEVE ONLY FOR SLA5.2 70X3MM La.110MM RILSAN
SLIP STUB	
SS5.2	SLIPSTUB 1350 1410 2.5X.083W 52MM SLIP L=143MM
SLIP ASSY	
SLA5.2	SLIPASSY 1350 COMPACT SPLINE 70X3MM La.110MM RILSAN L=240MM
SLA5.5	SLIPASSY 1350 COMPACT SPLINE 86MM BASE La.110MM RILSAN L=237MM
SEAL TUBE	
ST6.1	SEAL TUBE FOR SLA5.2, SLA6.6 & SLA6.7
YOKE SHAFT	
YS5.2	YOKE SHAFT H=132MM SPICER REF 3-82-61 1.5" X 16SPL
YS5.3	YOKE SHAFT H=173MM SPICER REF 3-82-181 1.5" X 16SPL
MID STUB	
MDS5.1	MID STUB FORD TRACTOR H=169MM TO SUIT 60X3MM TUBE
MDS5.2	SLIPMID STUB CHEVROLET / FORD 15/16 SPLINE 38.1MM Ø USE WITH 40MM CTR BRG FIRCB166 & SL5.10 3X.082" TUBE DIA H=270MM
H-SECTION	
35H-1	1350 H COUPLING ONLY H=73MM (MAX ANGLE 26°)
TUBE YOKE	
TUY5.11	TO SUIT 2.5X.083" TUBE 20° H=49MM - 3526-2037
TUY5.3	TO SUIT 2.5X.095" TUBE 20° H=57MM - 3526-1667
TUY5.20	TO SUIT 65.8MM BASE H=63MM
TUY5.19	TO SUIT 70X2MM TUBE H=53MM
TUY5.18	TO SUIT 70X3MM TUBE 20° H=50MM
TUY5.1	TO SUIT 3.0X.082" TUBE 3-28-57 H=50MM
TUY5.6	TO SUIT 3.0X.064" TUBE H=57MM (FORD TRANSIT)
TUY5.21	TO SUIT 84X1.7MM TUBE (BASE 80.7MM) FRICTION WELDED T/YOKE REPLACEMENT H=68MM

Part #	Comments
TUY5.10	TO SUIT 3.5X.064" TUBE 20° H=46MM
TUY5.8	TO SUIT 3.5X.082" TUBE
TUY5.4	TO SUIT 3.5X.095" TUBE H=68MM
TUY5.13	TO SUIT 4.0X.082" TUBE
TUY5.14	SOLID BASE 58.6MM H=60.8MM
U/Joint	
FIR73	STANDARD 30.2X92.1MM SHOULDER LUBE
FIR404	30.2X92.1MM NEW GENERATION (FORD TRANSIT)
FIR623	30.2X92.1 MM SPICER PREMIUM WITH LUBE 5-178X
FIR801	30.2X92.1MM **NEAPCO GOLD LINE** (SFL)
FIR572	30.2X92.1MM / ALLOY BRG CAPS (SFL) BRUTE FORCE
FIR665	30.2X92.1MM (SFL) DANA SPL30 5-799X
FIR665A	30.2X92.1MM (SFL) MATSUBA SPL30 5-799X
FIR643	30.2X92.1MM (MATSUBA UJ-037)
FIR643/1	30.2X92.1 END LUBE IN CAP
FIR750	30.2X92.1MM GKN TYPE - LANDROVER
FIR578	27X92.1 / 30.2X92.1MM 1330 / 1350 COMBINATION 5-648X
FIR664	30.2X92.1MM / 30.2X106.3MM 1350 / 1410 COMBINATION JOINT
FIXING KIT	
3-94-18X	1410 (U-BOLT KIT)
1-0020	STRAP KIT 1350/1410 SPICER (EACH KIT COMPRISES OF 2 CLAMPS + 4 BOLTS)
CENTRE BRG	
FIRCB154	35X100MM FORD TRACTOR - OE REF 83959518/E7NN4642AA
FIRCB166	FORD & CHEVROLET 40X168X22MM
1410	30.2 X 106.3MM UJ
SLEEVE YOKE	
SL6.1	L=168MM 57MM SLIP STD / 4103.118
SL6.2	L=193MM 82MM SLIP WIDE ANGLE 30 DEGREES / 4103.458 - USE WITH SS6.11
SL6.6	L=100MM UJ C/L TO END OF SLEEVE 4103.1028 20MM SLIP

Part #	Comments
SL6.7	L=124MM UJ C/L TO END OF SLEEVE
SL6.3	IVECO DAILY SLIP MID SLEEVE L=186MM USE WITH MDS6.1 & FIRCB83
SL6.5	IVECO DAILY SLIP MID SLEEVE L=186MM USE WITH MDS6.7/FIRCB91 & BOOT KIT 232817/232818 ** SEE ALSO SLA6.4**
SLIP STUB	
SS6.2	57MM SLIP / 3.5X.095" TUBE 4142.3091 L=160MM RILSAN COATED
SS6.1	57MM SLIP / 3X.095" TUBE 4142.3081 - NOW USE SS6.9
SS6.9	57MM SLIP / 3X0.095" TUBE L=156MM RILSAN COATED
SS6.7	70MM SLIP 3X.064" TUBE RILSAN COATED
SS6.3	82MM SLIP 52X3.5MM 2.0X.109" TUBE 4142.3101 L=177MM
SS6.6/1	70MM SLIP 3X.082 TUBE WITH GLIDECOTE 3-40-1409 L=180MM ORIGINAL
SS6.6	70MM SLIP 3X.082 TUBE WITH GLIDECOTE 3-40-1409 L=180MM
SS6.11	90MM SLIP 3X.095" TUBE RILSAN COATED - USE WITH SL6.2
STUB/SLEEVE ASSY	
SLA6.5	STUB/SLEEVE ASSY 1410 (La.57MM) L=191MM COMPRISING SS6.9 & SL6.1 3.00X.095"
SLA6.13	STUB/SLEEVE ASSY 1410 (La.82MM) RILSAN COATED (SL6.2 & SS6.11) 3X0.095"
SLA6.14	STUB/SLEEVE ASSY 1410 (La.57MM) RILSAN COATED (SL6.2 & SS6.11) 3.5X0.095"
SLIP ASSY YOKE SHAFT & SLEEVE COMPACT STYLE	
SLA6.6	SLIPASSY 1410 INV.SPLINE 38X2 DIN5480 3"X095 La.110MM H=239MM C/w SEAL TUBE
SLA6.7	SLIPASSY 1410 INV.SPLINE 38X2 DIN5480 70X3MM La.110MM H=239MM C/w SEAL TUBE
SLA6.8	SLIPASSY 1410 3X095" La.140MM SPICER ORIGINAL H=263MM C/w SEAL TUBE
SLA6.9	SLIPASSY 1410 INV.SPLINE 38X2 DIN5480 90X3MM La.110MM C/w SEAL TUBE
SLIP MID ASSY	
SLA6.4	IVECO DAILY SLIP MID ASSY 3.00X.095 TO SUIT FIRCB91 40MM CTR BRG L=237MM 115MM SLIP
SHORT COUPLE SHAFTS (YSA)	
41KS-10	YSA 1410 335MM UJ CTRS CAN BE REDUCED TO 230MM UJ CTRS - SPLINE = 50x2.5
YOKE SHAFT	
YS6.1	YOKE SHAFT 145MM USE WITH SL6.4 TO GIVE Y.S.A. 286MM F/F
YS6.2	YOKE SHAFT 126MM UJ C/L TO END OF SPLINE 20MM SLIP 4182-1101

Part #	Comments
YS6.3	YOKE SHAFT 168 UJ C/L TO END OF SPLINE 50MM SLIP RILSAN COATED
MID ASSY	
MDA6.2	IVECO MID ASSY 120X4X11 3X.095W SUPPLIED WITH FIRCB91
MDA6.4	IVECO MID ASSY 1410 SAE 3X.095W SUPPLIED WITH FIRCB91
MDA6.3	PUMP MID ASSY 40MM Ø TAPER SHAFT & 1410SAE COMP FLANGE 3.5" Ø SOLID BASE C/W KEY & NUT
MID STUB	
MDS6.1	OLD IVECO DAILY SLIP MID STUB 3X.082" TUBE USE WITH SL6.3 & FIRCB83
MDS6.3	3X.095" USE WITH CPF6.3 & CPF6.6 5157.2641 10 SPLINES
MDS6.4	1410 1510 3.5X.095W" 10 SPLINE -- CAN ALSO USE MDS7.2
MDS6.5	10 SPLINE 3X.082" TUBE
MDS6.7	NEW DAILY TO SUIT 3X.095" (USE WITH SL6.5/FIRCB91 & BOOT KIT 232817/232818) **SEE ALSO SLA6.4 **
BOOTKIT	
232817/232818	1310/1410 BOOT(RUBBER GAITOR)
	USE WITH MDS6.5/SL6.5
1501008400891	1310/1410 RETAINING CLIP 60MM Ø
1501008400892	1310/1410 RETAINING CLIP 65MM Ø
1501001900100	1310/1410 BOOT CAN
END YOKE	
ENY6.1	END YOKE 10 SPLINE
STRAP KIT	
3-70-28X	1410 (CONSISTS OF 1 X STRAP 2 X BOLTS)
3-94-18X	1410 (U-BOLT KIT)
1-0020	STRAP KIT 1350/1410 SPICER (EACH KIT COMPRISES OF 2 CLAMPS + 4 BOLTS)
COMP FLANGE	
CPF6.1	COMP.FL 1410SAE METRIC 10 SPLINE M12 IVECO 3-1-4631
CPF6.2	PILOT BORE (19MM) 57MM BOSS DIAMETER 11.1MM BOLT HOLES
CPF6.5	PILOT BORE 79MM BOSS DIAMETER
CPF6.3	1410SAE 11.1MM HOLES STD TO SUIT MDS6.3 / MDS6.5 / MDS10.1 / MDS10.2 (10 SPLINES)

Part #	Comments
CPF6.7	1410SAE 12.2MM HOLES STD TO SUIT MDS6.3 / MDS6.5 / MDS10.1 / MDS10.2 (10 SPLINES)
CPF6.4	100MM PCD FOR MITSUBISHI CANTER 10 SPLINES
CPF6.6	TO SUIT MDS6.3 / 10 SPLINES FOR ISUZU (100MM PCD 80MM SPIGOT) 12.2MM HOLES
CPF6.9	120X8X10MM 10 SPLINE 1.5" 75MM FEMALE SPIGOT 101.5MM PCD USE WITH MDS6.3
CPF7.1	120X4X11MM / 10 SPLINES USE WITH MDS6.3 & FIRCB17 IVECO
FLANGE YOKE	
FLY6.24	97X4X10MM / 1310SAE H=64MM
FLY6.4	100X6X8MM / 3.2.1239 H=52MM
FLY6.12	100X6X8MM / H=64MM
FLY6.19	100X6X8MM / H=67MM
FLY6.1	116MM STANDARD 1410 SAE 4X7/16" / 4102.159 H=43MM
FLY6.2	116MM STANDARD 1410SAE METRIC HOLES 4X12MM / 3.2.1309 H=43MM
FLY6.9	116MM BENFORD 11.1MM HOLES H=49MM
FLY6.7	116MM 1410 SAE 4X7/16" / 4102.039 30° WIDE ANGLE H=49MM
FLY6.6	120X8X8MM / 4102.1189 H=55MM
FLY6.8	120X8X10MM 3-2-1159 H=63.4MM
FLY6.5	120X8X10MM / 4102.1199 H=55MM
FLY6.21	120X8X10MM H=68MM
FLY6.13	120X4X10MM 80MM REGISTER ISUZU H=55MM
FLY6.3	120X4X11MM H=57MM
FLY6.25	120X4X11MM H=57MM *STAKED UJ TYPE FIR794* OE SPECIFICATION
FLY6.22	120X4X11MM H=70MM
FLY6.11	120X4X12MM 100MM PCD 70MM SPIGOT MITSUBISHI CANTOR H=55MM
FLY6.15	120X4X12MM 100MM PCD 70MM SPIGOT MITSUBISHI CANTOR H=45MM SPICER
FLY6.14	146MM 4X12.9MM 1510 SAE H=50.8MM 3-2-429
FLY6.20	146MM 4X12.9MM 1510 SAE H=38MM 3-2-559
FLY6.23	150X4X13MM H=66MM
TUBE YOKE	
TUY6.6	2X.109" STANDARD ANGLE 20° / 4126.657 H=52MM

Part #	Comments
TUY6.2	3X.095" TUBE / 4126.2887 H=54MM
TUY6.3	3.5X.095" TUBE / 4126.1637 H=54MM
TUY6.4	3.5X.082" TUBE / 3.28-557
TUY6.5	3X.082" TUBE ORIGINAL SPICER / 3-28-97
TUY6.7	TUBEYOKE 1410 58.6MM SOLID BASE
U'JOINT	
FIR179	STANDARD 30.2X106.3MM
FIR179A	SPICER ORIGINAL5-153X 30.2X106.3MM
FIR802	**NEAPCO GOLD LINE** (SFL) 30.2X106.3MM
FIR806	SPICER ORIGINAL - 5-462X WITH STEEL SHROUDS 30.2X106.3MM
FIR211	SPICER SPL41 SPICER (SFL) TRIPLE LIP SEAL 5-641X 30.2X106.3MM
FIR499	O.E MITSUBISHI 30.2X106.3MM WITH LUBE
FIR561	HEAVY DUTY 30.2X106.3MM WITH SIDE LUBE
FIR663	BRUTE FORCE 30.2X106.3 SFL HIGH SPEC
FIR729	MATSUBA UJ-042 30.2X106.3MM SIDE LUBE
FIR794	NEW IVECO DAILY (SFL) 30.2X106.3MM *O.E. SPEC*
FIR591	COMB 1410 / 31.3X76.1 IC (DETROIT 5380)
FIR664	30.2X92.1MM / 30.2X106.3MM 1350 / 1410 COMBINATION JOINT
FIR829	30.2X106.3MM / 34.9X106.3MM 1410 / 1480 COMBINATION JOINT SFL
FIR167	4C / 1410 HIGH WING DRILLED COMBINATION 30.2X106.3MM 5-345X
FIR762	5C / 1410 SERIES / 30.2X106.3MM / 42.9X88.9MM COMBINATION 5-12913X
CENTRE BRG	
FIRCB17	STANDARD 40X168X27MM 5180-4001
FIRCB232	STANDARD 40X168X27MM WITH LUBE
FIRCB17/1	1410 & 1480 / 45X168X27MM SPICER 212139-1X
FIRCB56	IVECO DAILY & RENAULT / 35X168X17MM
FIRCB60	IVECO DAILY RANGE / 35X168X22MM
FIRCB83	IVECO DAILY RANGE / 40X168X22MM
FIRCB91	IVECO DAILY RANGE 40X168X22MM - EXTENDED SHROUD ORIGINAL 211926-2X
FIRCB91A	IVECO DAILY 40X168X22MM - ALTERNATIVE TO 211926-2X

Part #	Comments
FLEXIBLE COUPLING KIT	
FC-22	IVECO DAILY ORIGINAL EQUIPMENT TO SUIT 1410 SRS STAKED PROPSHAFTS PCD = 120MM 8X12MM HOLES C/w 4 BOLT YOKE, BOLTS NUTS ETC
SEMI FINISHED WELDED ONE END PROPSHAFTS	
41AS-3	1410 SRS PROPSHAFT WELDED @ FIXED JOINT END 3" Ø TUBE LENGTH 1200MM
41AS-9	1410 SRS PROPSHAFT WELDED @ FIXED JOINT 3X.095" Ø TUBE LENGTH 1200MM INCLUDES RILSAN SPLINED STUB & HEAVY DUTY UNIVERSAL JOINTS
41AS-12	1410 SRS PROPSHAFT WELDED @ FIXED JOINT 3X.095" Ø TUBE LENGTH 1500MM
917026-1502	1410 SRS SPICER PROPSHAFT 116X4X12MM FLANGES WELDED @ FIXED JOINT 3X.095" TUBE LENGTH 1500MM
1410	30.2 X 106.3MM UJ - STAKED - IVECO
U/JOINT	
FIR794	(SFL) NEW IVECO DAILY PROPSHAFTS *O.E. SPEC*
CENTRE BRG	
FIRCB294	IVECO DAILY ORIGINAL EQUIPMENT TO SUIT 1410 SRS STAKED PROPSHAFTS
FLEXIBLE COUPLING	
FC-2	IVECO DAILY ORIGINAL EQUIPMENT TO SUIT 1410 SRS STAKED PROPSHAFTS
1480	34.9 X 106.4MM UJ
SLEEVE YOKE	
SL7.3	63MM SLIP / USE WITH SS7.2 3-3-1601KX L=173MM SPICER
SL7.5	63MM SLIP / USE WITH SS7.2 3-3-1601KX L=173MM ALTERNATIVE
SL7.1	63MM SLIP / HEAVY DUTY 1510 SPLINE L=173MM USE WITH SS7.1
SL7.8	150MM SLIP 44.5x16T SPLINE 3-3-4471KX L=322MM USE WITH SS7.3 SPICER
SLIP STUB	
SS7.2	63MM SLIP / 3.5X.082" TUBE STANDARD RILSAN SPLINE 3-40-1571
SS7.2/1	63MM SLIP / 3.5X.082" TUBE STANDARD SPLINE 3-40-1571 ORIGINAL
SS7.4	63MM SLIP / 3.5X.082" TUBE STANDARD NON RILSAN SPLINE 3-40-1571
SS7.1	63MM SLIP / 3X.095" TUBE HEAVY DUTY 1510 RILSAN SPLINE USE WITH SL7.1
SS7.3	150MM SLIP / 90X3MM 44.5x16T 90X3MM USE WITH SL7.8 SPICER

Part #	Comments
SS7.5	60MM SLIP / 3X.095" TUBE STANDARD RILSAN SPLINE
SS7.6	60MM SLIP / 3.5X.095" TUBE STANDARD RILSAN SPLINE
YOKE SHAFT	
YS7.3	YOKESHAFT 1480 H=172MM 16 X SPLINE 1.562" SPL Ø 60MM SLIP
YS7.4	YOKESHAFT 1480 H=176MM 16 X SPLINE 1¾" SPLINE Ø 50MM SLIP
DUST CAP	
DC3.86.88	SPICER DUST CAP
FLANGE YOKE	
FLY7.8	116X4X11.3MM 1410 SAE H=60MM
FLY7.6	120X6X10MM MERCEDES 609D & 709D 02-323 H=60MM
FLY7.9	120X8X10MM 3-2-1299 H=65MM
FLY26.6	120X4X11MM H=60MM ORIGINAL
FLY26.10	120X4X11MM H=60MM ALTERNATIVE
FLY7.11/1	120X4X12.2MM 80MM SPIGOT H=65MM TO SUIT FIR263
FLY7.13	120X4X12MM MITSUBISHI 70MM SPIGOT PCD=100MM H=65MM TO SUIT FIR263
FLY7.10	135X4X12.2MM DIA 80MM SPIGOT 109.2MM PCD H=62MM TO SUIT FIR263
FLY7.1	1510SAE 3-2-479 H=50.8MM
TUBE YOKE	
TUY7.1	TO SUIT 3.5X.082" TUBE 3-28-537 H=51.5MM
TUY7.2	TO SUIT 3X.095" TUBE H=51.6MM
TUY7.3	TO SUIT 3.5X.095" TUBE H=65MM
COMP FLANGE	
CPF7.1	120X4X11MM / 10 SPLINES USE WITH MDS6.3 & FIRCB17 IVECO
END YOKE	
ENY7.1	HALF ROUND FITTING 3-4-3091-1 10 SPLINE USE WITH MDS7.2
STRAP KIT	
3.70.38X	1480 / 1550 SPICER (CONSISTS OF 1 X STRAP 2 X BOLTS)
3-94-28X	1480 (U-BOLT KIT)
MID ASSY	
MDA7.2	135X4X12MM SPIGOT=80MM ISUZU & MITSUBISHI 3.5X.095 TUBE H=78.5MM (120MM WELD PREP TO FACE)

Part #	Comments
MID STUB	
MDS7.1	IVECO SLIP MID ASSY USE WITH SL7.2
MDS7.2	3.5X.095MM TUBE STD
MID NUT	
MN16.74.101	MID NUT TO SUIT MDS64.1
U'JOINT	
FIR263	STANDARD 1480 34.9X106.4MM
FIR272	SPICER ORIGINAL 5-263X 1480 34.9X106.4MM
FIR361	1480 SRS END LUBE IN 1 X BRG CAP
FIR170	34.9X106.4MM / 1480 / 5C MECHANICS COMBINATION
FIR761	34.9X106.4MM / 5C HIGH WING THREADED COMBINATION 1480 ON OPP SPAN
FIR829	30.2X106.3MM / 34.9X106.3MM 1410 / 1480 COMBINATION JOINT SFL
CENTRE BRG	
FIRCB17	STANDARD 40X168X27MM 5180-4001
FIRCB232	STANDARD 40X168X27MM WITH LUBE
FIRCB17/1	1410 & 1480 / 45X168X27MM SPICER 212139-1X
FIRCB83	40X168X22MM TRACK WIDTH / TO SUIT IVECO SLIP MID ASSY
SEMI FINISHED WELDED ONE END PROPSHAFTS	
48AS-2	1480 SRS PROPSHAFT 120X8X10MM WELDED @ FIXED JOINT 3X.095" L=2000MM
PROPSHAFTS	
48AS-4	JCB PROPSHAFT 914/56400 - 529MM UJ CTRS CLOSED
48AS-9	JCB PROPSHAFT 914/60181 - 564MM UJ CTRS CLOSED
1550	34.9 X 126.2MM UJ
SHAFT ASSY	
FIRPS12-NEW	DENNIS DART AT 420MM FFC 1510SAE
FIRPS13-NEW	DENNIS DART AT 450MM FFC 1510SAE
FIRPS14-NEW	DENNIS DART AT 350MM UJ CL CLOSED C/W FIR173 U-JOINTS
FIRPS66-NEW	DENNIS DART AT 370MM UJ CL CLOSED C/W FIR173 U-JOINTS
FIRPS78	OPTARE SOLO Lc.261MM OVER 6C FACES CLOSED (1550 YSA C/W 6C UJS)

Part #	Comments
FIRPS87	OPTARE SOLO Lc.261MM OVER 6C FACES CLOSED (1550 YSA C/W 6C UJS)
FIRPS82	OPTARE SOLO Lc.281MM OVER 6C FACES CLOSED (1550 YSA C/W 6C UJS)
SLIP ASSY	
SLA10.1	63MM SLIP 3.5X0.095" TUBE C/W DUST CAP 4.86-18
SLEEVE YOKE	
SL10.1	63MM SLIP (USE WITH SS10.1) L=175MM
SL10.2	111MM SLIP 4-3-2331KX (USE WITH SS10.2) L=267MM
SL10.4	63MM SLIP H=150MM (USE WITH YS10.1)
SL10.5	MOD-3-186 63MM SLIP H=150MM (USE WITH YS10.2) WIDE ANGLE (LESS DUST CAP DC4.86-18)
SL10.6	35MM SLIP H=136.5MM (45°)
SL10.8	75MM SLIP4-3-2041X USE WITH SS10.5 (L=223.9MM)
SLIP STUB	
SS10.1	63MM SLIP / 3.5X.095" TUBE 4-40-761 (USE WITH SL10.1) L=172MM (SAME AS SS11.2)
SS10.2	111MM SLIP / 3.5X.095" TUBE 4-40-961 (USE WITH SL10.2) GLIDECOTE L=250MM
SS10.3	63MM SLIP / 3.5X.095" TUBE 4-40-761 (USE WITH SL10.1) L=172MM SPICER GLIDECOTE
SS10.5	75MM SLIP / 3.5X.134" / 88.9X3.4 TUBE (USE WITH SL10.8) SPICER GLIDECOTE
YOKE SHAFT	
YS10.1	4-82-371 H=173MM (USE WITH SL10.4)
YS10.2	MODIFIED FOR WIDE ANGLE MOD-82-201 H=170MM (USE WITH SL10.5)
YS10.4	4-82-201 H=122.2MM
YS10.5	YOKESHAFT 1550 MOD-82-072 H=173MM ---- REDUCED SPLINE LENGTH
WELCH PLUG	
WP4.68.143	WELCH PLUG
DUST CAP	
DC4.86-18	SPICER DUST CAP
FLANGE YOKE	
FLY10.1	1510SAE 4-2-669 H=50.8MM
FLY10.2	175MM 1610SAE 4-2-689 H=50.8MM
FLY10.5	150X4X13MM 4-4-25 H=68MM

Part #	Comments
FLY10.3	150X8X12 4-2-1069 H=80MM
FLY10.6	120X4X11 4-2-35SI H=65MM
FLY10.7	120X8X10 H=80MM
TUBE YOKE	
TUY10.1	3.5X.095" TUBE 4-28-307 H=56MM
TUY10.2	3.5X0.095" TUBE 4-28-417 35 DEG. H=68MM
TUY10.3	TO SUIT 88.9X2.4MM
COMP FLANGE	
CPF10.1	150X8X12 / 10 SPLINE 4-1-5151
CPF10.2	12.7MM HOLES 1510SAE 4-1-5191
CPF10.3	14MM HOLE / 1510SAE RENAULT
MID STUB	
MDS10.1	3.5X.095" TUBE 10 SPLINE USE WITH ENY10.1 4-53-341H=106MM
MDS10.2	MID STUB / 3.5X.095" TUBE 31 SPLINE CATERPILLAR USE WITH ENY10.2 70-53-81
MID NUT	
MN231502	NUT TO SUIT MDS10.1
END YOKE	
ENY10.1	HALF ROUND END YOKE 4-40-6031-1 USE WITH MDS10.1
ENY10.2	END YOKE CATERPILLAR USE WITH MDS10.2 4-4-7101-1M
STRAP KIT	
3.70.38X	1480 / 1550 SPICER (CONSISTS OF 1 X STRAP 2 X BOLTS)
U'JOINT	
FIR275	STANDARD 34.9X126.2MM ALTERNATIVE
FIR161	ORIGINAL SPICER 34.9X126.2MM
FIR173	34.9X126.2MM / 1550 / 6C MECHANICS COMBINATION 5-303X
CENTRE BRG	
FIRCB01	STANDARD 45X194X27MM 6080-4501
FIRCB01/1	SPICER STANDARD 45X194X27MM 210084-2X
FIRCB105	PLUMMER BLOCK BEARING 61.8X188MM CATERPILLAR USE WITH MDS10.2 & ENY10.2

Part #	Comments
1510	39.7 X 116MM UJ
SLIP ASSY	
SLA9.2	SLIP ASSY COMPLETE 1510 SAE COMPRISING OF SL11.1, SS11.2 FIR176/1 & FLY9.1
SLA9.3	SLIP ASSY 3.0X.095" La. 60MM
SLA9.4	SLIP ASSY 3.5X.095" La. 60MM
SLEEVE YOKE	
SL11.1	60MM SLIP STD / 5103.538 L=170MM (SAME AS SS10.1)
SLIP STUB	
SS11.1	60MM SLIP / 3X.095W La.60MM
SS7.1	63MM SLIP / 3X.095" TUBE HEAVY DUTY 1510 RILSAN SPLINE USE WITH SL7.1
SS11.2	60MM SLIP / 3.5X.095" TUBE 5142.1801 L=163MM
YOKE SHAFT	
YS11.1	YOKE SHAFT RILSAN COATED 170MM O/A C/c 44MM SLIP
SHORT COUPLE	
51KS-4	SHORT COUPLE YSA L=170MM UJ CTR CLOSED (CAN BE REDUCED TO 145MM) SPLINE 55X2.5D.5480
FLANGE YOKE	
FLY9.8	116X4X11.3MM STANDARD 1410 SAE
FLY11.7	120X4X11MM H=73MM
FLY9.3	120X8X10MM H=75MM
FLY9.1	146X4X12.9MM STANDARD 1510 SAE / 5102.239 H=63.5MM
FLY9.6	1510 150X8X12 H=90MM (30°)
TUBE YOKE	
TUY11.1	3.0X.095" TUBE 5126-477 H=71.5MM
TUY11.2	3.5X.095" TUBE 5126-547 H=71.5MM
TUY11.5	90X4MM (3.5X.0134W) TUBE
COMP FLANGE	
CPF9.1	1510SAE 4X12.8MM 40MM BEARING
MID STUB	
MDS9.1	3.5X.095" TUBE 40X27MM BEARING

Part #	Comments
U'JOINT	
FIR803	1510 SERIES C/w LOOSE PLATES 39.69X115.95MM
FIR176	STANDARD 1510SRS 39.7X116MM
FIR176/1	1510 SERIES HEAVY DUTY MATSUBA
FIR102	HEAVY DUTY 39.7X116MM
CENTRE BRG	
FIRCB17	STANDARD 40X168X27MM 5180-4001
FIRCB17/1	1410 & 1480 / 45X168X27MM SPICER 212139-1X
1630	39.7 X 116MM UJ
SLIP ASSY	
SLA11.2	SLIP ASSY C/w 1610 SAE FLANGE 90X4MM Ø TUBE L=372.5MM La=110MM
FLANGE YOKE	
FLY11.7	120X4X11MM H=73MM 4-2-35
FLY9.3	120X8X10 H=75MM
FLY11.5	146X4X14MM 1510SAE H=63.5MM
FLY11.2	150X8X12MM / 6302.019 H=80.5MM 6302-019
FLY9.6	1510 150X8X12 H=90MM (30°)
FLY11.1	175MM 1610SAE / 6302.009 H=80.5MM
SLEEVE	
SL11.3	1610SRS STYLE 110MM SLIP 16 SPLINE USE WITH SS13.1 OR SS13.5
SLIP STUB	
SS13.5	1610SRS STYLE 110MM SLIP 16 SPLINE 90X4MM TUBE USE WITH SL11.3
TUBE YOKE	
TUY11.5	90X4MM (3.5X.0134W) TUBE
COMP FLANGE	
CPF11.1	175MM 1610SAE TO SUIT 45MM CENTRE BRG FIRCB22 / 6301.001
CPF11.2	150X8X12MM TO SUIT 45MM CENTRE BRG FIRCB22 / 6301.011
MID STUB	
MDS11.2	TO SUIT 45MM CENTRE BRG FIRCB22 / 90X4MM TUBE 6357.011

Part #	Comments
U'JOINT	
FIR102	39.7X116MM HEAVY DUTY
FIR176/1	39.7X116MM MATSUBA HEAVY DUTY
CENTRE BRG	
FIRCB22	45X194X19MM 6380-4501
1650	41.3 X 142.5MM UJ
SLEEVE ASSY	
SLA36.1	C/W 1650 / 7C MECHANICS FITTING 73MM SLIP / 3.5X0.134" TUBE
FIXED END	
FE36.1	C/W 1650 / 7C MECHANICS FITTING / 3.5X.134" TUBE
U'JOINT	
FIR190	1650 / 7C HIGH WING CLEARANCE 5-330X
FIR104	STANDARD 1650SRS 41.3X142.5MM 5-165X
SHAFT ASSY	
65Y-3	TEREX PROPSHAFT (PART No 15253142) L.354MM
1610	47.6 X 135MM UJ
SHAFT ASSY	
61KS-1	DANA CATERPILLAR YSA 1710 SPLINE 380MM UJ CL W/o U-JOINTS
61K-4	YSA @ 244MM COMPRESSED + 19MM SLIP
SLEEVE YOKE	
SL13.6	1710SRS SPLINE FOR CATERPILLAR TO SUIT SS16.5 H=241MM
SL13.7	SLEEVE 1610 SPICER La. 73MM 2"Øx16SPL H=198MM 5.3-108KX
SL13.5	SLEEVE 1610 SPICER La.100MM 16 SPLINE 5-3-368X
SL13.8	SLEEVE 1610 SPICER La.124MM H=275MM 5-3-2261KX
SLIP STUB	
SS13.1	SLIPSTUB 1610 3.5X.120W" 112MM SLIP
SS13.5	SPICER GLIDECOTE 3.5X.134W" (90X4MM) 110MM SLIP L=190MM 16 SPLINE
SS13.4	SPICER SLIPSTUB 3.5X.134W" (90X4MM) 140MM SLIP (USE WITH SL13.2) 5-40-1041

Part #	Comments
SS13.8	SPICER SLIPSTUB 3.5X.134W" 73MM SLIP 5-40-1191
SS16.5	1710 SPLINE 3.5X.134W" TO SUIT SL13.6 CATERPILLAR
SS13.10	SLIPSTUB 3.5X.134W"La 124MM H=235MM 5-40-1011
DUST CAP	
DC5.86-68	SPICER DUST CAP
FLANGE YOKE	
FLY13.1	STANDARD 1610SAE 6002-529 H=70MM
FLY13.3	SPICER STANDARD 1610SAE H=70MM
FLY13.5	150X8X12MM H=87MM 6002-569 H=87MM
TUBE YOKE	
TUY13.1	SPICER TYPE 3.5X.134W" / 90X4MM
TUY13.4	SPICER TYPE 101.6X3.4MM CATERPILLAR
MID STUB	
MDS13.1	10 SPLINE / 3.5X.134MM OR 90X4MM TUBE USE WITH CPF13.2 OR ENY13.1
MDS13.3	10 SPLINE / 3.5X.120MM TUBE USE WITH CPF13.1
MDS13.5	10 SPLINE / 3.5X.134MM TUBE USE WITH ENY13.1 / CPF13.2
MDS13.6	46 INV. SPLINE / 3.5X.134MM TUBE USE WITH ENY13.2 / FIRCB102 CATERPILLAR
MDS13.7	34 SPLINE / 3.5X.134" TUBE USE WITH ENY13.3 & FIRCB01 5-53-261
MDS16.3	PUMP MID STUB 4" Ø SOLID BASE TAPERED 50MM Ø SHAFT C/W NUT & KEY USE WITH CPF13.7
FIXINGS	
232374	WASHER CATERPILLAR USE WITH MDS13.6
BOLT	BOLT CATERPILLAR USE WITH MDS13.6
MN231502	MID NUT USE WITH MDS13.1
END YOKE	
ENY13.1	HALF ROUND FITTING 10 SPLINE 5-4-1721-1 USE WITH MDS13.1 OR MDS13.5
ENY13.2	HALF ROUND FITTING 46 INV. SPLINE USE WITH MDS13.6 / FIRCB102
ENY13.3	HALF ROUND FITTING / 34 SPLINE USE WITH MDS13.7 & FIRCB01 5-4-7171-1
COMP FLANGE	
CPF13.1	175MM 1610SAE 10 SPLINE USE WITH MDS13.3

Part #	Comments
CPF13.2	175MM 1610SAE 10 SPLINE 5-1-6001 (USE WITH MDS13.1)
CPF13.7	175MM 1610SAE TAPERED 50MM DIA - USE WITH MDS16.3
U'JOINT	
FIR282	STANDARD GKN TYPE 47.6X135MM LOOSE PLATES HS316
FIR118	1610 WELDED PLATES SPICER STYLE 5-279X
FIR206	1610 SPICER ORIGINAL WELDED PLATES 5-279X
FIR484	ALTERNATIVE SPICER TYPE 2 WELDED PLATES & 2 ROUND CAPS 5-438X
FIR121	1610 SPICER ORIGINAL 2 WELDED PLATES & 2 ROUND CAPS 5-438X
STRAP KIT	
5-70-28X	STRAP & BOLT KIT
CENTRE BRG	
FIRCB01	STANDARD 45X194X27MM 6080-4501
FIRCB01/1	SPICER STANDARD 45X194X27MM 210084-2X
FIRCB102	CAST 75X215MM TO SUIT MDS13.6 CATERPILLAR
1710	49.2 X 154.7MM UJ
SLEEVE YOKE	
SL16.3	98MM SLIP / 16 SPLINE 6.3.2671KX L=244MM
SL16.3/1	98MM SLIP / 16 SPLINE 6.3.2671KX L=244MM SPICER ORIGINAL
SL16.4	133MM SLIP / 16 SPLINE 6-3-521 L=297MM 33 ° DEGREES
SL16.5	140MM SLIP / 16 SPLINE 6.3.3441KX L=323MM 45 ° DEGREES
SL16.6	19MM SLIP / 18 INVOLUTE SPLINE H=105MM SPICER (USE WITH YS16.5)
SL13.6	1710SRS SPLINE FOR CATERPILLAR (USE WITH SS16.5) H=241MM
SLIP STUB	
SS16.3	98MM SLIP / 16 SPLINE 101.6X3.4MM TUBE RILSAN 6-40-541 / USE WITH SL16.3
SS16.4	133MM SLIP / 16 SPLINE 101.6X3.4MM TUBE RILSAN 6-40-521 / USE WITH SL16.4 & SL17.2
SS16.5	TO SUIT SL13.6 CATERPILLAR (SEE ALSO 1610SRS)
YOKE SHAFT	
YS16.3	16 SPLINE H=229MM / SPICER

Part #	Comments
YS16.4	16 SPLINE H= 245MM / SPICER
YS16.5	18 SPLINE H=133MM / SPICER (USE WITH SL16.6)
YS16.6	16 SPLINE H=271MM / SPICER
YS16.8	16 SPLINE H=271MM / SPICER
DUST CAP	
6.3.86.18	1710 & 1810 DUST CAP TO SUIT SL16.3 / SL16.4 / SL16.6 / SL17.1 / SL17.2
FLANGE YOKE	
FLY16.18	150X4X13MM H=81MM
FLY16.9	165X8X16MM H=98MM
FLY16.11	180X8X14MM H=101.6MM
FLY16.4	175MM 1610SAE H=98MM
FLY16.19	1710SAE SPICER STANDARD H = 50.8MM 6-2-769
FLY16.12	1710SAE SPICER STANDARD H = 76.2MM 6-2-749
FLY16.1	1710SAE GKN STANDARD H=76MM 7002-319
FLY16.2	1710SAE METRIC 10.1MM HOLES H=76MM
FLY16.13	1810SAE SPICER 12X 11.1MM BOLT HOLES H=76.2MM
TUBE YOKE	
TUY16.2	SPICER TYPE 101.6X3.4MM TUBE 35 ° DEGREES
TUY16.3	ALT TYPE 101.6X3.4MM TUBE 27 ° DEGREES H=77MM 6.2.347
TUY16.3/1	SPICER TYPE 101.6X3.4MM TUBE 27 ° DEGREES
MID STUB	
MDS16.2	38 INVOLUTE SPLINE 101.6X3.4MM TUBE USE WITH CPF16.2/ENY16.1 & FIRCB27 (50MM Ø)
MDS17.1	16 SPLINE 103.9X4.6MM TUBE USE WITH ENY16.2 & FIRCB42 (60MM Ø)
MDS17.2	46 INVOLUTE SPLINE 103.9X4.6MM TUBE USE WITH ENY17.4 L=135MM 6.3.53.21
MDS16.3	PUMP MID STUB 4" Ø SOLID BASE TAPERED 50MM Ø SHAFT C/W NUT & KEY
FIXINGS	
230123-6	WASHER 1710HD / 1760 / 1810 SPICER
MN20.74.91	MID NUT 1710HD / 1760 / 1810 SPICER
MN231502	NUT TO SUIT MDS16.2

Part #	Comments
END YOKE	
ENY16.1	38 INVOLUTE SPLINE USE WITH MDS16.2 6.4.7141.1
ENY16.2	16 SPLINE (HEAVY DUTY) USE WITH MDS17.1
ENY16.4	46 SPLINE 6.4.7481.1 USE WITH MDS17.2
COMP FLANGE	
CPF16.2	203MM 1710SAE 38 INVOLUTE SPLINE USE WITH MDS16.2
CPF16.3	203MM 1710SAE TAPERED 50MM DIA - USE WITH MDS16.3
U'JOINT	
FIR318	49.2X154.7MM / GKN STYLE LOOSE PLATES HS317
FIR281	49.2X154.7 1710 SPICER STYLE WELDED PLATES ALTERNATIVE TO FIR280 5-281X
FIR280	49.2X154.7 1710 SPICER ORIGINAL WELDED PLATES 5-281X
FIR280A	1710 WELDED PLATES NEAPCO QSP SPICER STYLE 5-280X
FIR05	49.2X154.7MM 1710 HALF ROUND 5-515X SPICER
FIR05A	49.2X154.7MM 1710 HALF ROUND 5-515X NEAPCO QSP
FIR428	49.2X154.7MM HALF ROUND 5-515X ALTERNATIVE
FIR565	49.2X154.7 LOOSE PLATES / 68X129MM MECHANICS ON OPPOSITE SPAN
FIR204	8.5C / 1710 SRS 2 X HIGH WING DRILLED 49.2X154.7 / 71.4X123.8MM
STRAP KIT	
6.5-70-18X	STRAP & BOLT KIT
CENTRE BRG	
FIRCB42A	60X219X36MM - ALTERNATIVE
FIRCB42	60X219X36MM - 8080-6001
FIRCB27	50X194X30MM 7080-5001
FIRCB27/1	50X194MM 210121-1XE SPICER
SHORT COUPLE	
FIRPS60	SHORT COUPLE 1710SAE AT 295MM FFC (TO SUIT LEYLAND TIGER WITH TELMA)
71K-3	SHORT COUPLE 1710SAE AT 270MM FFC + 19MM SLIP

Part #	Comments
1760	49.2 X 177.8MM UJ
SLEEVE YOKE	
SL17.1	98MM SLIP USE WITH SS16.3 L=235MM 6.3-3-41KX
SL17.2	133MM SLIP USE WITH SS16.4 6.3-3-21KX
SLIP STUB	
SS16.3	98MM SLIP / 103.9X4.6MM TUBE 6-40-541 USE WITH SL17.1
SS16.4	133MM SLIP / 16 SPLINE 101.6X3.4MM TUBE RILSAN 6-40-521 / USE WITH SL16.4 & SL17.2
DUST CAP	
6.3.86.18	1710 & 1810 DUST CAP TO SUIT SL16.3 / SL16.4 / SL16.6 / SL17.1 / SL17.2
FLANGE YOKE	
FLY17.1	203MM 1810SAE 6-3-2-19 H=86MM
FLY17.2	180X4X15MM 6-3-2-15 **LIMITED STOCK AVAILABLE**
TUBE YOKE	
TUY17.1	TUBE YOKE / 103.9X4.6MM TUBE 6-3-28-17 H=77MM
MID STUB	
MDS17.1	16 SPLINE 103.9X4.6MM TUBE USE WITH FIRCB42 , ENY17.1 & CPF17.1 L=135MM 6-53-311
MDS17.2	46 INVOLUTE SPLINE 103.9X4.6MM TUBE USE WITH ENY17.4 L=135MM 6.3.53.21
MDS16.2	MID STUB 38 SPLINE INVOLUTE 103.9X4.6MM TUBE USE WITH FIRCB42 6-53-411
FIXINGS	
230123-6	WASHER 1710HD / 1760 / 1810 SPICER
MN20.74.91	MID NUT 1710HD / 1760 / 1810 SPICER
END YOKE	
ENY17.1	END YOKE 16 SPLINE USE WITH MDS17.1 6-3-4-161-1 L=140MM
ENY17.4	END YOKE 46 INVOLUTE SPLINE USE WITH MDS17.2 6-3-4-821-1
ENY17.7	DIFF YOKE 46 SPLINE - 6.3-4-891-1X - FODEN REF # 4300097100
ENY17.9	DIFF YOKE FODEN REF - # TD63415711X
ENY17.11	DIFF YOKE FODEN REF - HUB DIA 82.6MM - SPLINE DIA. 60.3MM X 46 O/A = 137.9MM
COMP FLANGE	
CPF17.1	203MM 1810SAE 16 SPLINE USE WITH MDS17.1

Part #	Comments
U'JOINT	
FIR128	49.2X177.8MM ORIGINAL 5-469X HALF ROUND
FIR470	49.2X177.8MM ALTERNATIVE TO FIR128 5-469X HALF ROUND
FIR129	49.2X177.8MM 1760 ORIGINAL SPICER WELDED PLATES STYLE 5-407X FULL ROUND
FIR129A	49.2X177.8MM 1760 ALTERNATIVE TO FIR129 5-407X FULL ROUND
STRAP KIT	
6.5-70-18X	STRAP & BOLT KIT
CENTRE BRG	
FIRCB42A	60X219X36MM - ALTERNATIVE
FIRCB42	60X219X36MM - 8080-6001
1810	49.3 X 191.8MM UJ WELDED PLATE STYLE - DANA SPICER TYPE
SHAFT ASSY	
81KS-1	YSA @ 210MM UJ CL CLOSED OPEN JOINT C/w FIR333 U-JOINTS
SLIP ASSY	
SLA18.9	SLIP ASSY COMPRISING - SLIP STUB (SS18.1) & SLEEVE (SL18.4) & FIR130 U/JOINT 127MM SLIP MOVEMENT TO SUIT 114.3X6.6MM Ø TUBE
SLEEVE YOKE	
SL18.4	127MM SLIP H=302MM 30° (USE WITH SS18.1) 6.5.3.1371
SL18.5	85MM SLIP 6.5-3-1351KX H=260MM 30° (USE WITH SS18.2)
SL18.6	86MM SLIP 6.5-3-1431KX H=227MM 30°
SLIP STUB	
SS18.1	127MM SLIP 80-40-101 114.3X6.6MM TUBE (USE WITH SL18.1) L=294MM
SS18.2	85MM SLIP 8-40-91 114.3X6.6MM TUBE (USE WITH SL18.2) L=251MM
YOKE SHAFT	
YS18.3	SPICER 16 SPLINE H=302MM 30°
FLANGE YOKE	
FLY18.1	STANDARD 1810SAE 6-5-2-399
FLY18.3	180X4X15MM 6-5-2-15

Part #	Comments
TUBE YOKE	
TUY18.1	TO SUIT 114.3X6.6MM TUBE 6.5-28-127
MID STUB	
MDS18.1	46 SPLINE 114.3X6.6MM TUBE. 6-5-53-181 USE WITH ENY18.1 L=135MM
MDS18.2	16 SPLINE 114.3X6.6MM TUBE. 6-5-53-51 USE WITH ENY18.2 L=135MM
END YOKE	
ENY18.1	46 SPLINE 6-5-4-3591-1 USE WITH MDS18.1 H=86MM - SPICER
ENY18.2	16 SPLINE 6.5-4-1891-1 USE WITH MDS18.2 H=86MM
FIXINGS	
230123-6	WASHER 1710HD / 1760 / 1810
MN20.74.91	MID NUT 1710HD / 1760 / 1810
CENTRE BRG	
FIRCB42A	60X219X36MM - ALTERNATIVE
FIRCB42	60X219X36MM - 8080-6001
U/JOINT	
FIR333A	HALF ROUND 49.3X191.8MM / 5-510X ALTERNATIVE
FIR333	HALF ROUND 49.3X191.8MM / 5-510X OE SPICER
FIR130A	FULL ROUND 1810 ALTERNATIVE TO FIR130 HS344 / 5-281X
FIR130	FULL ROUND 1810 WELDED PLATES SPICER HS344 / 5-281X
STRAP KIT	
6.5-70-18X	STRAP & BOLT KIT
1800	59 X 167.5MM UJ LOOSE PLATE STYLE - GKN HARDY SPICER TYPE
SLIP STUB	
SS18.3	SLIP STUB 10 SPLINE / 87MM SLIP / 110X6MM TUBE
SLEEVE YOKE	
SL18.3	SLEEVE 10 SPLINE / USE WITH SS18.3 L=322MM
TUBE YOKE	
TUY18.3	TO SUIT 110X6MM TUBE

Part #	Comments
FLANGE YOKE	
FLY18.2	203MM 1810SAE H=86MM
MID STUB	
MDS18.3	22 SPLINES 110X6MM TUBE USE WITH CPF18.1 & FIRCB43
COMP FLANGE	
CPF18.1	22 SPLINE 1810SAE (USE WITH MDS18.3 & FIRCB43) - NOW OBSOLETE
U/JOINT	
FIR146	59X167.5MM LOOSE PLATE GKN STYLE HS324
CENTRE BRG	
FIRCB43	60X219X22MM
FIRCB49	70X220MM 20MM BRG WIDTH
1880	55.6 X 205.6MM UJ WELDED PLATE STYLE
SLEEVE YOKE	
SL67.1	SLEEVE 1880 SPICER 89MM SLIP L=255MM 8-3-391KX
SLIP STUB	
SS18.2	114.3X6.6MM TUBE
U/JOINT	
FIR138	SPICER 1880 SRS 55.6X205.6MM WELDED PLATE
FIR184	55.6X205.6MM / 1880 & 9C MECHANICS HWD COMBINATION
FLANGE YOKE	
FLY67.2	FLANGE 1880 SPICER 241X8X16MM 8-2-109
TUBE YOKE	
TUY67.1	SPICER 1880 114.3X6.6MM TUBE H=102MM
SEMI FINISHED WELDED ONE END PROPSHAFTS	
14AS-8	1140 SRS WELDED @ FIXED JOINT END 2" Ø TUBE LENGTH 1000MM
14AS-9	1140 SRS WELDED @ FIXED JOINT END 2" Ø TUBE LENGTH 1500MM
30AS-4	1300 SRS WELDED @ FIXED JOINT END 2"Ø TUBE LENGTH 1000MM
31AS-4	1310 SRS PROPSHAFT WELDED @ FIXED JOINT END 2"Ø TUBE LENGTH 1000MM

Part #	Comments
31AS-4/1	1310 SRS PROPSHAFT WELDED @ FIXED JOINT END 2"Ø TUBE LENGTH 1200MM
31AS-9A	1310 H.D. WELDED @ SLIP END C/w 287.10 SRS COMPACT SPLINES 50X3MM Ø TUBE 1000MM 30° WIDE ANGLE
41AS-3	1410 SRS PROPSHAFT WELDED @ FIXED JOINT END 3" Ø TUBE LENGTH 1200MM
41AS-9	1410 SRS PROPSHAFT WELDED @ FIXED JOINT 3X.095" Ø TUBE LENGTH 1200MM
	(41AS-9 INCLUDES RILSAN SPLINED STUB + HEAVY DUTY UNIVERSAL JOINTS)
41AS-12	1410 SRS PROPSHAFT WELDED @ FIXED JOINT 3X.095" Ø TUBE LENGTH 1500MM
48AS-2	1480 SRS PROPSHAFT 120X8X10MM WELDED @ FIXED JOINT 3X.095" L=2000MM
BALANCE WEIGHTS	
30003300124	12 GRAMMES
30003300127	18 GRAMMES
30003300130	24 GRAMMES
CIRCLIPS	
1140 SRS	
1407-019/9	CIRCLIP 23.8X1.385 - 1.435MM
1407-019/1	CIRCLIP 23.8X1.45 - 1.51MM
1407-019/3	CIRCLIP 23.8X1.58 - 1.63MM
1407-019/4	CIRCLIP 23.8X1.44 - 1.49MM
1407-019/5	CIRCLIP 23.8X1.48 - 1.53MM
1407-019/10	CIRCLIP 23.8X1.61 - 1.66MM
1407-019/7	CIRCLIP 23.8X1.54 - 1.59MM
1300/1310 SRS	
3107-019/14	CIRCLIP 27X1.14 - 1.2MM
3107-019/1	CIRCLIP 27X1.346 - 1.372MM
3107-019/2	CIRCLIP 27X1.372 - 1.398MM
3107-019/5	CIRCLIP 27X1.45 - 1.47MM
3107-019/3	CIRCLIP 27X1.397 - 1.423MM
3107-019/4	CIRCLIP 27X1.422 - 1.448MM
3107-019/6	CIRCLIP 27X1.473 - 1.499MM

Part #	Comments
3107-019/7	CIRCLIP 27X1.499 - 1.525MM
3107-019/8	CIRCLIP 27X1.524 - 1.550MM
3107-019/9	CIRCLIP 27X1.549 - 1.575MM
3107-019/10	CIRCLIP 27X1.575 - 1.1601MM
3107-019/11	CIRCLIP 27X1.633 - 1.689MM
1410 SRS	
4107-019/12	CIRCLIP 30.2X1.21 - 1.26MM
4107-019/6	CIRCLIP 30.2X1.64 - 1.69MM
4107-019/9	CIRCLIP 30.2X1.56 - 1.61MM
4107-019/1	CIRCLIP 30.2X1.33 - 1.38MM
4107-019/2	CIRCLIP 30.2X1.39 - 1.44MM
4107-019/3	CIRCLIP 30.2X1.40 - 1.46MM
4107-019/4	CIRCLIP 30.2X1.49 - 1.53MM
4107-019/5	CIRCLIP 30.2X1.46 - 1.51MM
4107-019/7	CIRCLIP 30.2X1.51 - 1.56MM
4107-019/8	CIRCLIP 30.2X1.54 - 1.57MM
1510 /1630 SRS	
5107-039/1	CIRCLIP 39.7X1.778MM
5107-039/2	CIRCLIP 39.7X1.753MM
5107-039/3	CIRCLIP 39.7X1.727MM
5107-039/4	CIRCLIP 39.7X1.803MM
5107-039/5	CIRCLIP 39.7X1.829MM
5107-039/6	CIRCLIP 39.7X1.854MM
5107-039/7	CIRCLIP 39.7X1.880MM
5107-039/8	CIRCLIP 39.7X1.980MM



Mechanics Style Series

2C - 20C

Part #	Comments
2C	33.27 X 59.44MM UJ BHC
SLIP ASSY	
SLA2C	STUB & SLEEVE TYPE 50MM SLIP 2X0.095"MM Ø TUBE
TUBE YOKE	
TUY2C	THREADED HOLES 2X0.095"MM Ø TUBE
U'JOINT	
FIR164	2C LOW WING THREADED
FIR229	2C LOW WING DRILLED
FIR277	2C 2 X LOW WING THREADED / 2 X LOW WING DRILLED END LUBE
FIR509	2 X 2C / 1310 27X81.8MM MECHANICS COMBINATION
3C	36.5 X 69.8MM UJ BHC
SLIP ASSY	
SLA3C	STUB & SLEEVE TYPE 50MM SLIP 63.5X3.25MM Ø TUBE
TUBE YOKE	
TUY3C	THREADED HOLES 63.5X3.25MM Ø TUBE
U'JOINT	
FIR165	3C LOW WING THREADED
FIR166	3C HIGH WING DRILLED - LUBE IN BRG CAP
4C	36.5 X 87.37MM UJ BHC
SLIP ASSY	
SLA4C	COMPACT STYLE, YOKE SHAFT & SLEEVE 50X3MM Ø TUBE
SLA4C/1	COMPACT STYLE, YOKE SHAFT & SLEEVE 2.50X.095" Ø TUBE
TUBE YOKE	
TUY4C	THREADED HOLES 50X3MM Ø TUBE

Part #	Comments
U'JOINT	
FIR167	4C / 1410 HIGH WING DRILLED COMBINATION 30.2X106.3MM 5-345X
FIR168	4C LOW WING THREADED
FIR169	4C HIGH WING DRILLED
FIR224	2 X HIGH WING DRILLED / 2 X LOW WING THREADED COMBINATION
FIR775	4C 2 X LOW WING DRILLED / 2 X LOW WING THREADED
FIR606	4C / 2X HIGH WING DRILLED & 2X INT CLIP 28.6X77.6MM (82.4MM)
SHAFT ASSY	
4CYSA/1	COMPLETE SHORT COUPLE YSA Lc = 178MM INC JOINTS
4CYSA/2	COMPLETE SHORT COUPLE YSA Lc = 186MM INC JOINTS
4CYSA/3	COMPLETE SHORT COUPLE YSA Lc = 201MM INC JOINTS
4CYSA/4	COMPLETE SHORT COUPLE YSA Lc = 225MM INC JOINTS
4CYSA/5	COMPLETE SHORT COUPLE YSA Lc = 257MM INC JOINTS
TUBE	
TUBE50X3	50X3MM
5 C	42.9 X 88.9MM UJ BHC
SLIP ASSY	
SLA5C	COMPACT STYLE, YOKE SHAFT & SLEEVE 60X4MM Ø TUBE 100MM SLIP
SLA5C/2	COMPACT STYLE, L=259MM La140MM YOKE SHAFT & SLEEVE 60X4MM Ø TUBE
TUBE YOKE	
TUY5C	THREADED HOLES 60X4MM Ø TUBE
H SECTION	
5HC-1	H PIECE 5C MECHANICS H=39MM
U'JOINT	
FIR170	5C HIGH WING DRILLED COMBINATION 1480 34.9X106.4MM ON OPP SPAN
FIR761	5C HIGH WING THREADED COMBINATION 1480 34.9X106.4MM ON OPP SPAN
FIR171	5C LOW WING THREADED
FIR172	5C HIGH WING DRILLED
FIR241	2 X LOW WING DRILLED / I/C 33.35X84MM ON OPPOSITE SPAN KOYO 5.5015X

Part #	Comments
FIR273	2 X HIGH WING DRILLED / I/C 33.35X84MM ON OPPOSITE SPAN KOYO
FIR325	5C 2 X HIGH WING DRILLED & 2 X LOW WING THREADED
FIR459	5C 2 X HIGH WING DRILLED / I/C 32X83.9MM ON OPP SPAN KOYO GUKO.30
MID ASSY	
MDA5C	MID ASSY (TO SUIT 45MM Ø CENTRE BRG) H=210MM TUBE Ø 58XMM
CENTRE BRG	
FIRCB108	45X146MM TO SUIT MDA5C H=210MM
TUBE	
TUBE60X4MM	TUBE 60X4MM Ø
SHAFT ASSY	
5CYSA/1	SHORT COUPLE Lc = 155MM C/W JOINTS
5CYSA/2	SHORT COUPLE Lc = 186MM C/W JOINTS
5CYSA/3	SHORT COUPLE Lc = 201MM C/W JOINTS
5CYSA/4	SHORT SOUPLE Lc = 232MM C/W JOINTS
5CYSA/5	SHORT COUPLE Lc = 256MM C/W JOINTS
5CYSA/10	SHORT COUPLE Lc = 271MM C/W JOINTS
5CYSA/6	SHORT COUPLE Lc = 295MM C/W JOINTS
DBJ5C/1	DOUBLE JOINT L = 116MM C/W JOINTS
6 C	42.9 X 114.3MM UJ BHC
SLIP ASSY	
SLA6C	COMPACT STYLE, ELBE 105MM SLIP 70X4MM Ø TUBE L=241MM
SLA6C/1	COMPACT STYLE, ELBE 120MM SLIP 70X4MM Ø TUBE L=241MM
SLA6C/5	SLIPASSY 6C 3X0.095" Ø TUBE SLIP = 120MM L=234MM
SLA6C/6	SLIPASSY 6C 3.5X0.095" Ø TUBE SLIP = 120MM L=234MM
TUBE YOKE	
TUY6C	THREADED HOLES 70X4MM Ø TUBE 3/8" UNF
TUY6C/3	THREADED HOLES 90X5MM Ø TUBE 3/8" UNF
TUY6C/4	TUBEYOKE 6C 3X0.095" H=47.6MM
TUY6C/5	TUBEYOKE 6C 3.5X0.095" H=47.6MM

Part #	Comments
U'JOINT	
FIR173	6C HIGH WING DRILLED COMBINATION / 1550 34.9X126.2MM ON OPPOSITE SPAN
FIR502	6C/COMBINATION HIGH WING DRILLED / 48X126MM ON OPPOSITE SPAN
FIR174	6C LOW WING THREADED
FIR350	6C LOW WING DRILLED
FIR175	6C HIGH WING DRILLED
FIR837	6C HIGH WING DRILLED - (SFL) SPICER ORIGINAL
FIR690	6C DELTA WING
FIR821	6C 4 X HIGH WING DRILLED - DOUBLE FACE KEY H=35MM PER BLOCK
FIR214	6C 2 X LOW WING THREADED / 2 X HIGH WING DRILLED
FIR242	HIGH WING DRILLED 42.9X114.3MM / I/C 33.4X109.4MM ON OPPOSITE SPAN KOYO 5025N
FIR336	2 X LOW WING THREADED 42.9X114.3MM / I/C 33.4X109.4MM ON OPPOSITE SPAN
FIR752	2 X HIGH WING DRILLED 42.9X114.3MM / I/C 34X104.6/109.4MM ON OPPOSITE SPAN
FIR354	2 X HIGH WING DRILLED 42.9X114.3MM SPL170 / 6C 34.9X126.2MM
FIR381	2 X HIGH WING DRILLED 42.9X114.3MM / 38X106MM ON OPPOSITE SPAN
FIR407	7C 2 X HIGH WING DRILLED / 6C 2 X HIGH WING DRILLED
MID ASSY	
MDA6C	MID ASSY (LESS CENTRE BRG) H=210MM 45MM Ø FIRCB108
MDA6C/1	MID ASSY (LESS CENTRE 50MM Ø CTR BRG)
MDA6C/2	MID ASSY (LESS CENTRE BRG) H=170MM 55MM Ø FIRCB107
CENTRE BRG	
FIRCB108	CENTRE BRG 45X146MM
FIRCB106	CENTRE BRG 50X159MM
FIRCB107	CENTRE BRG 55X171MM
TUBE	
TUBE70X4MM	TUBE 70X4MM Ø
SHAFT ASSY	
6CYSA/10	SHORT COUPLE H = 95MM
6CYSA/1	SHORT COUPLE Lc = 165MM O&K

Part #	Comments
6CYSA/9	SHORT COUPLE H=210MM LA =75MM
6CYSA/2	SHORT COUPLE Lc = 310MM C/W LWT U/JOINTS
6CYSA/3	SHORT COUPLE Lc = 241MM C/W HWD U/JOINTS
6CYSA/4	SHORT COUPLE Lc = 259MM C/W HWD U/JOINTS
6CYSA/5	SHORT COUPLE H = 290MM
6CYSA/6	SHORT COUPLE Lc = 345MM C/W HWD U/JOINTS O&K
6CYSA/7	SHORT COUPLE Lc = 375MM C/W HWD U/JOINTS O&K
DBJ6C/1	DOUBLE JOINT L = 120MM KOMATSU
DBJ6C/2	DOUBLE JOINT L = 127MMMM CATERPILLAR
7 C	49.2 X 117.6MM UJ BHC
SLIP ASSY	
SLA7C	COMPACT STYLE, YOKESHAFT & SLEEVE 80X4MM Ø TUBE H=240MM La110MM
SLA7C.1	COMPACT STYLE, YOKESHAFT & SLEEVE 88X4MM Ø TUBE La127MM
SLA7C.2	COMPACT STYLE, YOKESHAFT & SLEEVE 88.9X2.41 MM Ø TUBE L=260MM La127MM
TUBE YOKE	
TUY7C	THREADED HOLES 80X4MM Ø TUBE H=54MM
TUY7C/2	THREADED HOLES 88X4MM Ø TUBE H=54MM
TUY7C/4	THREADED HOLES 88.9X2.41MM Ø TUBE
U'JOINT	
FIR177	7C LOW WING THREADED
FIR178A	7C HIGH WING DRILLED
FIR178	7C 4 X HIGH WING DRILLED SPICER
FIR585	7C 4 X HIGH WING DRILLED SPICER SFL
FIR326	7C COMBINATION 2 X HIGH WING DRILLED / 2 X LOW WING THREADED
FIR190	7C / 1650 SERIES COMBINATION HIGH WING DRILLED / 41.3X142.5MM
FIR312A	KOMATSU 41.3X104.3/110.8MM / 49.2X117.6MM 7C OPP SPAN 5050Q
FIR407	2 X 7C / 2 X 6C COMBINATION HIGH WING DRILLED
FIR637	7C 2 X HIGH WING DRILLED / 2 X DELTA WING DRILLED

Part #	Comments
MID ASSY	
MDA7C	MID ASSY (W/o CTR BRG 60MM Ø FIRCB195) H=200.5MM
MDA7C/2	MID ASSY (TO SUIT 60MM Ø CENTRE BRG)
MDA20.3	MID ASSY 60MM CAST CTR BRG (FIRCB37) TO SUIT MOXY DUMP TRUCK
CENTRE BRG	
FIRCB95	CENTRE BRG TO SUIT MDA7C 60MM Ø X 184MM ACROSS BOLTS
TUBE	
TUBE80X4MM	TUBE 80X4MM Ø
SHAFT ASSY	
FIRPS56	SHORT COUPLE C/w HIGH TEMP. UJ'S (280MM + 75MM) OVER UJ FACES, MAN
SHAFT ASSY	
7CYSA-10	SHORT COUPLE Lc. = 143MM W/o JOINTS La=15MM
7CYSA-2	SHORT COUPLE Lc. = 156MM W/o JOINTS
7CYSA-7	SHORT COUPLE Lc. = 178MM W/o JOINTS
7CYSA-3	SHORT COUPLE Lc. = 202MM W/o JOINTS VOLVO
7CYSA-4	SHORT COUPLE Lc. = 258MM W/o JOINTS
7CYSA-5	SHORT COUPLE Lc = 391MM O & K
7CYSA-9	SHORT COUPLE L =320mm La=155MM
DBJ7C/1	DOUBLE JOINT L = 120MM KOMATSU
DBJ7C/2	DOUBLE JOINT L = 124MM
DBJ7C/3	DOUBLE JOINT L = 136MM O & K
DBJ7C/4	DOUBLE JOINT L = 140MM KOMATSU
SHAFT ASSY	
7CB-1	KOMATSU SHAFT H=192MM W/o JOINTS
8 C	49.2 X 174.75MM UJ BHC
SLIP ASSY	
SLA8C	COMPACT STYLE, YOKE SHAFT & SLEEVE 90X4MM Ø TUBE
TUBE YOKE	
TUY8C	THREADED HOLES 90X4MM Ø TUBE

Part #	Comments
SHAFT ASSY	
8CYSA/1	YSA C/W UJ'S (344MM OVER UJ FACES, 60MM EXT.) VOLVO
8CYSA/2	YSA LESS JOINTS (262MM OVER UJ FACES,) VOLVO
U'JOINT	
FIR182	8C LOW WING THREADED
FIR183	8C HIGH WING DRILLED
FIR327	8C 2 X HIGH WING DRILLED / 2 X LOW WING THREADED
TUBE	
TUBE90X4	TUBE 90X4MM
J170	
U'JOINT	
FIR590	62X125.2MM 4 X HIGH WING JOINT
8.5 C	71.4 X 123.8MM UJ BHC
SLIP ASSY	
SLA8.5C	ELBE YOKE SHAFT & SLEEVE 100X5MM Ø TUBE (65X2.5X22) H=306MM
SLA8.5C/1	YOKE SHAFT & SLEEVE 100X6MM Ø TUBE (75X2.5X28)
SEAL TUBE	
ST8.5C	SEAL TUBE L=86.6MM
ST8.5C/1	SEAL TUBE L=99.3MM
GREASE SEAL	
3067763006	GREASE SEAL TO SUIT SEAL TUBES ABOVE
TUBE YOKE	
TUY8.5C	THREADED HOLES 100X5MM Ø TUBE
TUY8.5C/1	TUBEYOKE 100X6 Ø TUBE H=66.5MM
U'JOINT	
FIR180	8.5C LOW WING THREADED
FIR395	8.5C LOW WING DRILLED
FIR181A	8.5C HIGH WING DRILLED

Part #	Comments
FIR181	8.5C HIGH WING DRILLED SPICER VERSION
FIR481	8.5C HIGH WING DRILLED SPICER SFL VERSION
FIR204	8.5C 2 X HIGH WING DRILLED / 1710 SRS COMBINATION 5278AT
FIR328	8.5C 2 X HIGH WING DRILLED / 2 X LOW WING THREADED
BOLT KIT	
BK-6	8.5C UNIVERSAL JOINT BOLTS 2.5" X .5" UNF" TO SUIT FIR181
MID ASSY	
MDA8.5C	SPICER MID ASSY H=245MM (W/o 65MM CENTRE BRG FIRCB98)
MDA8.5C/1	MID ASSY TO SUIT 65MM Ø CENTRE BRG
CENTRE BRG	
FIRCB98	CENTRE BRG TO SUIT MDA8.5 65X210MM
SHAFT ASSY	
8.5CYSA-1	YSA W/o JOINTS H=208MM (OVER YOKE FACES) La=67MM
8.5CYSA-10	YSA W/o JOINTS H=223MM (OVER YOKE FACES) La=75MM
8.5CYSA-2	YSA W/o JOINTS H=240MM (OVER YOKE FACES) La=65MM
8.5CYSA-5	YSA W/o JOINTS H=260M (OVER YOKE FACES) La=60MM
8.5CYSA-18	YSA W/o JOINTS H=270M (OVER YOKE FACES) La=70MM
8.5CYSA-6	YSA C/w HWD SFL JOINTS Lc=275MM (OVER UJ FACES) La=30MM
8.5CYSA-4	YSA C/w HWD JOINTS Lc=310M (OVER UJ FACES) La=65MM 75x2.5x28MM
8.5CYSA-4A	YSA C/w HWD JOINTS Lc=310M (OVER UJ FACES) La=65MM
8.5CYSA-12	YSA C/w JOINTS Lc= 368MM (OVER UJ FACES) La=85MM (8.5CYSA-5 C/w UJS)
8.5CYSA-12A	YSA C/w JOINTS Lc= 368MM (OVER UJ FACES) La=77.5MM ALT BRAND C/w UJS
8.5CYSA-8	YSA W/o JOINTS H=298MM (OVER YOKE FACES) La=80MM
8.5CYSA-7	YSA ASSEMBLY Lc=430MM La=85MM C/w SFL HWD 25° La=85MM
SLEEVE	
SL8.5C	SLEEVE YOKE ONLY FOR 8.5CYSA-1 ABOVE L=160MM FACE > END OF SLEEVE SPLINE LENGTH = 120MM
YOKE SHAFT	
YS8.5C	YOKE SHAFT TO SUIT SL8.5C (PART OF 8.5CYSA-1 ABOVE)
TUBE	
TUBE 100X5	100X5MM Ø

Part #	Comments
310.000.93431	100X6MM Ø
9 C	71.4 X 168.4MM UJ BHC
SLIP ASSY	
SLA9C	ELBE COMPACT YOKE SHAFT ASSY H=319MM - 110MM SLIP (SPLINE Ø 75x2.5x28) 110X6MM TUBE Ø
SLA9C.1	SPICER COMPACT YOKE SHAFT ASSY 150MM SLIP (SPLINE Ø 90x2.5x34) 115X7.5MM TUBE Ø - BOLTS 1/2" X 20 UNF
SLA9C.2	SPICER COMPACT YOKE SHAFT ASSY 150MM SLIP (SPLINE Ø 90x2.5x34) 115X7.5MM TUBE Ø - BOLTS M12 X 1.75
SLA9C.3	SLIP ASSY TUBE 115.7.5MM H=307MM La.180MM
TUBE YOKE	
TUY9C	THREADED HOLES 110X6MM Ø TUBE - ELBE
TUY9C.1	THREADED HOLES 115X7.5MM Ø TUBE - SPICER
TUY9C.2	THREADED HOLES M12X1.75" Ø TUBE 115X7.5MM - SPICER
TUY9C.3	TUBEYOKE 115X7.5MM Ø TUBE H=75MM
U'JOINT	
FIR185	9C LOW WING THREADED
FIR186	9C HIGH WING DRILLED
FIR654	9C HIGH WING DRILLED SPICER (SFL)
FIR654A	9C HIGH WING DRILLED (SFL)
FIR270	9C TWIN DISC HIGH WING DRILLED
FIR329	9C 2 X HIGH WING DRILLED / 2 X LOW WING THREADED
FIR184	9C/1880 (2 X HIGH WING DRILLED / 2 X 1880 COMBINATION) 5-326X
FIR474	9C/1810 (2 X HIGH WING DRILLED / 2 X 1810 COMBINATION) 5-324X
BOLT KIT	
BK-6	BOLT 1/2" UNF 8.5C/9C SPICER FIR181/FIR186
BK-7	BOLT M12X1.75 9C SPICER (TO SUIT FIR186)
MID ASSY	
MDA9C	SPICER MID ASSY TO SUIT 90MM Ø CENTRE BRG)
SHAFT ASSY	
9CYS-11	SHORT COUPLE L= 289MM La= 75MM SLIP 90X2.5X34 25° - VOLVO
9CYS-1	SHORT COUPLE Lc = 325MM

Part #	Comments
9CYSА-2	SHORT COUPLE Lc = 377MM
9CYSА-3	SHORT COUPLE Lc = 435MM
9CYSА-4	SHORT COUPLE Lc = 347MM * VOLVO 11116162 *
9CYSА-4A	SHORT COUPLE Lc = 347MM * VOLVO 11116162 * ALT BRAND
9CYSА-7	SHORT COUPLE Lc = 340MM * VOLVO 11116170 *
9CYSА-9	SHORT COUPLE Lc = 395.4MM La= 130MM SLIP
TUBE	
TUBE110X6	110X6MM Ø
S990	72X138MM UJ BHC
FIR730	72X138MM S990 SRS SPICER ITALCARDANO HIGH WING DRILLED
J490 / 10.5C	88.9 X 172.7MM UJ BHC
SLIP ASSY	
SLAJ490	COMPACT STYLE, YOKE SHAFT & SLEEVE 142.2X6.4MM Ø TUBE
TUBE YOKE	
TUYJ490	THREADED HOLES 142.2X6.4MM Ø TUBE
U'JOINT	
FIR189	J490 HIGH WING DRILLED
SHAFT ASSY	
J490AS-1	SLIDING SHAFT C/W HIGH WING JOINTS
J600 / 11C	88.9 X 172.7MM UJ BHC
SLIP ASSY	
SLA11C	SPICER (COMPACT SPLINE 90x2.5x34) H=359MM La. 150MM 144 X 7MM Ø TUBE
TUBE YOKE	
TUYJ600	THREADED HOLES 165.1X7MM Ø TUBE
TUY11C	SPICER H=85MM 144 X 7MM Ø TUBE

Part #	Comments
BOLT	
BK-5	BOLT TO SUIT
U'JOINT	
FIR235	SPICER 11C HIGH WING DRILLED SINGLE ROLLER BRG CAP - 4 X SIDE LUBE
FIR309	J600 / 11C HIGH WING DRILLED DOUBLE ROLLER BRG - 4 X SIDE LUBE
10 C	92.1 X 165.1MM UJ BHC
SLIP ASSY	
SLA10C	SPICER ORIGINAL COMPACT STYLE 142X6MM Ø TUBE La=150MM (5/8" 18 UNF)
SLA10C/1	SPICER ORIGINAL COMPACT STYLE 142X6MM Ø TUBE La=150MM (M16 X 2)
TUBE YOKE	
TUY10C/1	SPICER THREADED HOLES 142X6MM Ø TUBE
U'JOINT	
FIR188	STANDARD 10C HIGH WING DRILLED
FIR188/1	SPICER HIGH WING DRILLED
FIR706	SPICER ORIGINAL 10C HIGH WING DRILLED SFL
FIR812	10C 4 X HIGH WING DRILLED SPICER HOLES 15MM - KOMATSU
SHAFT ASSY	
10CAS-3	ROCKFORD DISTRIBUTOR KIT (LESS TUBE) TO SUIT 127X9.5MM Ø TUBE
	KIT INCLUDES - SLIP ASSY (32 INV SPLINE) TUBE YOKE & U-JOINTS WITH BOLTS
10CYS-A-1	SPICER SHORT COUPLE Lz = 310MM OVER FACES LESS U/JOINTS
10CYS-A-2	SPICER SHORT COUPLE Lz = 621MM OVER JOINT FACES C/w JOINTS La=150MM
12C	92.2X241.3MM BHC
SLIP ASSY	
SLA12C	SLIP ASSY (SPICER ORIGINAL COMPACT STYLE) 160X10MM Ø TUBE
TUBE YOKE	
TUY12C	160X10MM Ø TUBE (SPICER ORIGINAL)
U'JOINT	
FIR411	12C HIGH WING DRILLED (SPICER ORIGINAL) M14 BOLT HOLES

Part #	Comments
12.5C	92.2X227MM BHC
SLIP ASSY	
SLA12.5C	SLIP ASSY (STUB & SLEEVE) 140X10MM Ø TUBE SPICER
TUBE YOKE	
TUY12.5C	140X10MM Ø TUBE SPICER
TUY12.5C/1	160X10MM Ø TUBE SPICER
U'JOINT	
FIR392	HIGH WING DRILLED SPICER
TUBE	
TUBE140X10	140X10MM Ø
J800 / 15C	100 X 200MM UJ BHC
SLIP ASSY	
SLAJ800	SPICER ORIGINAL SLIP ASSY * COMPACT STYLE * 160X10MM Ø TUBE (SPLINE = 120x2.5x46) M20x2.5 L=410MM
TUBE YOKE	
TUYJ800	THREADED HOLES M20x2.5 / 160X10MM Ø TUBE
U'JOINT	
FIR307	15C 4 X HIGH WING DRILLED ROCKFORD 3/4" X 16UNF
FIR307/1	15C SPICER 4 X HIGH WING DRILLED ROCKFORD M20X2.5
FIR307/3	15C SPICER 4 X HIGH WING DRILLED W/O BOLTS
BOLT KIT	
BK-8	BOLTS FOR 15C FIR307 U/JOINTS M20X2.5 (SOLD SINGLY 1 X BOLT)
MID STUB	FOR CATERPILLAR APPLICATIONS
2076183	ROCKFORD 57 SPLINE (H=289.1MM / BEARING Ø 96.8MM / TUBE Ø 165.1MM)
END YOKE	FOR CATERPILLAR APPLICATIONS
03079471	ROCKFORD 57 SPLINE (H=158.8MM / SPLINE Ø 92.2MM / M20x2.5)
SHAFT ASSY	
15CAS-1	ROCKFORD DISTRIBUTOR KIT (LESS TUBE) TO SUIT 165.1X9.5MM Ø TUBE
	KIT INCLUDES - SLIP ASSY (37 INV SPLINE) TUBE YOKE & U-JOINTS WITH BOLTS

Part #	Comments
15.5C	100 X 200MM UJ BHC
<i>U'JOINT</i>	
FIR790	100 X 200MM UJ BHC
14.5C	107X252MM BHC
SHAFT ASSY	KOMATSU SHORT COUPLE MECHANICS 14.5C L=463MM (LESS UJS)
<i>U'JOINT</i>	
FIR462	UNIVERSAL JOINT 14.5C 107X252MM HWD
<i>SLIP ASSY</i>	
SLA14.5C	SLIPASSY 14.5C MECHANICS 219X13.3MM H=370MM La.135MM
<i>TUBE YOKE</i>	
TUY14.5C	TUBEYOKE 14.5C 219X13.3MM TUBE H=100MM
20C	117.6 X 277MM UJ BHC
FIR791	117.6 X 277MM UJ BHC
14C	134.88X269.5MM BHC
<i>SLIP ASSY</i>	
SLA14C	SLIP ASSY H=370MM TO SUIT 219X13.3MM Ø TUBE 25° La=135MM M18X1.5MM
<i>TUBE YOKE</i>	
TUY14C	TUBE YOKE H= 100MM TO SUIT 219X13.3 Ø TUBE 25° L=100MM M18X1.5MM
<i>U'JOINT</i>	
	DETAILS AND AVAILABILITY UPON REQUEST



SPL Style Series

SPL41 - SPL250

Part #	Comments
SPL41	30.2X106.3MM UJ
YOKE SHAFT ASSY	
SLA92.1	YOKE SHAFT, SLEEVE, & RUBBER BOOT KIT 76.2X2.1MM TUBE C/W U/J
SLA92.2	YOKE SHAFT, SLEEVE, & RUBBER BOOT KIT 76.2X2.1MM TUBE LESS UJ
TUBE YOKE	
TUY6.5	TO SUIT 76.2X2.1MM TUBE
FLANGE YOKE	
FLY6.3	120X4X11MM H=57MM
FLY6.8	120X8X10MM H=64MM
FLY6.5	120X8X10MM H=55MM
MID STUB	
MDS6.5	10 SPLINE 3X.082" TUBE
END YOKE	
ENY6.1	END YOKE 10 SPLINE 3-4-11831-1
CENTRE BRG	
FIRCB17	40X168X27MM
FIRCB17/1	1410 & 1480 / 45X168X27MM SPICER 212139-1X
U/JOINT	
FIR802	**NEAPCO GOLD LINE** (SFL)
FIR211	SPL41 SPICER (SFL) TRIPLE LIP SEAL 5-641X ORIGINAL SPICER
TUBE	
TUBE76.2X2.1	3.00X0.082" 76.2X2.1MM TUBE
SPL55	34.9 X 106.4MM UJ
YOKE SHAFT ASSY	
SLA64.1	110MM SLIP / 88.9X2.1MM TUBEW/o U/JOINT

Part #	Comments
SLA64.2	110MM SLIP / 88.9X2.1MM TUBE & FIR441 SFL
FLANGE YOKE	SEE 1480 OR 2030 SRS
FLY64.1	PLEASE USE FLY26.10 OR FLY26.6 - SECTION # 4
FLY64.3	PLEASE USE FLY26.2 OR FLY7.3 - SEE SECTIONS # 4 & 13
FLY64.2	PLEASE USE FLY26.9 - SEE SECTION # 4
FLY64.4	PLEASE USE FLY7.1 OR FLY26.8 - SEE SECTIONS # 4 & 13
TUBE YOKE	
TUY64.1	PLEASE USE TUY7.1, TUY26.1 OR TUY26.3 - SEE SECTIONS 4 & 13
END YOKE	
ENY64.1	NOW USE ENY7.1 - SEE SECTION # 13
STRAP KIT	
3.70.38X	1480 / 1550 SPICER (CONSISTS OF 1 X STRAP 2 X BOLTS)
MID STUB	
MDS64.1	NOW USE MDS7.2 - SEE SECTION # 13
MID NUT	
MN16.74.101	MID NUT TO SUIT MDS64.1
U'JOINT	
FIR440	LUBE SPL55-1X
FIR441	NON LUBE SPL55X SFL
FIR263	1480 STANDARD
CENTRE BRG	
FIRCB17	40X168X27MM
FIRCB17/1	1410 & 1480 / 45X168X27MM SPICER 212139-1X
TUBE	
TUBE88.9X2.1	3.50X.082" (88.9X2.1MM)
SPL70	34.9X126.2MM
YOKE SHAFT ASSY	
SLA90.1	110MM SLIP / 88.9X2.41MM TUBE & FIR250 JOINT


Part #	Comments
GAITOR ASSY	
70-13-19	RUBBER GAITOR C/W CLIP 231438-24
FLANGE YOKE	
FLY10.6	120X4X11MM 4-2-35SI H=65MM
FLY10.5	150X4X13MM 4-4-25 H=68MM
TUBE YOKE	
TUY10.1	3.5X.095" (88.9X2.4MM)TUBE 4-28-307 H=56MM
TUY10.3	3.5X.095" (88.9X2.4MM) TUBE H=56MM
END YOKE	
ENY10.1	END YOKE 10 SPLINE
MID STUB	
MDS10.1	10 SPLINE 88.9X2.41MM TUBE
MID NUT	
MN231502	NUT TO SUIT MDS10.1
CENTRE BRG	
FIRCB01	45X194X27MM
FIRCB01/1	SPICER STANDARD 45X194X27MM 210084-2X
U'JOINT	
FIR250	SPL70X SFL 34.9X126.2MM
FIR275	STANDARD 1550 34.9X126.2MM
FIR354	6C 2 X HIGH WING DRILLED 42.9X114.3MM SPL70 / 6C SPICER
FIR554	SPL70-1X LUBE TYPE 34.9X126.2MM
TUBE	
TUBE350X095	3.50X0.095" (88.9X2.4MM)
PROPSHAFT	
FIRPS78	DENNIS DART SPL70 / 6C HWD SHAFT @ 261MM OVER FACES
FIRPS80	DENNIS DART SLF 659166 Lz=545MM
FIRPS92	DENNIS DART SPL70 @ 505MM OVER FACES

Part #	Comments
SPL90/SPL100	41.3 X 126.2MM UJ
SLIP ASSY	
SLA12.1	SLIP JOINT ASSY, STUB, SLEEVE & U/JOINT
SLEEVE YOKE	
SL12.1	SLEEVE 110MM SLIP L=256MM
SLIP STUB	
SS12.1	101.6X3.4MM TUBE 110MM SLIP
FLANGE YOKE	
FLY12.4	120X4X11MM H=70MM 4-2-35
FLY12.5	120X8X10 H=83.3MM (25°)
FLY12.1	150X8X12MM H=83.3MM
FLY12.3	150X4X13MM H=75MM 4-2-25
FLY12.2	1610SAE H=83.3MM
TUBE YOKE	
TUY12.1	TO SUIT 103.9X4.6MM TUBE 90-28-27 H=75MM
END YOKE	
ENY12.1	34 INVOLUTE SPLINE USE WITH MDS12.1
MID STUB	
MDS12.1	34 INVOLUTE SPLINE 101.6X3.4MM TUBE USE WITH ENY12.1 L=107MM
STRAP KIT	
90-70-28X	SPL90 (CONSISTS OF 1 X STRAP 2 X BOLTS)
MID NUT	
MN231502	NUT TO SUIT MDS12.1
U'JOINT	
FIR103	LUBE SPL90 (GENUINE SPICER)
FIR103A	LUBE SPL90 ALTERNATIVE
FIR386	NON LUBE SPL90/100 (GENUINE SPICER) SFL
CENTRE BRG	
FIRCB01	45X194X27MM
FIRCB01/1	SPICER STANDARD 45X194X27MM 210084-2X

Part #	Comments
TUBE	
TUBE101.6X3.4	101.6X3.4MM
SPL140	49.2X139MM UJ ** LIMITED STOCK AVAILABLE**
FLANGE YOKE	
FLY78.1	150X4X13MM H=79MM **LIMITED STOCK**
FLY78.2	180X4X15MM H=82MM **LIMITED STOCK**
COMP FLANGE	
CPF78.1	150X4X13MM 30 SPLINE TO SUIT MDS78.1 **LIMITED STOCK**
MID STUB	
MDS78.3	30 SPLINE 2040/SPL140 120X3MM TUBE (USE WITH CPF78.1 & CPF78.2) **LIMITED STOCK**
MID NUT	
MN76.1	NUT TO SUIT SPL 140, 170 & 250 MID STUBS
U'JOINT	
FIR251	49.2X139MM CENTRE LUBE C/W FITTINGS
RETAINER	
211941X	(CONSISTS OF 1 X PLATE & 2 X BOLTS)
CENTRE BRG	
FIRCB27	50X194X30MM 7080-5001
FIRCB27/1	50X194MM 210121-1XE SPICER
FIRCB82	50X194X30MM SOLID RUBBER
TUBE	
TUBE115.75X4.11	TUBE 115.75X4.11MM
SPL170	55X164MM UJ **LIMITED STOCK AVAILABLE**
TUBE YOKE	
TUY76.1	TO SUIT 128.5X4.25MM (OR 130X5MM) TUBE 170.28.17
COMP FLANGE	
CPF76.1	180X4X15 46 SPLINE 70MM SPLINE DEPTH TO SUIT MDS76.1

Part #	Comments
MID STUB	
MDS76.1	46 SPLINE 70MM SPLINE DEPTH TO SUIT CPF76.1 (128.5X4.2MM)
MDS76.3	46 SPLINE 56MM SPLINE DEPTH TO SUIT CPF76.3 (128.5X4.2MM)
MID NUT	
MN76.1	NUT TO SUIT SPL140, 170 & 250 MID STUBS
U'JOINT	
FIR266	55X164MM / CENTRE LUBE C/W SUNDRIES PREMIUM
FIR266A	55X164MM / CENTRE LUBE C/W SUNDRIES ALTERNATIVE
RETAINER	
211941X	(CONSISTS OF 1 X PLATE & 2 X BOLTS)
CENTRE BRG	
FIRCB42A	60X219X36MM - ALTERNATIVE
FIRCB42	60X219X36MM SLOTTED RUBBER
FIRCB79	60X200X35.5MM SLOTTED RUBBER - RENAULT
SPL250	60X163MM UJ **LIMITED STOCK **
SLIP ASSY	
SLA77.1	110MM SLIP TO SUIT 130X5MM TUBE LESS UJ & FLANGE
SLA77.2	180MM SLIP TO SUIT 130X5MM TUBE LESS UJ & FLANGE
FLANGE YOKE	
FLY77.1	180X4X15MM H=91MM
FLY77.2	1810SAE H=89MM
TUBE YOKE	
TUY77.1	TO SUIT 130X5MM TUBE
COMP FLANGE	
CPF76.1	180X4X15 46 SPLINE 70MM SPLINE DEPTH TO SUIT MDS76.1
MID STUB	
MDS76.1	46 SPLINE 70MM SPLINE DEPTH TO SUIT CPF76.1 (130X5MM)
MDS59.4	46 SPLINE H=163MM TO SUIT CPF76.1 & FIRCB79 OR FIRCB42 (120X6MM) RENAULT

Part #	Comments
MID NUT	
MN76.1	NUT TO SUIT SPL 140, 170 & 250 MID STUBS
U'JOINT	
FIR267	60X163MM / CENTRE LUBE C/W SUNDRIES - ORIGINAL SPICER
FIR267A	60X163MM / CENTRE LUBE C/W SUNDRIES - ALTERNATIVE
RETAINER	
211941X	(CONSISTS OF 1 X PLATE & 2 X BOLTS)
CENTRE BRG	
FIRCB42A	60X219X36MM - ALTERNATIVE
FIRCB42	60X219X36MM SLOTTED RUBBER
FIRCB208	60X219X36MM VOLVO & RENAULT KERAX H=84.6MM
FIRCB79	60X200X35.5MM SLOTTED RUBBER - RENAULT
TUBE	
TUBE130X5	TUBE 130X5MM





DIN Style Series

Including 473. 287. and 587. Series

Part #	Comments
473.10	15X40.1MM
FLANGE YOKE	
FLY120.2	FLANGE 58X4X5MM H=29MM
FLY120.1	FLANGE 65X4X6MM H=29MM
SLIP ASSY	
SLA473.10	58X4X5MM TO SUIT 28X1.5MM H=159MM
SLEEVE YOKE	
SL120.1	SLEEVE YOKE 473.10 H=96MM 30° 22X2X19 DIN5482
SLIP STUB	
SS120.1	SLIP STUB 473.10 H=114MM 28X1.5MM TUBE 22X2X19 DIN5482
TUBE YOKE	
TUY120.1	TO SUIT 28X1.5MM H=32MM
U/JOINT	
FIR01	15X40.1MM 473.10 END LUBE
TUBING	
TUBE28X1.5MM	ELBE 0.105 & GWB 473.10 SRS
473.20	19 X 48MM UJ
FIXED JOINT	
FE97.1	65X4X6MM FIXED JOINT ASSY - 72MM WELD TO FLANGE FACE
SLIP JOINT	
SLA97.1	65X4X6MM SLIP JOINT ASSY
FLANGE YOKE	
FLY97.1	65X4X6MM H=32MM
FLY97.2	65X4X6MM H=38MM
FLY97.3	75X6X6MM H=32MM

Part #	Comments
TUBE YOKE	
TUY97.1	TO SUIT 38X2.5MM Ø TUBE H=40MM
SLIP STUB	
SS97.1	TO SUIT 38X2.5MM Ø TUBE H=110MM
SLEEVE YOKE	
SL97.1	H=88MM
SPLINED BAR	
2473301900550	LENGTH = 555MM SPLINE 25X22
SLEEVE	
247320800000	SLEEVE TO SUIT SPLINED BAR 2473301900550 H=88MM
END YOKE	
2473203000135	END YOKE FOR SPLINED BAR H=60MM
U/JOINT	
FIR10	19X48MM CENTRE LUBE
FIR460	19X48MM END LUBE
TUBING	
TUBE38X2.5MM	38X2.5MM Ø
473.30	22 X 58.9MM UJ
U/JOINT	
FIR23	22X58.9MM 473.20 SRS CTR LUBE
FLANGE YOKE	
FLY117.7	75MM DIAMETER BLANK H=39MM 30°
FLY117.1	75X6X6MM H=39MM 30 DEGREES
FLY117.2	75X6X6MM H=45MM 35 DEGREES
FLY117.8	90MM DIAMETER BLANK H=39MM 30°
FLY117.3	90X4X8MM H=32MM 25 DEGREES
FLY117.4	90X4X8MM H=39MM 30 DEGREES
FLY117.6	97X4X9.6MM 1310SAE H=39MM 30°
FLY117.9	100MM DIAMETER BLANK H=42MM 35°

Part #	Comments
FLY117.5	100X6X8MM H=42MM 35 DEGREES
TUBE YOKE	
TUY117.1	40X2MM H=40MM 35°
TUY117.2	50X1.8MM H=40MM 25°
287.00	26 X 69.8MM
SHAFT ASSY	
287.00AS-2	PROPSHAFT WELDED ONE END TUBE Ø 50X3MM FLANGE 90X4X8MM
SLIP ASSY	
SLA40.3	90X4X8MM 50X3MM Ø TUBE H=295MM
FIXED END	
FE40.2	87X4X8.1MM 1140SAE 50X3MM Ø TUBE H=102MM
FLANGE YOKE	
FLY40.12	90X4X8MM H=40MM
FLY40.8	1140 SAE H=52MM
FLY40.7	1310 SAE H=52MM
FLY40.17	122X4X10 H=42MM MERCEDES VITO
U/JOINT	
FIR193	26X69.8MM CENTRE LUBE
FIR697	26X69.8MM CENTRE LUBE - INC METAL SEALS
FIR221	26X69.8MM END LUBE
FIR46	26X69.8MM PLUGGED / SFL EXT. CIRCLIP U741
TUBE YOKE	
TUY40.5	TO SUIT 60X3MM H=40MM MERCEDES VITO
YOKE SHAFT	
YS40.2	YOKESHAFT L=194MM MERCEDES VITO
SLEEVE	
SL40.2	TUBE SLEEVE 26X70MM 60X2MM H=152MM VITO - USE WITH YS40.2
SL40.3	TUBE SLEEVE 26X70MM 60X2MM H=77MM VITO - USE WITH YS40.2

Part #	Comments
287.10	30 X 81.8MM UJ
<i>SHAFT ASSY</i>	
287.10AS-6	PROPSHAFT WELDED ONE END FLANGES 1310SAE INC 1000MM TUBE 50X3MM Ø
287.10AS-2	PROPSHAFT WELDED ONE END FLANGES 1410SAE INC 1000MM TUBE 50X3MM Ø
287.10AS-3	PROPSHAFT WELDED ONE END FLANGES 120X8X8MM INC 1000MM TUBE 50X3MM Ø
287.10AS-5	PROPSHAFT WELDED ONE END FLANGES 100X6X8MM L=1500MM 50X3MM Ø
287.10AS-4	PROPSHAFT WELDED ONE END FLANGES 100X6X8MM L=1500MM 60X3MM Ø
<i>SLIP ASSY</i>	
SLA42.3	TO SUIT 50X3MM Ø TUBE H=243MM 110MM SLIP
SLA42.10	TO SUIT 50X3MM Ø TUBE H=245MM 110MM SLIP 35°
SLA42.6	TO SUIT 70X3MM Ø TUBE H=270MM 110MM SLIP
SLA42.9	TO SUIT 60X3MM Ø TUBE H=245MM 110MM SLIP
SLA42.11	TO SUIT 3X0.095" Ø TUBE H=220MM 110MM SLIP 35°
SLA42.15	TO SUIT 90X3MM Ø TUBE H=???MM 110MM SLIP 35°
<i>FLANGE YOKE</i>	
FLY42.26	97X4X10MM 1310 SRS H=58MM 35° 1310 SAE
FLY42.20	100X4X9MM 100KV H=??
FLY42.19	100X6X8MM H=58MM 35° C/w CENTRE HOLE IN FACE
FLY42.6	100X6X8MM H=58MM 35°
FLY42.3	100X8X8MM H=48MM - MERCEDES G WAGEN
FLY42.7	100X8X8MM H=58MM
FLY42.27	116X4X11MM H=58MM 35° 1410SAE 11.1MM HOLES
FLY42.5	116X4X11MM H=48MM 35° 1410SAE 11.1MM HOLES
FLY42.29	116X4X11MM H=58MM 35° 1410SAE 12.2MM HOLES
FLY42.2	120X4X10MM MERCEDES SPRINTER
FLY42.4	120X8X8MM H=48MM
FLY42.30	120X8X10MM H=60MM 35°
FLY42.31	120X8X8MM H=60 MM 35°
<i>TUBE YOKE</i>	
TUY42.2	50X3MM Ø TUBE H=55MM 35°

Part #	Comments
TUY42.4	60X3MM TUBE Ø H=55MM
TUY42.1	70X2MM TUBE Ø H=55MM
TUY42.5	76X2.41MM (3.0X.095") TUBE Ø H=45MM 25°
TUY42.3	80X2MM TUBE Ø H=55MM
TUY42..9	90X3MM TUBE Ø H=58MM
END YOKE	
ENY42.1	END YOKE 30MM BORE W/o KEY H=90MM
U'JOINT	
FIR71	30X81.8MM / CENTRE LUBE U742 / GUA-10
FIR71/1	30X81.8MM 287.10 CENTRE LUBE INA BRG CAPS
FIR491	30X81.8MM / NON LUBE
FIR553	30X810.8MM / 4 X END LUBE
TUBING	
TUBE50X3	50X3MM Ø
TUBE60X3	60X3MM Ø
587.10 (287.20)	35 X 96.8MM UJ
SHAFT ASSY	LIMITED AVAILABILITY SEE ELBE SECTION SERIES 0.112 35X97MM
0012250YSA	YSA LESS FLANGE & UJ / 288MM UJ CENTRES (INCLUDES DUST CAP)
587.10AS-2	WELDED ONE END 58710 120X8X10 70X3MM La=120MM SLIP L = 1600MM F-F
587.10AS-5	WELDED ONE END 58710 120X8X8 70X3MM La=110MM SLIP L = 1000MM F-F
587.10AS-4	WELDED ONE END 58710 1410SAE (M11)70X3MM La=120MM SLIP L = 1050MM F-F
SLIP ASSY	
SLA73.8	SLIPASSY 58710 70X3MM La.120MM H=2403MM
FLANGE YOKE	
FLY73.7	100MM BLANK H=65MM
FLY73.2	100X6X8 MM H=65MM
FLY73.8	116X4X11MM 1410 SAE H=56MM
FLY73.3	120X6X10 H=70MM
FLY73.4	120X8X8 H=56MM

Part #	Comments
FLY73.9	120X8X8 H=70MM
FLY73.11	120X8X10 H=70MM
FLY73.15	150X8X10MM H=56MM
FLY73.16	150X8X12MM H=56MM
TUBE YOKE	
TUY73.1	TO SUIT 70X3MM Ø TUBE H=68MM
TUY73.4	TO SUIT 70X3MM Ø TUBE H=70MM 35°
U'JOINT	
FIR90	35X96.8MM / CENTRE LUBE
FIR207	35X96.8MM / END LUBE
FIR716	35X96.8MM / SFL C/w INA BRG CAPS
TUBING	
TUBE70X3	70X3MM Ø
TUBE70X4	70X4MM Ø
587.15 / 253	42 X 104.5MM UJ
SHAFT ASSY	
0012742YSA	"GERMAN ALT" YSA (9.03) L.360MM UJ CL - La.110mm
587.15YSA-1	"GERMAN ALT" YSA (9.03) L.380MM UJ CL - La.40MM
587.15YSA-7	YSA 587.15 365MM-240MM UJ CL La.100MM WITH SEAL TUBE & PLUG - 55X2.5 SPLINE
SLIP ASSY	
SLA46.1	KLEIN La.110MM / 80X3.5MM Ø TUBE H=299MM 35°
SLA46.2	La.160MM / 80X3.5MM Ø TUBE H=328MM 35°
SLA46.3	La.250MM / 80X3.5MM Ø TUBE H=393MM 35°
SLA46.4	La.110MM / 80X3.5MM Ø TUBE H=278MM 35°
FLANGE YOKE	
FLY46.8	120X4X11MM H=75MM 35°
FLY46.9	120X4X10.5MM H=75MM SPIRAL SERRATION UNIMOG 26 TEETH 35°
FLY46.1	120X8X10MM H=75MM

Part #	Comments
FLY46.18	120X8X10MM H=75MM 35°
FLY46.22	130X8X10MM H=70MM MERCEDES (MALE SPIGOT82.4MM)
FLY46.5	146X4X14.2M .1510SAE (M14.2 HOLES) H=80MM
FLY46.6	150X8X10MM H=62MM
FLY46.7	150X8X12MM H=80MM 35°
TUBE YOKE	
TUY46.1	80X3.5MM Ø TUBE 35°
TUY46.2	52X4MM Ø TUBE 35° MERCEDES UNIMOG
TUY46.3	80X3.5MM Ø TUBE 35°
MID ASSY	
MDA46.1	120X8X10MM W/o BRG FIRCB25 / 80X3.5MM Ø TUBE 587.15
MDA46.2	150X8X12MM INC FIRCB33 55MM BRG / 80X3.5MM Ø TUBE 587.15 DAF
MID STUB	
MDS46.4	INDUSTRIAL MID STUB 45MM Ø 80X3.5MM 45X2.5 H=141MM
MID NUT	
MN46.1	MID NUT 587.15 SRS 27X1.5
COMP FLANGE	
CPF56.1	COMP-FLANGE 58730 150X8X12 55MM BRG TO SUIT MDS46.4
SLEEVE	
SL46.1	TO SUIT SLA46.1 / 80X3.5MM Ø TUBE
SL46.2	TO SUIT 80X3.5MM Ø TUBE / H=118MM - UNIMOG
SEAL TUBE	
ST46.1	TO SUIT SLA46.1
GREASE SEAL	
212.253.04005	TO SUIT ST46.1
U'JOINT	
FIR107	42X104.5MM / CENTRE LUBE - KLEIN
FIR576	42X104.5MM / CENTRE LUBE - INA BRG CAPS
FIR521	42X104.5MM SKF MAINTENANCE FREE

Part #	Comments
CENTRE BRG	
FIRCB25	45X200X19MM TRACK SOLID RUBBER MAN
FIRCB33	55X200X36MM / WIDE TRACK 587.15
FIRCB33A	55X200X36MM / WIDE TRACK 587.15 - ALTERNATIVE
TUBING	
310.000.93419	80X3.5MM Ø TUBE
587.20 / 375	48 X 116.5MM UJ
SHAFT ASSY	
375YSA-3	DAF COACH SHAFT @ 540MM FFC 165X8X16
375YSA-2	YSA W/O FL & UJ 260MM UJ CTRS CLOSED (CAN BE REDUCED TO 225MM UJ CTRS)
	** SUPPLIED AT MAX LENGTH OF 350MM UJ CTRS DUE TO EXTENDED SLEEVE**
375YSA-4	YSA ** RILSAN ** W/O FL & UJ (365MM UJ CENTRES CAN SHORTEN TO 240MM)
	(SUPPLIED WITH SEAL TUBE + SEAL)
SLIP ASSY	
SLA51.1	La.110MM / 85X5MM Ø TUBE H=312MM 35°
SLA51.2	La.160MM / 85X5MM Ø TUBE H=367MM 35°
FLANGE YOKE	
FLY51.8	122X4X11MM H=75MM - UNIMOG 26 TEETH
FLY51.16	122X4X13MM H=75MM - UNIMOG
FLY51.10	150MM Ø DIN BLANK
FLY51.5	150X4X13MM KV H=86MM 35°
FLY51.1	150X8X10MM H=86MM 35°
FLY51.2	150X8X12MM H=86MM 35°
FLY51.13	165X8X16MM H=86MM
FLY51.7	174X8X9.6MM 1610SAE H=86MM FORD
FLY51.6	180X8X14MM H=86MM
FLY51.20	180X10X16MM H=90MM
FLY51.4	180MM Ø DIN BLANK H=86MM
FLY51.9	203X8X9.6MM 1710SAE H=86MM

Part #	Comments
FLY51.17	6C MECHANICS FLANGE YOKE C.V. H=75MM
FLY51.18	150X8X12 FLANGE YOKE C.V. H=75MM
FLY51.19	150X4X13 KV FLANGE YOKE C.V. H=75MM
FLY51.12	174X8X9.6MM 1610SAE FLANGE YOKE C.V. H=75MM
TUBE YOKE	
TUY51.1	TO SUIT 85X5MM Ø TUBE H=85MM 35°
TUY51.2	TO SUIT 35MM SOLID BAR UNIMOG
TUY51.3	TUBE YOKE C.V TO SUIT 85X5MM Ø H-85MM
MID ASSY	
MDA51.1	150X8X12MM INC 55MM Ø BRG / 85X5MM Ø TUBE 587.20 DAF & IVECO
MDA51.2	150X4X13MM INC 65MM Ø BRG FIRCB55 95MM S/O / 85X5MM Ø TUBE DAF
MDA51.3	176MM 1610SAE INC 55MM Ø BRG / 85X5MM Ø TUBE FORD
COMP FLANGE	
CPF37.1	KLEIN 150X4X13MM 103MM S/O / TO SUIT 65MM Ø C/BRG FIRCB55 DAF
MID STUB	
MDS51.1	KLEIN 85X5MM Ø TUBE TO SUIT 55MM Ø CTR.BRG FIRCB33 DAF, FORD & MAN
MDS51.2	KLEIN 85X5MM Ø TUBE USE WITH FIRCB55 & CPF37.1 DAF
DOUBLE JOINT	
DBJ51.1	JOINT COMPLETE 150X8X12MM 85X5MM Ø TUBE
DBJ51.2	JOINT COMPLETE 175MM (1610SAE) 85X5MM Ø TUBE
DBJ51.3	JOINT COMPLETE 587.20 / 6C MECHANICS 80X3.5MM Ø TUBE
DBJ51.5	JOINT COMPLETE 150KV 4X13MM 85X5MM Ø TUBE
DBJ51.6	JOINT COMPLETE 150X8X12MM 85X5MM Ø TUBE O/A LENGTH = 283MM
SLEEVE	
SL51.1	TO SUIT SLA51.1 85X5MM Ø TUBE L=207MM
SEAL TUBE	
ST51.1	TO SUIT SLA51.1
GREASE SEAL	
212.375.04006	TO SUIT ST51.1

Part #	Comments
U'JOINT	
FIR06	48X116.5MM / CENTRE LUBE GENUINE KLEIN
FIR163	48X116.5MM / CENTRE LUBE
FIR163/1	48X116.5MM 587.20 / CENTRE LUBE INA BRG CAPS
FIR498	48X116.5MM GENUINE KLEIN INC SKF BRG CAPS DAF
FIR650	GWB 587.20 ORIGINAL CENTRE LUBE
CENTRE BRG	
FIRCB33	55X200X36MM 587.15, 587.20 & 587.30 DAF / MAN
FIRCB33A	55X200X36MM / WIDE TRACK 587.15 - ALTERNATIVE
FIRCB55	65X200X18MM / SOLID RUBBER & SEAL DAF
FIRCB45	65X200X18MM / STANDARD IVECO
TUBING	
310.000.93421	TUBE 85X5MM Ø
587.30 / 495	52 X 133MM UJ
SHAFT ASSY	
1244408	ORIGINAL DAF INTER AXLE SHAFT 1244408 180KV 180MM SLIP 44° @ 693MM FFC
495YSA-2	165X8X16 & 180X10X16MM 580MM FFC DAF COACH
495YSA-3	165X8X16MM 460MM FFC DAF COACH
495YSA-5	150X4X13MM 500MM FFC MAN
SHAFT ASSY	
495YSA-7	257MM UJ CL COMPRESSED ** CAN REDUCE TO 205MM UJ CL **
0012826YSA	400MM UJ CL COMPRESSED (INC COVER TUBE + PLUG)
	** CAN REDUCE TO 245MM UJ CL **
0012826YSA/1	GWB 400MM JOINT CENTRES COMPRESSED (LESS COVER TUBE + PLUG)
495YSA-10	260MM JOINT CENTRES COMPRESSED (LESS COVER TUBE + PLUG) RILSAN
SLIP ASSY	
SLA56.1	KLEIN La.110MM / 90X5.5 & 92X6.5MM Ø TUBE 35° H=330MM (INC COVER TUBE)
SLA56.2	KLEIN La.180MM / 90X5.5MM TUBE Ø 35° H=359MM DAF/IVECO (INC COVER TUBE)
SLA56.4	La.110MM / 90X5.5MM & 92X6.5MM Ø TUBE H=328MM (INC COVER TUBE)

Part #	Comments
SLA56.5	GWB 587.30 La.110MM / YSA H=328MM UJ CL/WELD CL (USE WITH TUY56.4)
SLA56.6	GWBLa.110MM 92X6.5MM H=330M (INC COVER TUBE)
FLANGE (KV)	
FLY56.1	150X4X13MM H=90MM 35°
FLY56.23	165X4X13MM H=93MM MERCEDES APPLICATIONS
FLY56.20	180X4X15MM H=90MM 35°
FLY56.3	180X4X15MM H=95MM 35° KLEIN
FLANGE (DIN)	
FLY52.16	150X4X12MM DIN FLANGE H=58MM 15°
FLY56.27	150X8X12MM H=90MM
FLY56.2	150X8X12MM H=95MM 35°
FLY56.4	165X8X14MM H=95MM
FLY56.32	165X8X16MM H=95MM 35° USE FOR MAN & DAF COACH APPLICATIONS
FLY56.31	180X8X12MM H=78MM 24°
FLY56.14	180X8X12MM H=95MM 35°
FLY56.15	180X8X14MM H=66MM
FLY52.9	180X8X14MM H=82.5MM
FLY56.21	180X8X14MM H=90MM
FLY56.24	180X8X16MM H=90MM
FLY56.26	180X10X16MM H=78MM
FLY56.37	180X10X16MM H=90MM
FLY56.34	180X10X16MM H=90MM GWB
FLY56.11	180X10X16MM H=95MM 35°
FLY56.8	180X10X16MM H=95MM 35° KLEIN
FLY56.9	180MM Ø DIN BLANK H=92MM 35°
FLANGE (SAE)	
FLY56.25	174MM 1610SAE (M9.6 HOLES) H=90MM
FLY56.17	203MM 1710SAE (M10.25 HOLES) H=80MM
FLY56.28	203MM 1710SAE (M10.25 HOLES) H=93MM
FLY56.19	203MM 1810SAE (M10.25 HOLES) H=93MM

Part #	Comments
TUBE YOKE	
TUY56.1	90X5.5 / 92X6.5MM Ø TUBE 35°
TUY56.2	(BORED TO SUIT DAF INTER/AXLE PROP) / 90X5.5MM Ø TUBE
TUY56.4	GWB 587.30 SHORT COUPLE H=94MM UJ CL/WELD CL (USE WITH SLA56.5)
TUY56.5	58730 ALT 90X5.5MM H=90MM Ø TUBE
TUY56.6	58730 ALT 92X5MM Ø TUBE 35°
MID ASSY	
MDA56.1	150X8X12MM INC 55MM Ø BRG 90X5.5MM Ø TUBE 587.30 DAF & IVECO
MDA56.2	165X8X16MM INC 55MM Ø BRG / 90X5.5MM Ø TUBE 587.30 DAF
MDA56.5	165X8X16MM INC 60MM Ø BRG / 90X5.5MM Ø TUBE 587.30 DAF
SLEEVE	
SL56.1	TO SUIT SLA56.1 / 90X5.5 & 92X6.5MM Ø TUBE La.110MM
SL56.2	TO SUIT SLA56.2 / 90X5.5 & 92X6.5MM Ø TUBE La.180MM
SL52.4	TO SUIT SLA56.2 / 92X5MM Ø TUBE La.180MM
SEAL TUBE	
ST56.1	TO SUIT SLA56.1 L=160MM C/w SEAL 212.400.15643
ST56.2	TO SUIT SLA56.2 L=203MM C/w SEAL 212.400.15643
GREASE SEAL	
212.400.15643	TO SUIT ST56.1 & ST56.2
U'JOINT	
FIR08	52X133MM / CENTRE LUBE GENUINE KLEIN
FIR16	52X133MM / CENTRE LUBE INA BEARINGS
FIR16A	52X133 / CENTRE LUBE / ALTERNATIVE
FIR753	ORIGINAL GWB CENTRE LUBE
FIR574	52X133MM KLEIN MAINTENANCE FREE SFL
CENTRE BRG	
FIRCB33	55X200X36MM GWB587.15, 587.20 & 587.30
FIRCB33A	55X200X36MM GWB587.15, 587.20 & 587.30 - ALTERNATIVE
FIRCB40	60X200X35MM DAF SOLID RUBBER WITH LUBE

Part #	Comments
TUBING	
TUBE90X5.5	90X5.5MM Ø
587.35 / 600	57 X 144MM UJ
SHAFT ASSY	
0013062YSA	YSA LESS FLANGE & UJ 430M UJ CENTRES (INCLUDES SEAL TUBE & PLUG)
605YSA-2	DAF PROPSHAFT 1448449 / La 180MMT 180KV SFL Lz.693MM
SLIP ASSY	
SLA57.1	110MM SLIP 100X6MM W/o FL & UJ H=348MM
SLA57.2	110MM SLIP / 110X6MM Ø TUBE
SLA57.4	160MM SLIP DAF INTER AXLE 9.01 DESIGN USE WITH TUY57.2
SLEEVE	
SL57.2	FEMALE SPLINED SLEEVE (PART OF SLA57.4) SLIP 180MM
FLANGE YOKE	
FLY57.13	150X4X13MM H=100MM 35° - MAN
FLY57.8	165X8X16MM H= 100MM 35° **LIMITED STOCK**
FLY57.4	180X4X15MM H=100MM 35°
FLY57.1	180X8X14MM H=100MM 35°
FLY57.2	180X10X16MM H=100MM 35°
FLY57.14	180MM Ø DIAMETER BLANK
FLY57.7	180X10X16MM OFF SET HOLES H=100MM 35° IVECO
FLY57.15	203MM 1710SAE (8X9.6MM HOLES) H=100MM
FLY57.5	203MM 1810SAE (12X11MM HOLES) H=100MM **LIMITED STOCK**
FLY57.6	225X8X16MM H=85MM
TUBE YOKE	
TUY57.1	100X6MM & 104X8MM Ø TUBE H=103MM
TUY57.2	DAF INTER AXLE USE WITH SLA57.4
MID ASSY	
MDA57.1	180X10X16MM INC 60MM Ø BRG 100X6MM Ø FORD & DAF
MDA57.2	180X4X15MM INC 60MM Ø BRG / 100X6MM & 104X8MM Ø TUBE

Part #	Comments
MDA57.3	180X10X16MM INC 60MM Ø BRG (CAST TYPE) 100X6MM Ø TUBE MAN
COMP FLANGE	
CPF57.1	180X10X16MM TO SUIT 60MM Ø CTR BRG & MDS57.1
CPF57.4	180X10X16MM - GROVE CRANE
CPF57.5	203MM 1810SAE 12 BOLT
MID STUB	
MDS57.1	MIDSTUB 58735 600 100X6MM 60MM BRG.
MDS57.3	TO SUIT 100X6MM Ø TUBE, 60MM Ø CTR BRG FIRCB75 MAN
SEAL TUBE	
ST62.1	TO SUIT SLA57.1
GREASE SEAL	
212.600.04008	TO SUIT ST62.1
U'JOINT	
FIR141	57X144MM / CENTRE LUBE INC INA BEARINGS
FIR538	57X144MM SFL MAINTENANCE FREE
FIR619	57X144MM LUBE IN ALL 4 INA BEARING CAPS
CENTRE BRG	
FIRCB35	60X200X36MM / STANDARD IVECO
FIRCB40	60X200X35MM / HARD RUBBER WITH LUBE IN RACE DAF
TUBING	
310.000.93431	100X6MM Ø
DOUBLE JOINT	
DBJ57.1	DOUBLEJOINT 58735 180X8X14 100X6MM H=320MM
DBJ57.2	DOUBLEJOINT 58735 180X8X16 110X6MM H=320MM
587.42 / 650	57 X 152MM UJ (SEE ALSO 2055 / 620)
Y.S.A.	SHORT COUPLE SHAFT (LESS JOINTS & FLANGES)
587.42YSA-15	180MM UJ CENTRES COMPRESSED La=15MM
587.42YSA-8	180MM UJ CENTRES COMPRESSED La=15MM
587.42YSA-6	200MM UJ CENTRES COMPRESSED La=25MM

Part #	Comments
587.42YSA-2	210MM UJ CENTRES COMPRESSED La=20MM
587.42YSA-10	250MM UJ CENTRES COMPRESSED La=40mm
587.42YSA-13	275MM UJ CENTRES COMPRESSED La=40mm
587.42YSA-9	285MM UJ CENTRES COMPRESSED La=40mm
587.42YSA-5	290MM UJ CENTRES COMPRESSED La=40mm
587.42YSA-3	305MM UJ CENTRES COMPRESSED La=70MM
SLIP ASSY	
SLA58.1	150MM SLIP / 140X5MM Ø TUBE H=400MM MERCEDES / KLEIN
SLA59.7	ALTERNATIVE 110MM SLIP / 110X6MM Ø TUBE 25°
SLA58.2	150MM SLIP / 110X6MM Ø TUBE H=405MM MERCEDES & MAN / KLEIN
SLA58.3	180MM SLIP / 110X6MM Ø TUBE H=394MM MERCEDES & MAN
1.120.093.005	SPLINE & SLEEVE ASSY 835MM LONG USE WITH 1.120.320.011 END YOKE
FLANGE YOKE	
FLY58.6	180MM BLANK Ø H=95MM
FLY58.13	180X8X14MM H = 85MM 20°
FLY58.5	180X8X14MM H = 95MM
FLY58.14	180X8X14MM H = 85MM 20°
FLY58.9	180X8X16MM H=96MM - ELBE ORIGINAL
FLY58.1	180X10X16MM H=102MM
FLY58.11	180X10X16MM H=88MM
FLY58.2	180X4X15MM H=95MM
FLY59.10	180X4X15MM H=59MM GWB
FLY59.14	180X4X15MM H=92MM 25° 2055
FLY59.11	180X4X15MM H=102MM (WIDE ANGLE) 35°
FLY59.15	203MM 1810SAE H=57MM (11.2MM)
FLY59.7	203MM 1810SAE (12XM11.1 HOLES) H=95MM
FLY59.7/1	203MM 1810SAE (12XM11.1 HOLES) H=95MM
FLY58.19	205X8X16MM H=100MM PCD=170MM SPIGOT=140MM (ZF MARINE APPLICATION)
FLY58.12	205X10X16MM H=100MM PCD=170MM SPIGOT=140MM (ZF MARINE APPLICATION)
FLY58.4	225X8X16MM H=95MM

Part #	Comments
FLY58.20	225X12X16MM H=96MM 25 °
FLY58.8	225MM Ø BLANK H=90MM
FLY58.15	1880 SAE FITTING H=100MM 24 °
TUBE YOKE	
TUY59.4	110X6MM Ø TUBE H=105MM
TUY58.2	140X5MM Ø TUBE H=108MM MERCEDES
MID ASSY	
MDA58.1	180X4X15MM INC 70MM Ø BRG FIRCB47 / FIRCB77 / 110X6MM Ø TUBE MERCEDES
MDA58.2	180X4X15MM INC 70MM Ø BRG FIRCB47 / FIRCB77 / 140X5MM Ø TUBE MERCEDES
SEAL TUBE	
ST58.1	TO SUIT SLA58.1
GREASE SEAL	
212.650.15650	TO SUIT ST58.1
U'JOINT	
FIR144	57X152MM / CENTRE LUBE INA BRGS 587.42
FIR144/1	57X152MM / CENTRE LUBE INA BRGS 2055
FIR144A	57X152MM / CENTRE LUBE POWERDRIVE
FIR539	SKF MAINTENANCE FREE 57X152MM
FIR714	57X152MM KEMPF 1000.1096.950 C/w SKF BRG CAPS
FIR715	57X152MM KEMPF 1000.1096.955 WITH CTR LUBE & LUBE IN 4 BRG CAPS
CENTRE BRG	
FIRCB38	60X247X25MM ROUND MERCEDES
FIRCB77	70X190MM U-SHAPE MERCEDES
FIRCB47	70X242X25MM ROUND MERCEDES
TUBING	
TUBE110X6	110X6MM Ø
310.000.93485	140X5MM Ø
DOUBLE JOINT	
0.320.050.0003	DOUBLEJOINT ELBE 0.320 180X8X16 100X6MM H=321MM

Part #	Comments
587.48 / 700	65 X 172MM UJ (SEE ALSO 2065)
Y.S.A.	SHORT COUPLE SHAFT (LESS JOINTS & FLANGES)
700YSA-2	292MM UJ CENTRES (CAN BE REDUCED TO 248MM UJ CTRS)
SLIP ASSY	
SLA63.1	KLEIN 150MM SLIP / 140X5MM & 142X6MM Ø TUBE L=413MM
SLA63.4	SPICER SLIPASSY 2065 SHORT COUPLE ASSY H=308MM 9.01 DESIGN
SLA63.5	SPICER 110MM SLIP TO SUIT 140X5MM OR 142X6MM Ø TUBE H=308MM (27°)
SLA63.7	110MM SLIP TO SUIT 140X5MM OR 142X6MM Ø TUBE (27°) H=340MM
SLA63.9	ELBE 0.122 SRSSLIPASSY 120X6MM H=384MM
SLEEVE	
SL63.1	TO SUIT SLA63.1 / 140X5MM TUBE Ø L=293MM
SEAL TUBE	
ST63.1	TO SUIT SLA63.1 KLEIN SEAL TUBE
GREASE SEAL	
212.700.15747	GREASE SEAL TO SUIT ST63.1
FLANGE YOKE	
FLY63.3	180X4X15MM H=100MM ORIGINAL KLEIN
FLY63.3/1	180X4X15MM H=105M ORIGINAL SPICER
FLY63.19	180X4X15MM H=75MM
FLY63.8	180X8X14MM H=110MM
FLY63.4	180X10X16MM H=110MM
FLY63.15	203MM 1810SAE (12XM11 HOLES) H=110MM
FLY63.1	203MM 1810SAE (12XM11 HOLES) H=110MM KLEIN
FLY63.21	205X10X18 H=110MM PCD=170MM FLANGE FEMALE SPIGIOT 140MM ZF APPLICATION
FLY63.2	225X12X16 H=110MM
FLY63.9	225MM Ø BLANK H=110MM
FLY63.7	250X12X18MM
FLY63.18	250MM Ø BLANK H = 110MM
FLY63.12	1900SAE 276.2MM

Part #	Comments
FLY63.17	1880 SAE FITTING H=110MM
TUBE YOKE	
TUY63.1	KLEIN 140X5MM & 142X6MM Ø TUBE
TUY63.2	TO SUIT 140X5MM & 142X6MM Ø TUBE
H COUPLING	
587.42H-1	H SECTION L = 175MM UJ CTRS
587.42H-2	H SECTION L = 185MM UJ CTRS
MID ASSY	
MDA63.2	180X4X15MM INC 70MM Ø BRG FIRCB85 / 140X5MM Ø TUBE KLEIN
MDA63.1	180X10X16MM INC 70MM Ø BRG FIRCB85 / 140X5MM Ø TUBE KLEIN
MID STUB	
MDS63.1	TO SUIT 140X5MM Ø TUBE 70MM Ø CTR BRG FIRCB85
COMP FLANGE	
CPF63.2	180X4X15MM TO SUIT MDS63.1
CPF63.1	180X10X16MM TO SUIT MDS63.1
MID NUT & WASHER	
243.000.03641	MID NUT
261.700.15477	MID WASHER
U'JOINT	
FIR148	65X172MM / CENTRE LUBE GENUINE
FIR148A	ALTERNATIVE TO FIR148 65X172MM
FIR268	65X172MM / NON LUBE GENUINE
FIR685	687.55 / 2065 SRS INC INA BRG CAPS
FIR640	GWB 4 POINT LUBE (LUBE IN EACH BRG CAP)
FIR548	P600 SCANIA 65X190MM / 587.48 COMBINATION
FIR717	65X172MM KEMPF 1000.1100.950 C/w SKF BRG CAPS
FIR709	57X152MM HIGH TEMP 60- 140 DEG CENT FOR RAIL APPPLICATIONS
CENTRE BRG	
FIRCB135	70X220X20MM CAST BRACKET IVECO
FIRCB85	70X220X45MM / CAST BRKT DAF SLOTTED BOLT HOLES

Part #	Comments
FIRCB52	70X220X20MM SLOTTED RUBBER & MTG HOLES VOLVO
FIRCB54	70X220X20MM / SOLID RUBBER DAF 2055, 2060 & 2065 DAF
FIRCB66	70X220X20 SLOTTED RUBBER ROUND MTG HOLES IVECO
TUBING	
310.000.93485	140X5MM
587.50	72 X 185MM UJ
Y.S.A.	SHORT COUPLE SHAFT (LESS JOINTS & FLANGES)
587.50YSA-4	279MM UJ CENTRES COMPRESSED La=45MM
587.50YSA-7	284MM UJ CENTRES COMPRESSED La=50MM
587.50YSA-3	345MM UJ CENTRES COMPRESSED La=85MM
587.50YSA-9	420MM UJ CENTRES COMPRESSED La=80MM
SLIP ASSY	
SLA60.1	110MM SLIP / 144X7MM Ø TUBE (REDUCES TO 123X7.5MM) H=328MM
SLA60.2	140MM SLIP / 144X7MM Ø TUBE H=425MM
FLANGE YOKE	
FLY60.14	203X12X11.1MM H=108MM 24° 1810SAE
FLY60.1	225X8X16MM H=108MM 24°
FLY60.3	225X12X16MM H=108MM 24°
FLY60.11	225MM DIA BLANK H=108MM 24°
FLY60.9	241X8X16MM H=108MM SPICER 1880 SRS
FLY60.2	250X8X18MM H=108MM
FLY60.7	250X12X12MM H=108MM
FLY60.6	276X8X16MM H=108MM 1900 SRS PCD=247.64MM / SPIGOT = 222.22MM
FLY60.10	275X10X14MM H=68MM SPIGOT=139.9MM PCD=248MM 2X12MM THREADED HOLES
FLY60.5	285X8X20MM H=108MM
FLY60.4	287X16X12MM H=108MM 2000SAE
TUBE YOKE	
TUY60.1	144X7MM Ø TUBE H=138MM

Part #	Comments
COMP FLANGE	
CPF60.1	225X8X16MM PILOT BORED 50MM
U'JOINT	
FIR54.1	72X185MM / INA END LUBE IN ALL 4 BRG CAPS
TUBING	
TUBE144X7	144X7MM Ø
587.55	74 X 217MM UJ
SLIP ASSY	
SLA93.1	TO SUIT 168.8X7.3MM Ø TUBE H=385MM
SLA93.2	TO SUIT 162X9MM Ø
TUBE YOKE	
TUY93.1	TO SUIT 168.8X7.3MM Ø TUBE H=155MM
TUY93.2	TO SUIT 162X9MM Ø TUBE
FLANGE YOKE	
FLY93.1	250X8X18MM H=125MM
FLY93.2	285X8X20MM H=125MM
U/JOINT	
FIR152	74X217MM 587.55 SRS LUBE IN ALL 4 BRG CAPS
TUBING	
TUBE168.8X7.3	168.8X7.3MM Ø
587.60	83X231.4MM UJ
SLIP ASSY	
SLA100.1	TO SUIT 167.7X9.8MM Ø TUBE
TUBE YOKE	
TUY100.1	TO SUIT 167.7X9.8MM Ø TUBE
FLANGE YOKE	
FLY100.1	285X8X20MM H=135MM

Part #	Comments
<i>U/Joint</i>	
FIR323	83X231.4MM
<i>TUBING</i>	
TUBE167.7X9.8	167.7X9.8MM Ø





Elbe Style Series

0.105 - 0.120

Part #	Comments
0.105	17 X 41MM UJ
SLIP ASSY	
SLA80.1	58X4X5MM H=150MM / 28X1.5MM TUBE 25MM SLIP
SLA80.2	LESS UJ & FLANGE / 28X1.5MM TUBE 25MM SLIP H=120MM 18°
FIXED END	
FE80.1	58X4X5MM H=62MM / 28X1.5MM TUBE
FLANGE YOKE	
FLY80.1	58X4X5MM H=30MM
FLY80.2	65X4X6MM H=30MM
FLY80.4	65MM DIAMETER BLANK H=30MM
TUBE YOKE	
TUY80.1	28.5X1.5MM TUBE H=32MM
END YOKE	
ENY80.1	20MM BORE H7 C/W KEY H=50MM
ENY80.2	20MM BORE H7 H=50MM
1.105.320.003	SPLINED END YOKE 20X1.5X12 - USE WITH 0.105.093.049
SHORT COUPLE	
0.105.130.001	SHORT COUPLE 58X4X5MM / 165MM OVER FLANGES CLOSED
0.105.140.002	SHORT COUPLE 58X4X5MM / 215MM OVER FLANGES CLOSED
0.105.100.5002	SHORT COUPLE 58X4X5MM / 235MM OVER FLANGES CLOSED
0.105.143.5006	SHORT COUPLE C/w BORED END YOKES 16MM & 5MM KEYWAY L=235MM O/A
0.105.081.101	SHORT COUPLE LESS FLANGES & UJS @ 105MM UJ CTRS
0.105.081.102	SHORT COUPLE LESS FLANGES & UJS @ 115MM UJ CTRS
0.105.080.101	SHORT COUPLE LESS FLANGES & UJS @ 135MM UJ CTRS
0.105.080.102	SHORT COUPLE LESS FLANGES & UJS @ 155MM UJ CTRS

Part #	Comments
SHAFT ASSY	
105HC-1	H-COUPLING 58X4X5MM / 110MM OVER FLANGES
SPLINED BAR & SLEEVE	
0.105.093.049	LENGTH= 490MM O/A - SLIP = 400MM MAX - SPLINE 20X1.5X12
U'JOINT	
FIR346	17X41MM / CENTRE LUBE
FIR03	17X41MM / END LUBE
TUBE	
TUBE28X1.5	28X1.5MM
0.106	19 X 48MM UJ
SLIP ASSY	
SLA81.4	75X6X6MM L=177MM 60MM SLIP
SLA81.2	LESS UJ & FLANGE / 32X1.5MM TUBE 60MM SLIP H=146MM 20°
SLA81.3	LESS UJ & FLANGE / 32X1.5MM TUBE 60MM SLIP H=135MM 20°
FLANGE YOKE	
FLY81.1	65X4X6MM H=32MM 20°
FLY81.3	65X6X6MM H=32MM
FLY81.4	65MM DIAMETER BLANK H=32MM
FLY81.2	75X6X6MM H=32MM
TUBE YOKE	
TUY81.1	32X1.5MM TUBE H=32MM
END YOKE	
ENY81.1	14 SPLINES H=60MM WEINIG
ENY81.2	25MM BORE H7 C/W KEY H=60MM
ENY81.3	SOLID BOSS 40MM Ø H=60MM
ENY81.4	25MM BORE H7 H=60MM
SHORT COUPLE	
0.106.081.0101	SHORT COUPLE LESS FLANGES & UJS @ 116MM UJ CTRS La=20mm
0.106.081.0102	SHORT COUPLE LESS FLANGES & UJS @ 136MM UJ CTRS La=30mm

Part #	Comments
0.106.081.025	SHORT COUPLE LESS FLANGES & UJS @ 146MM UJ CTRS La=25mm
0.106.080.101	SHORT COUPLE LESS FLANGES & UJS @ 156MM UJ CTRS La=30mm
0.106.080.102	SHORT COUPLE LESS FLANGES & UJS @ 171MM UJ CTRS La=30mm
SHAFT ASSY	
106B-1	H COUPLING 65X4X6MM / 120MM OVER FLANGES
0.106.131.0002	H COUPLING 75X6X6MM / 200MM OVER FLANGES
0.106.202.011	FIXED SHAFT C/W 14 SPLINE END YOKES Lz 270MM WEINIG
0.106.133.0841	SHORT COUPLE 0106 SR5 236MM + 25MM BORED END YOKE TYPE
H-COUPLING	
1.106.281.0001	H COUPLING H=56MM UJ CENTRES
U'JOINT	
FIR10	19X48MM / CENTRE LUBE
FIR460	19X48MM / 2 X END LUBE
TUBE	
TUBE32X1.5	32X1.5MM
0.107	22 X 58MM UJ SEE ALSO 473.30 SERIES
SLIP ASSY	
SLA82.1	75X6X6MM H=187MM / 40X2MM TUBE 35MM SLIP
SLA82.5	75X6X6MM H=202MM / 40X2MM TUBE 35MM SLIP
SLA82.3	LESS UJ & FLANGE / 40X2MM TUBE 35MM SLIP H=151MM 20°
SLA82.4	LESS UJ & FLANGE / 40X2MM TUBE 100MM SLIP H=161MM 20°
FLANGE YOKE	
FLY82.2	75X4X8MM H=36MM
FLY82.1	75X6X6MM H=36MM
FLY82.5	75MM DIAMETER BLANK H=36MM
FLY82.6	90MM DIAMETER BLANK H=36MM
FLY82.4	90X4X8MM H=36MM 18°
FLY82.3	87MM 1140SAE H=36MM 18°

Part #	Comments
TUBE YOKE	
TUY82.1	40X2MM TUBE H=46MM 18°
END YOKE	
ENY82.1	30MM BORE H7 C/W KEY H=80MM
ENY82.2	30MM BORE H7 H=80MM
ENY82.3	SOLID H=80MM
SHAFT ASSY	
107AS-2	WELDED ONE END 75X6X6 40X2MM L=1000MM SLIP = 70MM 25°
SHORT COUPLE	
0.107.081.101	SHORT COUPLE LESS UJ & FLANGE / 128MM UJ CTR.LINES CLOSED 30MM SLIP
0.107.081.102	SHORT COUPLE LESS UJ & FLANGE / 153MM UJ CTR.LINES CLOSED 35MM SLIP
0.107.080.101	SHORT COUPLE LESS UJ & FLANGE / 178MM UJ CTR.LINES CLOSED 35MM SLIP
107YSA	SHORT COUPLE LESS UJ & FLANGE / 279MM UJ CTR.LINES CLOSED 35MM SLIP
0.107.130.001	SHORT COUPLE 75X6X6MM / 200MM OVER FLANGES CLOSED COMPACT SPLINE
0.107.130.002	SHORT COUPLE 75X6X6MM / 225MM OVER FLANGES CLOSED COMPACT SPLINE
0.107.140.012	SHORT COUPLE 75X4X8MM / 200MM OVER FLANGES CLOSED COMPACT SPLINE
4326-240602	ALT SHORT COUPLE 75X4X8MM / 200MM OVER FLANGES COMPACT SPLINE
H-COUPLING	
0.107.300	H COUPLING 75X6X6MM / 140MM OVER FLANGES
107HC	H-YOKE H=68MM
U'JOINT	
FIR28	22X58MM / CENTRE LUBE
FIR25	22X58MM / END LUBE
TUBE	
TUBE40X2	40X2MM
0.109 NEW	28.5 X 70.9MM UJ
SLIP ASSY	
SLA83.3	90X4X8MM H=241MM / 50X2MM TUBE 80MM SLIP
SLA83.5	90X4X8MM H=242MM / 50X2MM TUBE 40MM SLIP 35°

Part #	Comments
SLA83.4	LESS UJ & FLANGE H=183MM / 50X2MM TUBE 40MM SLIP
SLA83.6	LESS UJ & FLANGE H=185MM / 50X2MM TUBE 80MM SLIP
SLA83.7	LESS UJ & FLANGE H=180MM / 50X2MM TUBE 80MM SLIP (YOKE SHAFT & SLEEVE STYLE)
FLANGE YOKE	
FLY83.4	90X4X8MM H=52MM
FLY83.1	90X4X8MM H=42MM
FLY83.7	90MM BLANK H=42MM
FLY83.8	90MM BLANK H=52MM
FLY83.3	100X6X8MM H=42MM
FLY83.6	100MM BLANK H=42MM
FLY83.5	87MM 1140SAE H=42MM
FLY83.2	97MM 1310SAE H=42MM
TUBE YOKE	
TUY83.1	50X2MM TUBE H=68MM
END YOKE	
ENY83.2	35MM BORE H7 H=80MM
ENY83.1	35MM BORE H7 C/W KEY H=80MM
ENY83.3	SOLID H=80MM
SHORT COUPLE	
0.109.081.201	SHORT COUPLE W/O FL&UJ AT 141MM UJ CTR.LINES 25MM SLIP
0.109.081.224	SHORT COUPLE W/O FL&UJ AT 166MM UJ CTR.LINES 40MM SLIP
0.109.080.201	SHORT COUPLE W/O FL&UJ AT 196MM UJ CTR.LINES 40MM SLIP
109YSA-5	SHORT COUPLE W/O FL&UJ AT 226MM UJ CTR.LINES 40MM SLIP
H-COUPLING	
109HC	H-YOKE ONLY H=68MM
U'JOINT	
FIR64	28.5X70.9MM / CENTRE LUBE
FIR770	28.5X70.9MM /SIDE LUBE IN BRG CAP FOR DOUBLE JOINT APPLICATION
FIR798	28.5X70.9MM 2 X END LUBE

Part #	Comments
FIR763	28.5X70.9MM MAINTENANCE FREE (SFL)
TUBE	
TUBE50X2	50X2MM
0.110	30 X 83MM UJ
SLIP ASSY	
SLA43.7	LESS UJ & FLANGE H=198MM / 50X3MM TUBE 100MM SLIP 35°
SLA43.12	LESS UJ & FLANGE H=220MM / 50X3MM TUBE 120MM SLIP 35°
SLA43.13	LESS UJ & FLANGE H=220MM / 50X3MM TUBE 200MM SLIP 35°
SLA43.8	LESS UJ & FLANGE H=191MM / 50X3MM TUBE 40MM SLIP
0.110.093.500	SPLINED BAR & SLEEVE 350MM SPLINE LENGTH / 500MM OVERALL LENGTH
FLANGE YOKE	
FLY43.6	97MM 1310SAE H=46MM
FLY43.1	100X6X8MM H=46MM
FLY43.3	100X6X8MM H=58MM 35°
FLY43.14	116X4X10.2MM 67X67MM BHC 64.9MM MALE SPIGOT NISSAN NAVARA/ PATROL ETC
FLY43.2	120X8X8MM H=46MM
FLY43.12	120X8X10MM H=58MM
FLY43.7	120MM BLANK H=58MM
FLY43.5	146MM 1410SAE (11.1MM HOLES) H=46MM 20°
FLY43.8	146MM 1410SAE (11.1MM HOLES) H=59MM
FLY43.10	BOLT HOLE CTRS 65X65MM MALE SPIGOT 50MM (ELBE 0.110)
TUBE YOKE	
TUY43.1	50X3MM TUBE H=59MM
END YOKE	
ENY43.2	40MM BORE H7 H=90MM - 1.110.281.001
ENY43.1	40MM BORE H7 C/W KEY H=90MM - 1.110.310.002
ENY43.3	SOLID H=90MM - 1.110.318.001
1.110.320.013	14 SPLINE END YOKE - H=90MM 32.4MM MAJOR DIA / 27.8MM MINOR DIA

Part #	Comments
YOKE SHAFT ASSY	
110YSA-8	YOKE SHAFT ASSY W/O FL&UJ AT 126MM UJ CTR.LINES 20MM SLIP
110YSA-5	YOKE SHAFT ASSY W/O FL&UJ AT 138MM UJ CTR.LINES 20MM SLIP
110YSA-3	YOKE SHAFT ASSY W/O FL&UJ AT 163MM UJ CTR.LINES 25MM SLIP
110YSA-4	YOKE SHAFT ASSY W/O FL&UJ AT 188MM UJ CTR.LINES 40MM SLIP
110YSA-9	YOKE SHAFT ASSY W/O FL&UJ AT 188MM UJ CTR.LINES 40MM SLIP - RILSAN
110YSA-6	YOKE SHAFT ASSY W/O FL&UJ AT 218MM UJ CTR.LINES 40MM SLIP
110YSA-7	YOKE SHAFT ASSY W/O FL&UJ AT 248MM UJ CTR.LINES 40MM SLIP
SHORT COUPLE SHAFT	
0.110.148.0001	SHORT COUPLE 116X4X11.1MM Lz=310MM La=40MM - 1410 / 1350 SAE FLANGES
0.110.148.0002	SHORT COUPLE 116X4X11.1MM Lz=340MM La=40MM - 1410 / 1350 SAE FLANGES
H-COUPLING	
0.110.300	H COUPLING 100X6X8MM / 160MM OVER FLANGES END LUBE
110HC	H-YOKE ONLY H=68MM
U'JOINT	
FIR72	30X83MM / CENTRE LUBE
FIR212	30X83MM / END LUBE
FIR364	30X83MM / LUBE IN CIRCUMFERENCE OF CAP
FIR662	30X83MM SFL MAINTENANCE FREE
FIR701	30X83MM 4 X END LUBE
TUBE	
TUBE50X3	50X3MM
0.112 NEW	35 X 97MM UJ
SLIP ASSY	
SLA79.6	LESS UJ & FLANGE / 60X4MM TUBE 60MM SLIP
SLA79.8	LESS UJ & FLANGE H=255MM / 60X4MM TUBE 120MM SLIP 35 DEGREES
FLANGE YOKE	
FLY79.8	120X4X11KV H=60MM
FLY79.7	120X6X10MM H=70MM 72MM FEMALE SPIGOT ZETTELMENYER

Part #	Comments
FLY79.1	120X8X8MM H=60MM 20°
FLY79.2	120X8X8MM H=70MM
FLY79.4	120X8X10MM H=60MM 20°
FLY79.5	116X4X11MM 1410SAE (11.1MM HOLES) H=60MM 20°
FLY79.12	120MM BLANK H=70MM
FLY79.13	146X4X12.7MM 1510SAE (12.7MM HOLES) H=60MM 20°
FLY79.6	150MM BLANK H=60MM
FLY79.3	150X8X10MM H=60MM
TUBE YOKE	
TUY79.1	60X4MM TUBE H=65MM 35°
TUY79.2	90X3MM TUBE H=65MM 20°
SHORT COUPLE	
0.112.081.0201	SHORT COUPLE W/O FL&UJ AT 205MM UJ CTR.LINES 35MM SLIP
112YSA-2	SHORT COUPLE W/O FL&UJ AT 240MM UJ CTR.LINES 35MM SLIP
112YSA-3	SHORT COUPLE W/O FL&UJ AT 280MM UJ CTR.LINES 60MM SLIP
0.112.080.202	SHORT COUPLE W/O FL&UJ AT 310MM UJ CTR.LINES 60MM SLIP
SHAFT ASSY	
0.112.130.201	YSA 120X8X8MM / 325MM OVER FLANGES CLOSED
0.112.131.001	YSA 150X8X10MM / 325MM OVER FLANGES CLOSED
0.112.300	H COUPLING 120X8X10MM / 200MM OVER FLANGES END LUBE
0.112.301	H COUPLING 150X8X10MM / 200MM OVER FLANGES END LUBE
112HC	H-COUPLING H=80MM UJ CTRS
U'JOINT	
FIR198	35X97MM / CENTRE LUBE
FIR199	35X97MM / END LUBE
FIR736	COMBINATION 34X97MM / 35X97MM
FIR832	35X97MM / MAINTENANCE FREE (SFL)
TUBE	
TUBE60X4	60X4MM

Part #	Comments
0.113	38 X 106MM UJ
SLIP ASSY	
SLA33.6	LESS UJ & FLANGE 60MM SLIP / 70X4MM TUBE ** RILSAN ** H=258MM
SLA33.7	LESS UJ & FLANGE 120MM SLIP 35 DEGREES / 70X4MM TUBE H=260MM
SLA33.8	LESS UJ & FLANGE 60MM SLIP / 70X4MM TUBE 35 DEGREES H=272MM
SEAL TUBE	
ST33.1	SEAL TUBE
SPLINED BAR & SLEEVE	
0.113.093.004	SPLINE BAR & SLEEVE L=485MM SLIP=275MM 70X4MM TUBE
0.113.093.006	SPLINE BAR & SLEEVE L=645MM SLIP=400MM 70X4MM TUBE
0.113.095.005	SPLINE BAR & SLEEVE L = 580MM 70X4MM TUBE
END YOKE	
1.113.325.003	TO SUIT ALL SPLINED BAR & SLEEVE ABOVE
FLANGE YOKE	
FLY33.2	120X8X8MM H=60MM
FLY33.1	120X8X10MM H=60MM
FLY33.8	120MM DIAMETER BLANK H=72MM
FLY33.4	120X4X11MM KV H=70MM
FLY33.6	150MM DIAMETER BLANK H=60MM
FLY33.5	150X8X10MM H=60MM
FLY33.7	150X8X12MM H=60MM
TUBE YOKE	
TUY33.1	70X4MM TUBE H=65MM
SHAFT ASSY	
0.113.130.0002	SHORT COUPLE SHAFT ASSY 120X8X10MM Lz=325MM La=50MM
SHORT COUPLE	
0.113YSA-2	SHORT COUPLE W/O FL&UJ AT 225MM UJ CTR.LINES
0.113YSA-3	SHORT COUPLE W/O FL&UJ AT 255MM UJ CTR.LINES
0.113YSA-4	SHORT COUPLE W/O FL&UJ AT 300MM UJ CTR.LINES
0.113YSA-5	SHORT COUPLE W/O FL&UJ AT 330MM UJ CTR.LINES

Part #	Comments
0.113YSA-6	SHORT COUPLE W/O FL&UJ AT 316MM UJ CTR.LINES
0.113YSA-7	SHORT COUPLE W/O FL&UJ AT 351MM UJ CTR.LINES
DOUBLE JOINT	
DBJ33.1	0.113 120X8X10 / 70X4MM TUBE H=227MM (ANGLE 35/40°)
DBJ33.3	0.113 5C MECHANICS / 70X4MM TUBE H=185MM (ANGLE 35/40°)
H-COUPLING	
113HC	H-COUPLING ONLY H=80MM
113HC/1	H-COUPLING ONLY H=95MM
U'JOINT	
FIR218	38X106MM / CENTRE LUBE 0..113.010.0001
FIR482	38X106MM / END LUBE
FIR381	38X106MM / 6C HIGH WING DRILLED 42.9X114.3MM DENNIS BUS
TUBE	
TUBE70X4	70X4MM
0.512	40X107MM UJ (7.5MM OFFSET)
U'JOINT	
FIR796	40X106.7MM C/w 7.5MM OFFSET END LUBE
H-COUPLING	
512HC	ELBE 0.512 CENTRE YOKE H=72MM (47°)
512HC/1	ELBE 0.512 CENTRE YOKE H=74MM (47°)
0.148	42 X 117.5MM UJ
SLIP ASSY	
SLA39.3	LESS UJ & FLANGE H=263MM / 80X4MM TUBE
FLANGE YOKE	
FLY39.9	120X8X10MM H=80MM
FLY39.6	120X4X11MM KV H=70MM
FLY39.10	130X8X10MM H=80MM
FLY39.7	146X4X12MM 1510SAE H=65MM

Part #	Comments
FLY39.11	150X8X10MM H=65MM
FLY39.4	150X8X12MM H=65MM
FLY39.1	150X8X12MM H=80MM
FLY39.5	150MM DIAMETER BLANK H=65MM
FLY39.8	1610SAE 174X8X9.6MM H=65MM
FLY39.13	180X8X12MM H=65MM
FLY39.3	180X8X14MM H=65MM
FLY39.14	180X12X16MM H=65MM
TUBE YOKE	
TUY39.1	TO SUIT 80X4MM TUBE H=80MM
SHORT COUPLE	
0.148YSA-2	SHORT COUPLE W/O FL&UJ AT 194MM UJ CTR.LINES
0.148YSA-3	SHORT COUPLE W/O FL&UJ AT 210MM UJ CTR.LINES
0.148YSA-4	SHORT COUPLE W/O FL&UJ AT 230MM UJ CTR.LINES
0.148YSA-5	SHORT COUPLE W/O FL&UJ AT 270MM UJ CTR.LINES
0.148YSA-6	SHORT COUPLE W/O FL&UJ AT 330MM UJ CTR.LINES
H-COUPLING	
148HC	H-COUPLING ONLY H=95MM
148HC/1	H-COUPLING ONLY H=105MM
SPLINED BAR & SLEEVE	
SB39.1	LENGTH = 510MM 280MM SLIP
SB39.2	LENGTH = 590MM 355MM SLIP
0.148.093.0005	LENGTH = 670MM 440MM SLIP - SPLINE PROFILE = 55x2,5 x 20SPL
SB39.4	LENGTH = 730MM 530MM SLIP
U'JOINT	
FIR286	42X117.5MM / CENTRE LUBE
FIR448	42X117.5MM / END LUBE
FIR519	42X117.5 END LUBE IN 4 OFF CAPS
TUBE	
TUBE80X4	80X4MM

Part #	Comments
0.115	42 X 123MM UJ / 0.115 SERIES
U'JOINT	
FIR106	42X123MM / END LUBE
0.158	48 X 126MM UJ / 0.387 SERIES / 286.33 SERIES
SLIP ASSY	
SLA52.3	LESS UJ & FLANGE / 130X5MM TUBE 110MM SLIP MERCEDES
SLA52.4	LESS UJ & FLANGE / 92X5MM & 90X4MM TUBE 110MM SLIP L=327MM
SLA52.6	LESS UJ & FLANGE / 92X5MM & 90X4MM TUBE 180MM SLIP INTER AXLE H=400MM
SLEEVE	
SL52.1	TO SUIT 92X5MM TUBE 110MM SLIP
SL52.2	TO SUIT 130X5MM TUBE 110MM SLIP
SL52.3	TO SUIT 92X5MM TUBE 130MM SLIP
FLANGE YOKE	
FLY52.11	150MM DIAMETER BLANK H=75MM
FLY52.1	150X4X13MM H=75MM
FLY52.2	150X4X13MM H=90MM
FLY52.3	150X8X12MM H=75MM
FLY52.10	150X8X12MM H=82MM
FLY52.4	150X8X12MM H=90MM
FLY52.7	174X8X9.6MM 1610SAE H=82MM
FLY52.13	180X8X14MM H=75MM
C.V FLANGE YOKE	
FLY52.18	150X8X12MM H=75MM
FLY52.19	150MM DIAMETER BLANK H=75MM
FLY52.20	6C MECHANICS H=75MM
FLY52.21	7C MECHANICS H=75MM
FLY52.22	180X8X14MM H=75MM
FLY52.23	174X8X9.6MM 1610SAE H=75MM

Part #	Comments
TUBE YOKE	
TUY52.1	TO SUIT 92X5MM TUBE H=101MM
TUY52.2	TO SUIT 130X5MM TUBE
TUY52.3	TO SUIT 92X5MM TUBE WIDE ANGLE H=110MM
C.V.TUBE YOKE	
TUY52.4	TUBE YOKE C.V. JOINT
DOUBLE JOINT	
DBJ52.1	0.358 150X8X12 / 90X4MM TUBE H=265MM (ANGLE 35/42°)
DBJ52.3	0.358 150X4X13 / 90X4MM TUBE H=265MM (ANGLE 35/42°)
U'JOINT	
FIR124	48X126MM / CENTRE LUBE INA BEARINGS
FIR124A	48X126MM LUBE TYPE ALTERNATIVE
FIR30	48X126MM / NON LUBE
FIR502	48X126MM / 6C HIGH WING DRILLED
FIR610	48X126MM C/w SKF BRGS - OIL BATH TYPE WITH THRU OILWAY
FIR659	48X126MM C/w LUBE IN ALL 4 BRG CAPS
SHORT COUPLE	
0.158Y-3	SHORT COUPLE W/O FL&UJ AT 235MM UJ CTR.LINES / 35MM SLIP
0.158Y-2	SHORT COUPLE W/O FL&UJ AT 250MM UJ CTR.LINES / 50MM SLIP
0.158Y-4	SHORT COUPLE W/O FL&UJ AT 315MM UJ CTR.LINES / 80MM SLIP
TUBE	
TUBE90X4	90X4MM
TUBE92X5	92X5MM
TUBE130X5	130X5MM
0.117	53 X 135MM UJ / 0.389 SERIES / 286.37 SERIES
YOKE SHAFT ASSY	
SLA53.1	LESS UJ & FLANGE / 100X5MM TUBE 150MM SLIP
SLA53.2	LESS UJ & FLANGE / 140X5MM TUBE 140MM SLIP

Part #	Comments
FLANGE YOKE	
FLY53.2	150X4X13MM H=85MM
FLY53.17	150X4X13MM H=100MM (44°)
FLY53.1	150X8X12MM H=90MM
FLY53.6	165X4X15MM / INTER AXLE ONLY H=95MM
FLY53.5	165X8X16MM H=90MM
FLY53.7	180X4X15MM H=85MM
FLY53.15	180X8X12MM H=86MM
FLY53.8	180X8X14MM H=76MM
FLY53.12	180X8X14MM H=86MM *ELBE ORIGINAL*
FLY53.3	180X10X16MM H=87MM **LIMITED STOCK**
TUBE YOKE	
TUY53.1	100X5MM Ø TUBE H=90MM
TUY53.2	140X5MM TUBE
TUY53.3	TO SUIT 100X5MM Ø TUBE 35°
SHORT COUPLE	
0.117Y-2	SHORT COUPLE W/O FL&UJ AT 248MM UJ CTR.LINES 40MM SLIP
0.117YSA-5	SHORT COUPLE W/O FL&UJ AT 288MM UJ CTR.LINES 50MM SLIP
0.117Y-4	SHORT COUPLE W/O FL&UJ AT 323MM UJ CTR.LINES 45MM SLIP
0.117Y-5	SHORT COUPLE W/O FL&UJ AT 383MM UJ CTR.LINES 80MM SLIP
SPLINED BAR & SLEEVE	
SB53.	LENGTH = 790MM 525MM SLIP OR LENGTH = 890MM 625MM SLIP
H-COUPLING	
117HC	H-COUPLING 120MM JOINT CENTRES
U'JOINT	
FIR136	53X135MM / CENTRE LUBE **INA BEARINGS**
FIR136A	53X135MM / CENTRE LUBE ALTERNATIVE
FIR136/1	53X135MM / CENTRE LUBE **SKF BEARINGS**
FIR33	53X135MM NON LUBE
FIR568	53X135MM LUBE IN ALL 4 BEARING CAPS

Part #	Comments
FIR537	53X135MM SKF SFL MAINTENANCE FREE
TUBE	
TUBE100X5	100X5MM
TUBE140X5	140X5MM
0.120	57 X 152MM UJ / 0.120 (SEE ALSO KLEIN 620SRS & GWB 2055SRS)
DOUBLE JOINT	
0.320.050.0003	DOUBLEJOINT ELBE 0.320 180X8X16 100X6MM





Propshaft Tubing

Including Metric and Imperial Sizes

Part #	Tube OD (mm)	Wall (mm)	Description
METRIC			
TUBE28X1.5	28	1.5	ELBE 0.105 & GWB 473.10 SRS
TUBE32X1.5	32	1.5	ELBE 0.106 SRS
TUBE38X2.5	38	2.5	473.20 SRS
TUBE40X2	40	2	ELBE 0.107 & GWB 473.30 SRS
TUBE50X2	50	2	ELBE 0.109 SRS
TUBE50X3	50	3	ELBE 0.110, GWB 28710 SRS & 4C
TUBE52X3.5	52	3.5	GWB 2015 SRS
TUBE52X4	52	4	KLEIN 125 SRS
TUBE60X2	60	2	MISC
TUBE60X3	60	3	GWB 287.10 SRS & 3C
TUBE60X4	60	4	ELBE 0.112 & 5C
TUBE63.5X2.4	63.5	2.4	1310 / 2015 SRS 2.5X.095"
TUBE65X1.6	65	1.6	TOYOTA HILUX (SOLD IN 48" LENGTHS)
TUBE66.6X2.41	66.6	2.41	TOYOTA HILUX - AVAILABLE IN 58" LENGTHS
TUBE70X2	70	2	MERCEDES SPRINTER
TUBE70X3	70	3	GWB 287.20 SRS
TUBE70X4	70	4	ELBE 0.113 & 6C
TUBE300X082	76.2	2.1	SPL41 76.2X2.1MM (3.00X.082")
TUBE80X2	80	2	FERRARI
TUBE80X3.5	80	3.5	KLEIN 253 & GWB 587.15 SRS
TUBE80X4	80	4	ELBE 0.148 & 7C
TUBE80X5	80	5	MISC
TUBE84X1.7MM	84	1.7	FORD TRANSIT
TUBE85X4	85	4	NORDISKA NK300 SRS
TUBE85X5	85	5	KLEIN 375 & GWB 587.20 SRS
TUBE88X4	88	4	TUBE 88X4

Part #	Tube OD (mm)	Wall (mm)	Description
TUBE88X4.5	88	4.5	KLEIN
TUBE88.9X3.4	88.9	3.4	SPICER 1610 (3.5X0.134")
TUBE90X3S	90	3	GWB 2030 SRS
TUBE90X3.5	90	3.5	1630 SRS
TUBE90X4	90	4	0.158 ELBE, KEMPF 75SRS & 8C
TUBE90X5	90	5	SCANIA P300
TUBE90X5.5	90	5.5	KLEIN 495 & GWB 587.30 SRS & P300
TUBE91.8X5	91.8	5	ORIGINAL MERCEDES
TUBE92X5	92	5	CAN REPLACE 91X4.5MM
TUBE95X5	95	5	SCANIA P400
TUBE98X2	98	2	KLEIN 196 SRS - MAN & IVECO
TUBE100X3	100	3	GWB 2035 SRS
TUBE100X4.5	100	4.5	KLEIN 490 & GWB 2040 SRS
TUBE100X5	100	5	ELBE 0.117 & GWB 286.37 SRS
TUBE100X6	100	6	NORDISKA NK500, 8.5C & 587.35 SRS
TUBE101.6X1.9	101.6	1.9	FORD TRANSIT 4.00"X.074"
TUBE400X.082	101.6	2.11	4.00"X0.082" SOLD IN 72" LENGTHS
TUBE101.6X3.4	101.6MM (4")	3.4MM (.134")	1710 SRS / SPL100
TUBE103.9X4.6	103.9	4.6	1710 H.D & 1760 SRS
TUBE108X5.5	108	5.5	SCANIA P500 SRS
TUBE110X6	110	6	9C & KLEIN 650 & GWB 587.42 SRS
TUBE114.3X5.5	114.3	5.5	NORDISKA NK600 & P600 SCANIA
TUBE114.3X6.6	114.3	6.6	1810 HD / 1880
TUBE115.75X4.11	114.3	4.11	SPL140
TUBE120X3	120	3	KLEIN 490 & GWB 2040 SRS DAF, IVECO, MAN
TUBE120X4	120	4	KLEIN 590 & GWB 2045 SRS DAF, IVECO, MAN
TUBE120X5	120	5	KLEIN 590A & GWB 2047/2050 SRS DAF, RVI
TUBE120X6	120	6	KLEIN 620 & GWB 2055 SRS DAF IVECO MAN
TUBE130X5	130	5	286.33, 286.37, SPL170 & SPL250 SRS

Part #	Tube OD (mm)	Wall (mm)	Description
TUBE130X6	130	6	GWB 2060 SRS
TUBE140X5	140	5	KLEIN 700 & GWB 587.48 & 2065 SRS
TUBE140X10	140	10	12.5C MECHANICS
TUBE142X6	142	6	GWB 2065
TUBE144X7	144	7	GWB 587.50 SRS
TUBE150X5	150	5	KLEIN 700SRS
TUBE165.1X8.6	165.1	8.6	J800 / 15C MECHANICS
TUBE167.7X9.8	167.7	9.8	GWB 587.60 SRS
TUBE168.7X7.3	168.7	7.3	GWB 587.55SRS
TUBE180X4	180	4	2065 / 687.60 SRS VOLVO

Part #	Tube OD (")	Wall (")	Description
IMPERIAL			
TUBE200X064	2	0.064	1140 & 1300 SRS
TUBE200X095	2	0.095	1300 & 1310 SRS
TUBE250X064	2.5	0.064	1140 & 1300 & 1310 SRS
TUBE250X095	2.5	0.095	1410 SRS
TUBE275X064	2.75	0.064	1140 & 1300 & 1310 SRS
TUBE300X064	3	0.064	1140 & 1300 & 1310 SRS
TUBE300X082	3	0.082	SPL41 76.2X2.1MM
TUBE300X095	3	0.095	1410 & 1510 SRS
TUBE350X064	3.5	0.064	1140, 1300 & 1310
TUBE350X082	3.5 (88.9MM)	0.082 (2.1MM)	SPL55 88.9X2.1MM
TUBE350X095	3.5	0.095	1310 & 1410 & 1510 SRS
TUBE400X.082	101.6	2.1	4.00"X0.082" SOLD IN 72" LENGTHS
TUBE101.6X3.4	4" (101.6MM)	134" (3.4MM)	1710 SRS / SPL100
TUBE114.3X6.6	114.3MM (4.5X.26")	6.6MM (0.26")	1810HD/1880 SRS
TUBE115.75X4.11	115.75	4.11	SPL140



Car, 4x4, LCV and SUV

Propshafts and Components

Part #	Comments
AUDI	
CENTRE BRG	
FIRCB659	AUDI QUATRO 30X113X15MM
FIRCB221	AUDI A8 30X130X15MM OE # 4D0-521-113
FIRCB214	AUDI QUATRO 30X133X15MM OE # 8A0-521-113A
FIRCB222	AUDI A4 30X153X15 OE # 8D0-521-113A
FIRCB223	AUDI A4 30X153X15 OE # 8D0-521-113
FIRCB234	AUDI Q7 30X154X19MM H = 60MM ORIGINAL
FIRCB234A	AUDI Q7 30X154X19MM H = 60MM ALTERNATIVE
FIRCB152	AUDI QUATRO 2.8 V6 30X178X16MM
FIRCB151	AUDI QUATRO 30X187X15MM
FIRCB660	AUDI A6 30X241X16M O.E. REF # 4B0-521-113
FIRCB263	AUDI QUATTRO 30X252X15MM / BHC=230MM TO 277MM
FIRCB247	AUDI 30X227X16MM QUATTRO - VARIOUS APPLICATIONS
FIRCB302	AUDI RS6 QUATTRO 4X4 30X227X15MM
FIRCB248	AUDI 30X228.6X16MM
FIRCB249	AUDI 30X238X16MM
PROPSHAFT	
AUDI/1	AUDI PROPSHAFT 8E0521101N
AUDI/2	AUDI PROPSHAFT 8153120184247
AUDI/5	AUDI PROPSHAFT 8153130198078
AUDI/6	AUDI S6 PROPSHAFT OE REF # 4F0 521 101C
AUDI/7	AUDI A6 PROPSHAFT L=1830MM 4F0521101F
AUDI/7A	AUDI A6 PROPSHAFT L=1830MM 4F0521101B
AUDI/8	AUDI PROPSHAFT 4F0 521 101 G
AUDI/9	AUDI Q5 PROPSHAFT L=1525MM OE REF # 8R0521101F

Part #	Comments
AUDI/12A	AUDI A4 PROPSHAFT L=1480MM 8K0521101G
AUDI/13A	AUDI A6 PROPSHAFT L=1670MM 4B0521106D/F
AUDI/14A	AUDI A8 PROPSHAFT L=1810MM 4H4521101
AUDI/15A	AUDI Q5 PROPSHAFT L=1496MM 8R0521101B
BMW	TO SUIT U/JOINT FIR40 / GUM81 25X64MM EXTERNAL CIRCLIP
U/JOINT	
FIR35	24X63.5MM STAKED (SFL) BM GU298
FIR40	25.02X63.8MM EXTERNAL CIRCLIP GUM81
SLIP ASSY	
SLA104.2	YOKE SHAFT & SLEEVE TYPE TO SUIT TUBE BASE 60.4MM Ø U/JOINT FIR40 / GUM81 25X64MM EXTERNAL CIRCLIP
TUBE YOKE	
TUY104.6	TO SUIT TUBE BASE 56.48MM Ø U/JOINT FIR40 / GUM81 25X64MM EXTERNAL CIRCLIP
FLANGE	
FLY104.5	PCD=76.9MM SPIGOT=46.99MM BHC=55X55MM U/JOINT FIR40 / GUM81
MID ASSY	
MDA104.1	TO SUIT TUBE BASE 56.48MM Ø MID STUB, END YOKE & 30MM Ø CTR BRG, U/JOINT FIR40 / GUM81 25X64MM EXTERNAL CIRCLIP
CTR BRG	
FIRCB162	30X130X13MM
FIRCB204	30X160X13MM OE # 26121229492 / 26127201257
FIRCB300	30X160X13MM OE REF # 26127526632
FIRCB301	35X16X14MM OE REF # 26127521856
PROPSHAFTS	
BMW X1101	BMW X1 PROPSHAFT - 26207529294
BMW X1102	BMW X1 PROPSHAFT - 26107614755
BMW X3101	BMW X3 PROPSHAFT - 26207526677
BMW X3102	BMW X3 PROPSHAFT - 26203401609
BMW X3103	BMW X3 PROPSHAFT - 26207589985
BMW X3104	BMW X3 PROPSHAFT - 26103402136

Part #	Comments
BMW3105	BMW X3 PROPSHAFT - 26107564736
BMW3106	BMW X3 PROPSHAFT - 26107564740
BMW5101	BMW X5 PROPSHAFT - 26207556020
BMW5102	BMW X5 PROPSHAFT - 26207597649
BMW5103	BMW X5 PROPSHAFT - 26207508629
BMW5104	BMW X5 PROPSHAFT - 26207524371
BMW5105	BMW X5 PROPSHAFT - 26207556019
BMW5106	BMW X5 PROPSHAFT - 26107524364
BMW5107	BMW X5 PROPSHAFT - 26197581928
BMW3S101	BMW 3 SERIES PROPSHAFT - 26111229565
BMW3S102	BMW 3 SERIES PROPSHAFT - 26107551199
BMW3S103	BMW 3 SERIES PROPSHAFT - 26117510840
BMW3S104	BMW 3 SERIES PROPSHAFT - 26111229564
BMW3S105	BMW 3 SERIES PROPSHAFT - 26111229569
BMW5S101	BMW 5 SERIES PROPSHAFT - 26107573528
BMW5S102	BMW 5 SERIES PROPSHAFT - 26107549305
BMW5S103	BMW 5 SERIES PROPSHAFT - 26107527333
BMW5S104	BMW 5 SERIES PROPSHAFT - 26107557158
BMW5S105	BMW 5 SERIES PROPSHAFT - 26107557161
BMW5S106	BMW 5 SERIES PROPSHAFT - 26107557145
CHRYSLER	VOYAGER
PROPSHAFTS	
VOYAGER-1	CHRYSLER VOYAGER PROP (4X4) L.1397MM O.E # 4641095
VOYAGER-2	CHRYSLER VOYAGER PROP (4X4) L.1207MM
DAIHATSU	
U'JOINT	
FIR11	20.02X54.8MM EXTERNAL CIRCLIP
FIR27	22.5X35.2MM INTERNAL CIRCLIP

Part #	Comments
FIR40	25.02X63.8MM EXTERNAL CIRCLIP
FIR656	27X81.8MM / 28X80MM ON OPPOSITE SPAN
FIR63	28.01X80MM EXTERNAL CIRCLIP **PREMIUM**
FIR215	30X55.1MM INTERNAL CIRCLIP
FLANGE	
FLY92.2	BOLT HOLE CTRS 58X67MM MALE SPIGOT 50MM 28.01X80MM H=55MM
FLY43.10	BOLT HOLE CTRS 65X65MM MALE SPIGOT 50MM (ELBE 0.110)
TUBE YOKE	
TUY92.1	TO SUIT (28.01X80MM)
SLEEVE YOKE	
SL92.1	245MM UJ C/L TO END TO SUIT 28.01X80MM UJ
SLIP STUB	
SS92.1	TO SUIT SL92.1
SHAFT ASSY	
DAIHATSU-1	UNWELDED SHAFT SUPPLIED IN KIT 30MM O.D 19 SPLINE + 2 MASTER
DAIHATSU-7	445.5MM OVERALL 30MM O.D 19 SPLINE + 2 MASTER (25X64MM UJ)
DAIHATSU-2	497MM OVERALL 30MM O.D 19 SPLINE + 2 MASTER (25X64MM UJ)
DAIHATSU-4	515MM OVERALL 30MM O.D 19 SPLINE + 2 MASTER (25X64MM UJ)
DAIHATSU-3	625MM OVERALL 30MM O.D 19 SPLINE + 2 MASTER (25X64MM UJ)
DAIHATSU-5	640MM OVERALL 30MM O.D 19 SPLINE + 2 MASTER (25X64MM UJ)
DAIHATSU-8	670MM OVERALL 30MM O.D 19 SPLINE + 2 MASTER (25X64MM UJ)
DAIHATSU-6	924.5MM OVERALL 30MM O.D 19 SPLINE + 2 MASTER (25X64MM UJ)
SHAFT ASSY	
FOURTRAK-FRONT	PROPSHAFT L.655MM (65X65MM HOLE OFFSET) 1310SRS
FOURTRAK-REAR	REAR PROPSHAFTS - VARIOUS LENGTHS
FIAT	
CV JOINT	
FIRCV65	FIAT PANDA CV ASSY C/w BOOT KIT 86X6X8MM H=21MM

Part #	Comments
CTR BRG	
FIRCB217	FIAT PANDA CTR BRG 30X138MM
FIRCB237	FIAT PANDA CTR BRG 25X133MM
PROPSHAFTS	
FIATPANDA-1	FIAT PANDA FULL PROPSHAFT L=1740MM
FORD	
SHAFT ASSY	
EXPLORER	FORD EXPLORER (4X4) CV JOINT - OPEN UJ @ 705MM UJ C/L TO CV FACE
KUGA	
KUGA-1	FORD KUGA 3 SECTION PROPSHAFT L=2010MM C/w CV JOINTS
RANGER	
RANGER	"FORD RANGER & MAZDA 1310 SRS REAR 2-PIECE L=1600MM FRONT SECTION = 495MM FLANGE > BRG C/L REAR SECTION = 1110 MM C/L BRG > FLANGE COMPRESSED "
RANGER/1	FORD RANGER TRANSFER BOX TO FRONT AXLE 470MM UJ CTRS FLANGE = 106X4X8MM * 63X63MM HOLE CL / 5MM Ø SPIGOT H=40MM TO MALE SPLINE H=245MM (FORD STANDARD 25 SPLINE) YS112.1
RANGER/2	FORD RANGER 1330 SRS TRANSFER BOX TO REAR AXLE 2 PIECE OVERALL LENGTH = 1600MM COMPRESSED
RANGER/3	FORD RANGER 1330 SRS 2 PEICE PROPSHAFT L=1445MM OVERALL
RANGER/4	FORD RANGER & MAZDA FRONT 1310 SRS (4X4 FRONT) L=660MM
RANGER/6	FORD RANGER 2 PIECE 1330 SRS L=1600MM
FLANGE	
FLY3.24	FORD RANGER & MAZDA H=45 MDS=45 PCD=104.6 BHC=74X74 MM
FLY4.12	FORD RANGER / NISSAN 1330 132X4X12.2MM PCD=108MM, H=41.4MM, FS=65MM (5MM DEEP), BHC=76X76MM
FLY4.13	FORD RANGER / NISSAN 1330 132X4X12.2MM PCD=108MM, H=43.4MM, FS=65MM (7MM DEEP), BHC=76X76MM
FLY4.7	FORD RANGER / NISSAN 134X4X12.2MM PCD=108MM H=43MM FS=65MM BHC=76X76MM
YOKE SHAFT	
YS112.1	YOKE SHAFT MAZDA/FORD RANGER H=245MM (25 SPL) 26.5X48/50.4MM

Part #	Comments
SLEEVE YOKE	
SL3.17	TRANSMISSION SLEEVE 1310 42X192MM (28/30 SPLINE)
CV ASSY	
FIRCV18	FORD EXPLORER CV ASSY C/w STUB + SHIELD (GKN 231106WAB1673)
FIRCV27	FORD ESCAPE/MAVERICK CV JOINT ASSY COMPLETE
FIRCV24	FORD ESCAPE/MAVERICK CV JOINT ASSY COMPLETE
MID YOKE	
ENY3.7	1310 MID YOKE FOR FORD RANGER 2P PROPSHAFT 2-4-8261
ENY4.1	1330 MID YOKE FOR FORD RANGER 2P PROPSHAFT
CENTRE BRG	
FIRCB205	FORD RANGER 28X181X15MM
FIRCB149	FORD RANGER 30X149X13MM
FIRCB177	FORD MAVERICK 30X175X15.5MM (AUTO) - ORIGINAL
FIRCB178	FORD MAVERICK 30X175X15.5MM (MANUAL) - ORIGINAL
FIRCB260	FORD RANGER 3 & MAZDA 35X180X14MM - ORIGINAL
FIRCB260A	FORD RANGER 3 & MAZDA 35X180X14MM - ALTERNATIVE
FIRCB266	FORD RANGER 35X163X14MM OE REF # SLA12-25-300
U'JOINT	
BM19	UJ 22X64MM STAKED FORD SFL
BM404	UJ 30.2X92.1MM 1350 CENTRE LUBE TRANSIT
BM418	UJ 28.57X75MM FORD ZODIAC SFL
BM48	UJ 26.5X48 IC MAZDA KIA FORD END LUBE
BM550	UJ 27X79.8MM TRANSIT STAKED SFL
BM563	UJ 30.2X92.1MM 1350 SFL HD
BM681	UJ 27X92.1MM 1330 SPICER END LUBE
BM684	UJ 27X92.1MM 1330 SFL DANA
HONDA	
U'JOINT	
FIR453	22X65MM EXTERNAL CIRCLIP

Part #	Comments
FIR305	25X64MM EXTERNAL CIRCLIP
SHAFT ASSY	
HONDA-3	HONDA CRV OEM # 40100S10A01 (MANUAL TRANSMISSION)
HONDA-3A	HONDA CRV OEM # 40100S10A01 (MANUAL) AFTERMARKET BRAND
HONDA-5	HONDA CRV OEM # 40100S9AE01 L=2060MM
HONDA-5A	HONDA CRV OEM # 40100S9AE01 L=2060MM AFTERMARKET BRAND
HONDA-6	HONDA CRV 2-PIECE 40100SKNE01 Lz.2065MM
HONDA-8A	HONDA CRV 2-PIECE 40100TOA Lz.2080MM
HONDA-9A	HONDA CRV 2-PIECE 40100-T1EE01 Lz.2100MM
CENTRE BRG	
FIRCB264	HONDA CRV 1996 - 2000 25X170MM
FIRCB265	HONDA CRV 25X160MM
HYUNDAI	
U'JOINT	
FIR49	27X61.9MM EXTERNAL CIRCLIP END LUBE
FIR49/1	27X61.9MM EXTERNAL CIRCLIP END LUBE ORIGINAL SPICER
FIR422	27X80MM EXTERNAL CIRCLIP
FLANGE	
FLY24.40	115X4X10.2MM Ø PCD=90MM MDS=45MM H=58MM BHC=63.5X63.5MM
CENTRE BRG	
FIRCB283	30X180X13 HYUNDAI SANTA FE
FIRCB127	30X144X16MM HYUNDAI
FIRCB274	30X180X13 HYUNDAI SANTA FE
SHAFT ASSY	
HYUNDAI-1	L=942MM (UJ 27X80MM)
HYUNDAI-2	L=918MM (UJ 27X80MM)
HYUNDAI-3	L=1010MM (UJ 27X80MM)
HYUNDAI-5	L= 1200MM UN-WELDED SHAFT

Part #	Comments
SHAFT ASSY	2 PC PROPSHAFT HYUNDAI TUSCON
HYUNDAI-10	SLANTE FE L=1953MM 2 PIECE SHAFT
HYUNDAI-9	HYUNDAI TUCSON L=1980MM
HYUNDAI-16	HYUNDAI SANTA FE L=2070MM
HYUNDAI-11	HYUNDAI SANTA FE L=1953MM
HYUNDAI-14	HYUNDAI SANTA FE L=2007MM
HYUNDAI-10	HYUNDAI RX35 L=1960MM
HYUNDAI-15	HYUNDAI RX35 L=1995MM
HYUNDAI-4	L=2030MM 2-PIECE SHAFT C/w FIRCB127 CTR BRG
ISUZU	
SHAFT ASSY	
ISUZU-FRONT	ISUZU TROOPER 4X4 SWB 468MM FFC
ISUZU-REAR	ISUZU TROOPER 900MM O/A / 38MM DIA SLEEVE 25 SPLINE + 1 MASTER
U/JOINT	
FIR425	20.5X56.5MM EXTERNAL CIRCLIP
FIR341	22.06X61.7MM STAKED
FIR55	27X87.7MM EXTERNAL CIRCLIP
FIR68A	29X49MM INTERNAL CIRCLIP MATSUBA PREMIUM TYPE
FIR68	29X49MM INTERNAL CIRCLIP STANDARD
FIR69	29X50MM INTERNAL CIRCLIP SIDE LUBE
FIR488	29X50/53 MM INTERNAL CIRCLIP END LUBE IN CAP
FIR524	29X70MM ISUZU INTERNAL CIRCLIP
FIR670	33X93MM EXTERNAL CIRCLIP CENTRE LUBE
FIR696	33X104MM EXTERNAL CIRCLIP CENTRE LUBE
FIR737	40X115MM GUIS64
CENTRE BRG	
FIRCB125	30X94X16MM ISUZU TFR
FIRCB124	40X157.4X18MM ISUZU NPR
FIRCB124/1	40X18MM ISUZU NPR

Part #	Comments
FIRCB119	45X158X19MM 4 BOLT FITTING 36X19MM CENTRES
FIRCB132	45X158X19MM 4 BOLT FITTING 36X19MM CENTRES
FIRCB267	32X20MM ISUZU NKR
FLANGE YOKE	
FLY3.8	108X4X10MM ISUZU & SSANGYONG H=45MM PCD=85MM SPIGOT=65MM 3003.243
FLY24.11	10.2MM HOLES PCD=85MM MDS=65MM BHC=68.6X49.8MMH=46MM
FLY7.10	135X4X12.2MM DIA 110MM PCD H=65MM (1480 SERIES 34.9X106.4MM)
FLY7.11/1	120X4X12.2MM DIA 80MM SPIGOT H=65MM (1480 SERIES 34.9X106.3MM)
TRANSMISSION SLEEVE	
SL3.27	ISUZU REVERSE SLEEVE 38MM Ø H=163MM 26 SPLINES 1 X MASTER
MID ASSY	
MDA7.2	135X4X12MM SPIGOT=80MM ISUZU & MITSUBISHI 3.5X.095 TUBE H=78.5MM (120MM WELD PREP TO FACE)
MID STUB	
MDS6.3	3X.095" USE WITH CPF6.3 & CPF6.6 5157.2641 10 SPLINES
COMP FLANGE	
CPF6.6	120X4X12MM TO SUIT MDS6.3 / 10 SPLINES ISUZU 100MM PCD 80MM SPIGOT
JAGUAR X400 4x4	
PROPSHAFT	
FIRCB12	30X76X13MM JAGUAR
FIRCB157	30X170X12MM JAGUAR XJ350 ORIGINAL
FIRCB157A	30X170X12MM JAGUAR XJ350 AFTERMARKET
FIRCB236	JAGUAR X400 4x4 WD 65X170X18MM H=70MM
JEEP CHEROKEE	
C.V. JOINT	
FIRCV21	JEEP CHEROKEE CV (REAR) PCD = 86MM DIA = 99.9X6X8.6MM 30MM C.V BODY (C/w BOOT KIT & SHROUD)
FIRCV21/2	JEEP CHEROKEE CV (REAR) PCD = 86MM GKN 2081630 CAGE ON FIRCV21/2 = 38MM - 30MM CV BODY WIDTH

Part #	Comments
UL6K001	OEM WIDE ANGLE SHROUD & RUBBER FOR FIRCV21
FIRCV22	JEEP CHEROKEE CV+GAITOR/SHIELD (FRONT) PCD=86MM
FIRCV25	JEEP CHEROKEE CV+STUB ASSY La.50MM PCD=86MM (28 SPL Ø x 25 SPLINES)
FIRCV28	JEEP CHEROKEE CV+MALE SPLINE L = 325MM PCD=86MM
FIRCV34	JEEP CHEROKEE CV ASSY (FRONT) 1999-2001 - 86MM PCD 100MM O.D 40MM WIDE - SUPPLIED WITH SHROUDS ETC
FIRCV39	JEEP CHEROKEE CV ASSY (REAR 2005 ONWARDS 86MM PCD 99.9X6X8.6MM O.D 40MM WIDE - SUPPLIED WITH SHROUDS ETC
FIRCV58	JEEP CHEROKEE REAR C.V DIA=108MM 7153170121001
CENTRE BRG	
FIRCB254	30X130X13MM CHRYSLER GRAND VOYAGER
SHAFT ASSY	
JEEPCHEROKEE/1	DANA 1310 C/w DOUBLE JOINT Lz. 698MM 2" Ø TUBE
JEEPCHEROKEE/2	DANA 1310 C/w DOUBLE JOINT Lz. 727MM 2" Ø TUBE
JEEPCHEROKEE/3	DANA 1310 C/w DOUBLE JOINT Lz. 771MM 2" Ø TUBE
JEEPCHEROKEE/4	DANA 1310 C/w DOUBLE JOINT Lz. 803MM 44MM Ø TUBE
JEEPCHEROKEE/5	C/w FIXED/PLUNGE CV JOINTS 100/6-8.9MM L.830MM COMPRESSED 45.7X3MM TUBE Ø 571MM W-W TUBE LENGTH
JEEPCHEROKEE/6	C/w FIXED/PLUNGE CV JOINTS 100/6-8.9MM L.840.1MM - 45.7X3MM Ø TUBE 540MM W-W TUBE LENGTH
JEEPCHEROKEE/7	1310 HR D/JOINT - 100X6X8MM CV JOINT Lz. 780MM / 310MM W-W - 44MM Ø TUBE
JEEPCHEROKEE/8	1310 HR @ AXLE END / SL3.9 SLEEVE @ G/BOX END L= 865MM UJ CTRS 2.5" Ø TUBE
JEEPCHEROKEE/9	C/w FIXED/PLUNGE CV JOINTS 100/6-8.9MM L.791.1MM COMPRESSED 45.7X3MM Ø TUBE 500MM W-W TUBE LENGTH
JEEPCHEROKEE/10	DANA 1310 C/W DOUBLE JOINT (UN-WELDED @ SE) 960MM UJ CTRS CLOSED
JEEPCHEROKEE/11	1310 HR D/JOINT & PLUNGE CV 100X6X8MM Lz=808MM COMPRESSED 45.7MM Ø TUBE 540MM W-W
JEEPCHEROKEE/12	1310 C/w DOUBLE JOINT Lz. 643MM COMPRESSED 33.4MM Ø TUBE
JEEPCHEROKEE/13	C/w CV PLUNGE JOINT 100/6-8.9MM & STANDARD CV JOINT 100/6-8.9MM Lz=709MM COMPRESSED - FRICTION WELDED TUBE
JEEPCHEROKEE/14	C/w CV PLUNGE JOINT 100/6-8.9MM & STANDARD CV JOINT 100/6-8.9MM Lz=731MM COMPRESSED- FRICTION WELDED TUBE
JEEPCHEROKEE/15	C/w FIXED/PLUNGE CV JOINTS 100/6-8.9MM Lz 764MM FRICTION WELDED TUBE
JEEPCHEROKEE/16	C/w CV PLUNGE JOINT 100/6-8.9MM & STANDARD CV JOINT 100/6-8.9MM Lz=792MM 508MM W-W FRICTION WELDED TUBE LENGTH

Part #	Comments
JEEPCHEROKEE/17	C/w CV PLUNGE JOINT 100/6-8.9MM & STANDARD CV JOINT 100/6-8.9MM Lz = 856MM FULLY COMPRESSED
JEEPCHEROKEE/18	C/w CV PLUNGE JOINT 100/6-8.9MM & STANDARD CV JOINT 100/6-8.9MM Lz=790MM COMPRESSED
JEEPCHEROKEE/19	C/w CV PLUNGE JOINT 100/6-8.9MM & STANDARD CV JOINT 100/6-8.9MM
KIA	
U/JOINT	
FIR793	28X48.4/51.6MM INTERNAL CIRCLIP
CENTRE BRG	
FIRCB278	25X165X15MM KIA SPORTAGE
FIRCB167	28X168X?? KIA SORRENTO
FIRCB218	30X171.4X15MM KIA SORENTO 2WD
SHAFT ASSY	
KIA SPORTAGE	
KIA-1	PROPSHAFT KIA SPORTAGE - FLANGES 117X4X10.2MM & 106X4X8.2MM MALE SPIGOT 45MM - 1117MM COMPRESSED
KIA-2	PROPSHAFT KIA SPORTAGE - FLANGES 117X4X10.2MM & 106X4X8.2MM MALE SPIGOT 45MM - 758MM COMPRESSED
KIA-8	PROPSHAFT KIA SPORTAGE - FLANGE 108X4X10MM / RUBBER COUPLING 80MM PCD - Lz 1990MM 60MM DIA TUBE
KIA-9	PROPSHAFT KIA SPORTAGE - FLANGE 100X4X10MM / RUBBER COUPLING 80MM PCD - 1975MM COMPRESSED 76.2MM DIA TUBE
KIA SORRENTO	
KIA-3	PROPSHAFT KIA SORRENTO 4X4 - 100X4X10MM FLANGES 60MM MALE SPIGOT - 660MM COMPRESSED
KIA-4	PROPSHAFT KIA 2.5D 4X4 - FLANGE 110X4X10MM CV END 94X6X8MM - 654MM COMPRESSED
KIA-5	PROPSHAFT KIA SORRENTO 2WD AUTO 2003-2004
KIA-6	PROPSHAFT KIA SORRENTO 4X4 - 100X4X10MM FLANGES 60MM MALE SPIGOT 646MM COMPRESSED
KIA-7	PROPSHAFT KIA SORRENTO Lz.646M (FL-CV)
KIA-10	PROPSHAFT KIA SORRENTO - FLANGES 110X4X10MM Lz=675MM
KIA-11	PROPSHAFT KIA SORRENTO - COMPRESSED LENGTH Lz=640MM

Part #	Comments
KIA-12	PROPSHAFT KIA SORRENTO - COMPRESSED LENGTH Lz= 1100MM FLANGES 86X4X10MM 60MM MALE SPIGOT BHC=64X64MM
FLANGE YOKE	
FLY3.69	108X4X8MM KIA SPORTAGE H=59MM MDS=45 PCD=89MM BHC=63X63MM
FLY3.66	110X4X10.5MM KIA SORRENTO H=59MM MDS=60MM PCD=90MM BHC=63.7X63.7MM
FLY112.1	FLANGE YOKE 63X63 BOLT HOLES (45MM SPIG) MAZDA H=42MM FIR48
FLY112.2	FLANGE YOKE 74X74 BOLT HOLES (45MM SPIG) MAZDA H=42MM FIR48
FLY112.3	FLANGE YOKE 63X63MM (60MM SPIG) KIA H=45MM FIR48
LANDROVER	DISCOVERY
SHAFT ASSY	
33AS-4	LAND ROVER OE SPEC @ 604MM FFC
33AS-7	LANDROVER DISCOVERY c/w DOUBLE JOINT OE SPEC @ 604MM FFC
TVB500360	LANDROVER DISCOVERY REAR 2 PC SHAFT OE SPEC
TVB500360A	LANDROVER DISCOVERY REAR 2 PC SHAFT ALTERNATIVE
TVB500390	LANDROVER DISCOVERY L320 REAR 2 PC SHAFT OE SPEC
TVB500510	DISCOVERY & RANGE ROVER SPORT FRONT SHAFT OE SPEC
TVB500510A	DISCOVERY & RANGE ROVER SPORT FRONT SHAFT ALTERNATIVE
TVB500450	LAND ROVER 1350 SRS TRANSFER BOX TO REAR DIFF L=620MM
FRC8386	LANDROVER ALTERNATIVE Lz=604MM PHASED 45°
FRC4907	LANDROVER ALTERNATIVE Lz=530MM
FRC5566	LANDROVER ALTERNATIVE Lz=650MM
FRC8390	LANDROVER ALTERNATIVE Lz=650MM PHASED 67.5°
FRC8392	LANDROVER ALTERNATIVE Lz=640MM PHASED 45°
FTC3245	LANDROVER ALTERNATIVE Lz=1076.5MM
FTC3905	LANDROVER ALTERNATIVE Lz=1126.5MM
STC121	LANDROVER ALTERNATIVE Lz=580MM
TVB100610	LANDROVER ALTERNATIVE Lz=604MM 1330 SRS PHASED 45°
CENTRE BRG	
FIRCB184	30X130X15MM LANDROVER DISCOVERY 3 ORIGINAL TVB500360

Part #	Comments
FIRCB184A	30X130X15MM LANDROVER DISCOVERY 3 ALTERNATIVE
FIRCB189	30X160X15MM LATE RANGE ROVER
FIRCB289	30X160X13MM RANGE ROVER
RUBBER COUPLING	
FC-13	96MM PCD 30MM THICK SHORE # 48
LANDROVER	FREELANDER
SHAFT ASSY	
14D-1	FREELANDER 3-PIECE C/W DAMPER
14D-2	FREELANDER FRONT SECTION C/w CV PLUNGE JOINT- O E # FTC5428 / TVB000090
14D-2A	FREELANDER FRONT SECTION C/w CV PLUNGE JOINT O E # FTC5428 / TVB000090 - ALTERNATIVE
14D-6	FREELANDER REAR SECTION 710MM WELD-WELD O E # FTC5430/TVB000190
LR006959	FREELANDER 2 AUTOMATIC 3 PC PROPSHAFT C/w CV JOINTS
TDB103520	FREELANDER 4X4 1.8L FRONT WHEEL DRIVESHAFT LH & RH C/w CVs
UL9U010	FREELANDER VISCOUS COUPLING (OEM)
UL9U034	FREELANDER VIBRATION DAMPER (OEM)
CENTRE BRG	
FIRCB226	30X82X15MM
FIRCB96	30X138X15MM C/w STRENGTHENING BLOCKS - ALTERNATIVE
FIRCB96/1	30X138X15MM C/w STRENGTHENING BLOCKS - ORIGINAL
FIRCB96/2A	30X138X15MM c/w STRENGTHENING BLOCKS - ALTERNATIVE
FIRCB262	30X164X16MM H=47MM
FIRCB261	30X168X16MM H=57MM ALLOY HOUSING
LANDROVER	DEFENDER
FRC8386	LANDROVER ALTERNATIVE Lz=604MM PHASED 45°
FRC8390	LANDROVER ALTERNATIVE Lz=650MM PHASED 67.5°
TVB100610	LANDROVER ALTERNATIVE Lz=604MM 1330 SRS PHASED 45°
FRC8392	LANDROVER ALTERNATIVE Lz=640MM PHASED 45°

Part #	Comments
RANGE ROVER	
REAR SHAFT	L = 852MM 30° WIDE ANGLE FLANGES 60MM SPIGOT 50.8MM TUBE Ø
TVB500450	LAND ROVER 1350 SRS TRANSFER BOX TO REAR DIFF L=620MM
TVB500380A	RANGE ROVER SPORT2 PIECE L.1280MM ALT
LAND ROVER	
FRONT SHAFT	L = 580MM 20° STD ANGLE FLANGES 60MM SPIGOT 50.8MM TUBE Ø
FRONT SHAFT	L = 605MM 20° STD ANGLE FLANGES 60MM SPIGOT 50.8MM TUBE Ø
FRONT SHAFT	L = 620MM 20° STD ANGLE FLANGES 60MM SPIGOT 50.8MM TUBE Ø
FRONT SHAFT	L = 620MM 20° STD ANGLE FLANGES 60MM SPIGOT 50.8MM TUBE Ø
FRC5566	L = 650MM LANDROVER ALTERNATIVE
FRONT SHAFT	L = 528MM 30° WIDE ANGLE FLANGES 60MM SPIGOT 50.8MM TUBE Ø
FRONT SHAFT	L = 618MM 30° WIDE ANGLE FLANGES 60MM SPIGOT 50.8MM TUBE Ø
35AS-3	L = 675MM 45° PHASED 1350 SRS 1310SAE
LEXUS	
FIRCB245	CENTRE BRG 30X173.5X13MM LEXUS H=38MM
FIRCB246	CENTRE BRG 30X165X13MM LEXUS H =41MM
MAZDA	
PROPSHAFT	
MAZDA-7	MAZDA (D2200) SINGLE-PIECE 1085MM O/A
U/JJOINT	
FIR341	22.06X61.2MM STAKED
FIR40	25.02X63.8MM EXTERNAL CIRCLIP - LUBE
FIR629	24.06X71.4MM STAKED
FIR38	25X41.2MM I/C
FIR48	26.5X48/50.4MM I/C
FIR304	27.38X50.8/53.9MM I/C
FIR60	28X56MM I/C
FIR518	32X57MM

Part #	Comments
FIR601	37X66MM I/C
FLANGE YOKE	
FLY105.1	127X4X10.4MM DIA PCD=104.6MM / 45MM SPIGOT TO SUIT UJ 27.4X54MM I/C (FIR304)
FLY105.2	107X4X10.4MM PCD =86.4MM / 45MM SPIGOT H 45MM (FIR304)
FLY105.3	107X4X8.6MM PCD = 88.9MM I/C SPIGOT=45MM H=40MM FIR304
FLY105.4	121X4X10.2 MAZDA / KIA 96.2MM PCD 45MM SPIGOT H=40MM BHC=68X68MM (FIR304)
FLY3.71	121X4X10.5MM MAZDA / KIA H=59 PCD=96.2MM MDS=45MM BHC=68X68MM
FLY112.1	FLANGE YOKE BHC=63X63 (45MM SPIG) MAZDA H=42MM FIR48
FLY112.2	FLANGE YOKE BHC=74X74 (45MM SPIG) MAZDA H=42MM FIR48
FLY112.3	FLANGE YOKE BHC=63X63 (60MM SPIG) MAZDA H=45MM FIR48
TUBE YOKE	
TUY105.1	63.5X1.6MM TUBE TO SUIT UJ 27.4X54MM I/C (FIR304)
TUY105.2	65.3X1.6MM TUBE TO SUIT UJ 27.4X54MM I/C (FIR304) - OE TUBE SIZE
TUY105.3	76.2X1.6MM TUBE TO SUIT UJ 27.4X54MM I/C (FIR304)
TUY112.1	63.5X1.6MM TUBE TO SUIT UJ 26.5X48/50.4MM I/C (FIR48)
SLEEVE YOKE	
SL2.24	MAZDA TRANSMISSION SLEEVE 35MM Ø H=150MM (20/22 SPLINES)
SL105.1	TRANSMISSION SLEEVE 35X152.4MM (20/22 SPLINE) (FIR304)
SL105.2	TRANSMISSION SLEEVE 39.6X152.4MM (25/26 SPLINE) (FIR304)
SL105.3	TRANSMISSION SLEEVE 38X152MM (23/25 SPLINE) (FIR304)
CENTRE BRG	
FIRCB146	25X163X15MM MAZDA B2000/B2200 4X2 - P030-25-310
FIRCB156	28X163X13MM MAZDA B2200 AUTO / B2600 4X2 86-93
FIRCB205	28X181X15MM MAZDA & FORD RANGER
LTI LONDON TAXI	
C.V. JOINT	
FIRCV06	LONDON TAXI CV 100MM Ø 25 SPLINE
FIRCV43	LONDON TAXI CV 100MM Ø6X8MM 86MM PCD CASE WIDTH = 32MM SPLINES = 25

Part #	Comments
FIRCV43/1	LONDON TAXI CV 100MM ØX6X8MM 86MM PCD CASE WIDTH = 32MM SPLINES = 25 **INCLUDED FITTINGS / BOOT ETC**
C.V. SHROUD	
DL515BK	TAXI CV SHROUD & RUBBER FOR FIRCV06
CENTRE BRG	
FIRCB216	LONDON TAXI 30X138X15MM
MERCEDES	ORIGINAL EQUIPMENT
PROPSHAFTS	DOUBLE JOINT 116X4X10MM (67/67 - 70MM MALE SPIGOT) CV JOINT 97/6-8MM - 86MM PCD
ML-270	ML270 MERCEDES FRONT PROPSHAFT 'EL' 766MM
ML-270/1	ML 270 MERCEDES REAR PROPSHAFT DOUBLE JOINTED
ML-270/2	ML270 MERCEDES FRONT PROPSHAFT 'EL' 696MM
ML-270/3	ML270 MERCEDES FRONT PROPSHAFT 'EL' 717MM 97X6X8 & 116X4X10
ML-270/4	ML270 MERCEDES FRONT PROPSHAFT EL.571MM 97X6X8 & 116X4X10
ML-270/5	ML270 / ML430 / ML500 PROPSHAFT L.???MM
ML-270/6	ML320 PROPSHAFT L.???MM
ML-270/7	ML270 PROPSHAFT L.???MM
FLANGE YOKE (CV)	
FLY3.35	MERCEDES ML270 (4X4) C/w BALL 67/67MM BOLT HOLE 70MM SPIGOT
TUBE YOKE (CV)	
TUY3.20	MERCEDES ML270 (4X4) C/w PIN 63.5X2.1MM TUBE H=36.5MM
C.V. JOINT	
FIRCV30	COMPLETE CV ASSY ML270 FOR SHAFTS EL 766MM & 696MM
DOUBLE JOINT	
DBJ3.6	MERCEDES ML270 1310 SRS 63.5X2.1MM (67/67MM BOLT HOLE CTRS)
CENTRE BRG	
FIRCB207	25X111X12MM MERCEDES E190 REF 201.410.0581 BRG M1
FIRCB172	25X118X11MM MERCEDES REF 124.410.0181 BRG M2
FIRCB253	25X208X12MM MERCEDES H=48MM
FIRCB113	30X100X14MM MERCEDES ORIGINAL ML270 CENTRE BRG

Part #	Comments
FIRCB113A	30X100X14MM MERCEDES ML270 CENTRE BRG BRG.M11
FIRCB174	30X120X13MM MERCEDES REF 126.410.0181 BRG.M8
FIRCB175	30X125X12MM MERCEDES REF 115.410.4481 BRG.M5
FIRCB210	30X125X13MM MERCEDES REF 129.410.0381 BRG.M17
FIRCB171	30X131X12MM MERCEDES REF 123.410.1081 BRG.M6
FIRCB203	30X208X12MM E300 210.410.1681 BRKT SLOTTED HOLES
	<i>PLEASE SEE MERCEDES SECTION FOR MERCEDES SPRINTER PROPSHAFTS</i>
MITSUBISHI	
U/JOINT	
FIR47	22X37.5MM I/C SFL BUT *CROSSED DRILED WITH CENTRE PLUG "
FIR11	20.02X54.8MM EXTERNAL CIRCLIP
FIR560	22.06X64.5MM STAKED
FIR511	25.01X77.8MM EXTERNAL CIRCLIP
FIR39	25X76.5MM EXTERNAL CIRCLIP
FIR40	25.02X63.8MM EXTERNAL CIRCLIP
FIR512	26X68MM EXTERNAL CIRCLIP
FIR56	27X65.3MM EXTERNAL CIRCLIP
FIR50	27X81.7MM EXTERNAL CIRCLIP
FIR50/1	27X81.8 SPICER ITALCARDANO SIDE LUBE
FIR50/2	27X81.8MM H.D. METAL & RUBBER SEAL & THRUST WASHER
FIR50/3	27X81.8MM H.D. AYRA SPICER TYPE - IVECO
FIR50/4	27X81.8MM H.D. PLASTIC SEALS & THRUST WASHER
FIR50/5	27X81.8MM H.D. METAL SHROUD & THRUST WASHER - HS152
FIR739	28X49MM INTERNAL CIRCLIP SFL
FIR66	28.5X77.9MM EXTERNAL CIRCLIP
FIR215	30X55.1MM INTERNAL CIRCLIP
FIR261	30X71MM INTERNAL CIRCLIP
FIR499	O.E MITSUBISHI 30.2X106.3MM WITH LUBE
FIR342	35X103.92MM EXTERNAL CIRCLIP - MITSUBISHI CANTOR

Part #	Comments
FIR811	38X104MM - GUM82
FIR517	44X129MM EXTERNAL CIRCLIP
SLEEVE YOKE	
SL105.2	TRANSMISSION SLEEVE 39.6X152.4MM (25/26 SPLINE) 27.4X54MM I/C
CENTRE BRG	
FIRCB229	30X159X16MM MITSUBISHI L200 AS FIRCB112 PLUS MTG BLOCKS
FIRCB233	30X160X16MM MITSUBISHI L200 YEAR 2005+
FIRCB112	30X161.5X16MM MITSUBISHI L200 81-92
FIRCB148	30X190X15MM MITSUBISHI 3000GT / GALANT AWD
FIRCB140	30X163X16MM MITSUBISHI / DODGE D50 PICKUP 4X2
FLANGE YOKE	
FLY6.11	120X4X12MM Ø PCD=100MM MDS=70MM H=55MM
FLY6.15	120X4X12MM Ø PCD=100MM MDS=70MM H=45MM
FLY24.12	115X4X10.2MM H=58MM PCD=90MM BHC=69X58MM MALE SPIG=60MM
FLY24.39	124X6X10.2MM Ø PCD=107MM MDS=90MM H=58MM PAJERO
COMP FLANGE	
CPF6.4	120X4X12MM 70MM SPIGOT 100MM PCD 10 SPLINES FOR MITSUBISHI CANTOR
MID STUB	
MDS6.3	3X.095" (USE WITH CPF6.4) 10 SPLINES MITSUBISHI CANTOR
CV JOINT	
FIRCV53	PAJERO 106MM PCD H = 127MM
FIRCV63	OUTLANDER & L200 (3 BOLT) 30 SPLINES, TUBE BASE DIA. 47.7MM
SHAFT ASSY	CANTOR - SLIDING SHAFT (FLANGE PCD 100MM / SPIGOT 70MM 4X12.2MM HOLES)
ML130009	COMPRESSED LENGTH = 1010MM
ML130007	COMPRESSED LENGTH = 1230MM
ML130011	COMPRESSED LENGTH = 1215MM
ML130013	COMPRESSED LENGTH = 1400MM
ML130288	COMPRESSED LENGTH = 1140MM
SHAFT ASSY	CANTOR - SLIDING PROP (FLANGE PCD 90MM / SPIGOT 60MM 4X10.2MM HOLES)

Part #	Comments
ML130286	COMPRESSED LENGTH = 889MM
ML130227	COMPRESSED LENGTH = 914MM
ML130006	COMPRESSED LENGTH = 959MM
ML130004	COMPRESSED LENGTH = 999MM
31AS-10	COMPRESSED LENGTH = 1069MM (ML130002)
SHAFT ASSY	CANTOR MIDSHAFT (FLANGE PCD 90MM / REGISTER 60MM 4X10.2MM HOLES)
	MID END STANDOUT = 68MM
ML130278	OVERALL LENGTH = 922MM
ML130276	OVERALL LENGTH = 962MM
ML130274	OVERALL LENGTH = 626MM
ML130226	OVERALL LENGTH = 606MM
ML130003	OVERALL LENGTH = 926MM
31GL-4	OVERALL LENGTH = 966.5MM (ML130005)
SHAFT ASSY	CANTOR MIDSHAFT (FLANGE PCD 100MM / REGISTER 70MM 4X10.2MM HOLES)
	MID END STANDOUT = 69MM
ML130284	OVERALL LENGTH = 1178MM
ML130282	OVERALL LENGTH = 928MM
ML130280	OVERALL LENGTH = 728MM
ML130280	OVERALL LENGTH = 1273MM
ML130010	OVERALL LENGTH = 1018MM
ML130008	OVERALL LENGTH = 818MM
SHAFT ASSY	GALLOPER (FLANGE 97X4X10MM 79.2MM PCD 51/61MM BOLT HOLE CTRS - SLEEVE 35.96MM DIA 23+1 MASTER SPLINE)
MITSUBISHI-1	PROPSHAFT MITSUBISHI GALLOPER OE REF # HB101-000
SHAFT ASSY	GALLOPER (FLANGE 97X4X10MM 79.2MM PCD 51/61MM BOLT HOLE CTRS - SLEEVE 35.96MM DIA 23+1 MASTER SPLINE)
MITSUBISHI-2	PROPSHAFT MITSUBISHI GALLOPER OE REF # 49020M1210-HB102-000
SHAFT ASSY	L200 - 36MM Ø SLEEVE / 51*61MM BOLT OFFSET (45MM REG)
MITSUBISHI-8	PROPSHAFT MITSUBISHI L200 747MM
MITSUBISHI-9	PROPSHAFT MITSUBISHI L200 658MM

Part #	Comments
SHAFT ASSY	
MITSUBISHI-7	2-PIECE SHAFT OEM BUILT O.E REF MR389334
SHAFT ASSY	PAJERO - SLEEVE Ø 39.6MM 25 + 1 MASTER SPLINE (FLANGE 114X4X10.2 / PCD 89.94MM 63X63MM BOLT HOLES)
MR953726	OVERALL LENGTH = 994MM
MR953725	OVERALL LENGTH = 822MM
MR553800	OVERALL LENGTH = 970MM
MR553799	OVERALL LENGTH = 800MM
SHAFT ASSY	PAJERO - SLEEVE Ø 36MM 23 + 1 MASTER SPLINE (FLANGE 104X4X10.2 PCD 89.94MM MALE SPIGOT 45MM SPIGOT)
MR553798	OVERALL LENGTH = 659MM
MB154227	OVERALL LENGTH = 747MM
NISSAN	
SERENA / LDV CUB	35MM DIA. SLEEVE / 22SPLINES + 2 MASTER FLANGE 102X4X10MM / 81.25MM PCD / 50MM MALE SPIGOT (57X57MM)
NISSAN-1	735MM UJ CTR.LINES / 925MM OVERALL 2" TUBE DIA.- ORIGINAL
NISSAN-2	640MM UJ CTR.LINES / 833.5MM OVERALL 2" TUBE DIA. - ORIGINAL
NISSAN-4	480MM UJ CTR.LINES / 673.5MM OVERALL 2.5" TUBE DIA. - ORIGINAL
NISSAN-5	575MM UJ CTR.LINES / 770MM OVERALL 2" TUBE DIA. - ORIGINAL
LARGO	38MM DIA. SLEEVE / 102X4X10MM FLANGE YOKE
NISSAN-16	NISSAN LARGO 790MM FLANGE TO END OF SLEEVE / SL2.4 & FLY2.10
TERRANO	42MM DIA. SLEEVE / 95MM PCD FLANGE YOKE (4X4 - REAR)
NISSAN-7	TERRANO II G2.4 750MM UJ CTR.LINES / 65MM TUBE / 1310 UJ
NISSAN-9	TERRANO II TD2.7 725MM UJ CTR.LINES / 65MM TUBE / 1310 UJ
TERRANO	SLIDING SHAFT 81.25MM PCD FLANGE YOKE (4X4 - FRONT)
NISSAN-AS/3	TERRANO II TD2.7 Lz.616MM / 65MM TUBE Ø / 1310 UJ OE # 37000-2X900
CABSTAR	SLIDING SHAFT 67X67MM / 64.9MM SPIGOT
NISSAN-AS/6	CABSTAR L=997MM OVERALL / SWAGED TUBE 121X4X12MM O.E # 37000-011T10
NISSAN-AS/9	CABSTAR L= 1118MM OVERALL SE 1410SAE / FE 121X4X10 O.E. # 37300-9X502

Part #	Comments
CABSTAR	2-PC SHAFT / SLEEVE 35MM Ø 22/24 SPLINE / FLANGE (67/67MM)
NISSAN-15	CABSTAR FRONT L=659MM C/F UJ - C/L CTR BRG
	REAR L=760MM 1045MM C/L BRG TO FLANGE - SWAGED TUBE
CABSTAR	
NISSAN-20	CABSTAR L.2056MM O/A WITH CTR.BRG (OE REF 37000F3904)
CABSTAR	SINGLE SHAFT / SLEEVE 35MM Ø 22/24 SPLINE / FLANGE (67/67MM)
NISSAN-21	NISSAN CABSTAR L.1093.5MM O/A OE REF 37000F3905
CABSTAR	TWO PIECE SHAFT 1410SAE / 121X4X12MM FLANGES
NISSAN-27	NISSAN CABSTAR L.1502MM FRONT 623MM FL > C/L CTR BRG
	REAR 879MM C/L CTR BRG > FLANGE OE REF 37000-9X501
D21 / D22	2PC SHAFT / SLEEVE 42MM 28/30 SPLINE / FLANGE (67X67MM)
NISSAN-22	*ALT* NISSAN D21 / D22 OE REF 37300VK300 - 2PC SHAFT 65MM DIA TUBE / FIRCB137
NAVARA	
31AS-19	NISSAN NAVARA D21/D22 FRONT Lz.647MM OE REF 37200-0W700
NISSAN-25	NISSAN NAVARA D21/D22 OE REF 37300EB401 1330 SRS ALUMINIUM TUBE FLANGE 136X4X12.6MM / - SL4.10 SLEEVE
NISSAN-AS/8	NISSAN NAVARA D40 FRONT Lz.792MM (2015) FLANGES 102X4X10MM
FLY4.7	FORD RANGER / NISSAN 134X4X12.2MM PCD=108MM H=43MM
X-TRAIL	TWO PIECE SHAFT 103X4X10.1MM - 49MM DIA SPIGOT O/A L=2035MM
NISSAN-AS/1	NISSAN X-TRAIL FRONT L=990MM FL - C/L BRG (OE REF 37000-8H310)
	REAR L=1045MM C/L BRG TO FLANGE - SWAGED TUBE
NISSAN-AS/1A	NISSAN X-TRAIL FRONT L=990MM FL - C/L BRG (OE REF 37000-8H310)
	REAR L=1045MM C/L BRG TO FLANGE - SWAGED TUBE
NISSAN-AS/10	NISSAN X-TRAIL / QASHQAI L = 1985MM COMPRESSED CV IN CTR SECTION
FLANGE YOKE	
FLY2.10	NISSAN 102X4X12MM 50MM SPIGOT / 81.25MM PCD H=45MM 57X57MM HOLES SPACING
FLY3.23	1310 FLANGE 81.25MM PCD 50MM SPIGOT 57X57MM HOLE SPACING (SERENA + LARGO) WIDE ANGLE H=45MM
FLY3.22	116X4X10.2MM MITSUBISHI H=45MM PCD=90MM SPIGOT=60MM BHC=69X58MM

Part #	Comments
FLY3.62	115X4X10MM MITSUBISHI DOUBLE JOINT PCD=90MM SPIGOT=60MM BHC=58X69MM
FLY3.72	125X4X12.9MM NISSAN H=59MM MDS=65MM PCD=107.5MM BHC=76X76MM
FLY3.76	125X4X12.9MM NISSAN H=56MM FS=65MM PCD=107.5MM BHC = 76X76MM
SLEEVE YOKE TRANSMISSION	
SL2.11	1300 REV SLEEVE 35MM DIA (24 SPLINE)
SL3.14	1310 REV SLEEVE 35.96MM DIA 24 SPLINES L=136MM
SL3.17	NAVARA TRANSMISSION SLEEVE 1310 42X192MM (28/30 SPLINE)
SL3.13	SERENA TRANSMISSION SLEEVE 35X153.6MM (22/24 SPLINE)
SL3.16	LARGO TRANSMISSION SLEEVE 1310 38X154MM (24/26 SPLINE)
SL3.18	NISSAN 300ZX REVERSE SLEEVE 42X159MM 28/30 SPLINE H=160MM
SL5.18	PATHFINDER 43.9MM Ø 30/32 SPL MAJOR SPLINE DIA. 1.378" (35MM)
U/JOINT	
FIR12	20.07X52.4MM STAKED
FIR17/1	20X35MM INTERNAL CIRCLIP (1XCAP END LUBE)
FIR341	22.06X61.2MM STAKED ORIGINAL
FIR380	22X37.6 / 39.6 INTERNAL CIRCLIP (SFL) GU2237
FIR449	24X64.2MM (SFL) NISSAN SERENA
FIR42	25X40MM INTERNAL CIRCLIP
FIR490	25X52MM INTERNAL CIRCLIP
FIR344	27X46.1MM INTERNAL CIRCLIP
FIR55	27X81.8MM EXTERNAL CIRCLIP
FIR55/1	1310 C/w LARGER CROSS JOURNAL (PIN Ø 18.2M)
FIR55/2	1310 (GMB GU-1000) SIDE LUBE
FIR432	1310 27X81.8MM & 28X56MM INTERNAL COMBINATION
FIR61	28X53 INTERNAL CIRCLIP (END LUBE)
FIR73	30.2X92.1MM EXTERNAL CIRCLIP
FIR359	32X63.8MM INTERNAL CIRCLIP / NISSAN PATROL
FIR514	NISSAN GUN31 c/w PLATES & BOLTS
FIR515	35.5X119.2MM

Part #	Comments
CENTRE BRG	
FIRCB137	30X16MM NISSAN 37521-57G26
FIRCB138	30X150X12MM NISSAN 37521-33G25
FIRCB141	30MM NISSAN 37521-W1025
FIRCB144	50MM NISSAN 37510-Z2002/4
FIRCB145	30MM NISSAN 37521-W1027 QASHQAI
MID ASSY	
MDA24.4	132X4X12.2MM PCD 108MM - 65MM DIA MALE REGISTER 35MM Ø BRG 76.2X2.4MM Ø BRG TUBE - NISSAN
PIAGGIO PORTER	
SHAFT ASSY	29MM DIA SLEEVE/ 19 SPLINES + 2 MASTER SPLINE
	FLANGE 80.6MM PCD C/w 4 x 10.35MM BOLT HOLES
DAIHATSU-1	SHAFT SET (UNWELDED)
DAIHATSU-2	OVERALL LENGTH = 498MM (OE REF 37110-87Z19-A)
DAIHATSU-3	OVERALL LENGTH = 625MM (OE REF 565333)
DAIHATSU-4	OVERALL LENGTH = 515MM (OE REF 37110-87Z24)
DAIHATSU-5	OVERALL LENGTH = 640MM (OE REF 565341)
37110-87Z23-A	OVERALL LENGTH = 670MM
565340	OVERALL LENGTH = 455MM
37110-87Z22-A	OVERALL LENGTH = 445MM
AG11-0004112	OVERALL LENGTH = 925MM
CP11-0008598	OVERALL LENGTH = 840MM
CP11-0008908	OVERALL LENGTH = 700MM
RENAULT	
RENAULT-1	FLANGES 112X4X8.2MM 91MM OCD MALE SPIGOT 74MM (64.5X64.5MM)
	KANGOO (4X4) OEM SPECIFICATION O.E # 8200149811 LENGTH 1978MM
	FRONT 680MM FL > C/L CTR BRG - MIDDLE 753MM CTR BRG C/LS
RENAULT-DAMPER	RENAULT KANGOO (TREKKA 4X4) DAMPER
RENAULT-BOLT	RENAULT KANGOO (TREKKA 4X4) BOLTS FOR DAMPER ABOVE
FC-11/1	RENAULT SCENIC FLEXIBLE COUPLING 80MM PCD 6 HOLES 129MM O.D.

Part #	Comments
CENTRE BRG	
FIRCB212	30X130X15MM KANGOO C/w PLASTIC COVER TUBE & SEAL
FIRCB212A	30X130X15MM KANGOO
FIRCB228	45X168.5X19MM RENAULT MASTER O.E. # 37525191R
FIRCB215	30X132X13MM SCENIC
CV JOINT	
FIRCV51	KANGOO W/o ABS 28 SPLINE - C/w FITTING KIT
SSANGYONG MUSSO	
PROPSHAFT	SLIP ASSY FLANGE 115X4X12.2MM FEMALE SPIGOT Ø 50.8MM (63X63MM)
	FIXED END FLANGE 117X4X10.2MM MALE SPIGOT Ø 65MM (50X69MM)
33100-05701	SSANGYONG MUSSO PROPSHAFT Lz.668MM
33100-05620	SSANGYONG MUSSO PROPSHAFT Lz.755MM
33200-06701	SSANGYONG MUSSO PROPSHAFT Lz.915MM (33200-06800)
33200-05701	SSANGYONG MUSSO PROPSHAFT Lz.1065MM
33200-06780	SSANGYONG MUSSO PROPSHAFT Lz.1070MM
33200-07000	SSANGYONG MUSSO PROPSHAFT Lz.1203MM
33200-08300	SSANGYONG MUSSO PROPSHAFT Lz.1250MM
	DOUBLE JOINT 117X4X12.5MM FEMALE SPIGOT 50.8MM (63X63MM)
	PLUNGE JOINT END 110X4X10.2MM MALE SPIGOT 65MM (50X69MM)
SSANGYONG-2	SSANGYONG MUSSO PROPSHAFT Lz.685MM
DOUBLE JOINT	
DBJ3.2	SSANGYONG MUSSO 105X4X12.5MM /TUBE 63.5X2.4MM
CENTRE BRG	
FIRCB238	SSANGYONG KYRON 30X45X16MM H=105MM
FIRCB239	SSANGYONG ACTYON 30X45X15MM H=99MM
FIRCB240	SSANGYONG ACTUYION SPORT 30X45X16MM H=73MM
FIRCB241	SSANGYONG MUSSO / KORANDO 30X45X16MM M12X1.25MM H=119MM
FIRCB242	SSANGYONG REXTON 30X47X16MM M12X1.25 H=80MM
FIRCB243	SSANGYONG MUSSO SPORTS 30X45X15MM M12X1.25MM

Part #	Comments
FIRCB244	SSANGYONG RODIUS 30X160X16MM H=61MM
SUBARU	
U/JOINT	
FIR473	25X40.4MM INTERNAL CIRCLIP END LUBE
FIR61	28X53MM INTERNAL CIRCLIP
FLANGE	
FLY103.1	25X40.4MM I/C 50MM SPIGOT / PCD 75.7MM H=44.5MM
SLEEVE YOKE	
SL103.1	25X40.4MM I/C TRANSMISSION SLEEVE 35X149.2MM (22/24 SPLINES)
TUBE YOKE	
TUY103.1	25X40.4MM I/C 54.3MM BASE Ø TUBE H=44.5MM
CENTRE BRG	
FIRCB160	30X174X16MM SUBARU
FIRCB235	30X175X15MM SUBARU IMPREZA
SUZUKI	
SHAFT ASSY	40MM DIA. SLEEVE 24/26 SPLINES / 84.86MM PCD FLANGE YOKE (25X64MM UJ)
SUZUKI-3	722MM UJ CTR.LINES / 896MM OVERALL 2" TUBE DIA (27102B-60A01).
SUZUKI-4	506MM UJ CTR.LINES / 680MM OVERALL 2" TUBE DIA (27101-85C01)
SHAFT ASSY	79.2MM PCD FLANGE YOKE 8.2MM BOLT (45MM REGISTER)
SUZUKI-1	710MM FFC / 2" TUBE DIA.
SUZUKI-2	508MM FFC / 2" TUBE DIA.
SUZUKI-5	853MM FFC / 2" TUBE DIA.
SHAFT ASSY	60/60MM BOLT SPACE FLANGE YOKE 10.2MM BOLT (45MM REGISTER)
SUZUKI-6	110X4X10MM 1140SRS 758MM / 2" TUBE DIA.
SHAFT ASSY	40MM DIA. SLEEVE 16 SPLINES / 84.86MM PCD FLANGE YOKE (25X64MM UJ SIZE)
SUZUKI-7	896MM OVERALL 2" TUBE DIA (27102-60A11).
FLANGE YOKE	
FLY104.2	25X63.8MM 45MM SPIGOT / 60X60MM PCD 84.68MM H=39.7MM (10.2MM BOLT)

Part #	Comments
FLY104.4	25X63.8MM 45MM SPIGOT / 56X56M PCD 79.2MM H=39.7MM (8.2MM BOLT)
SLEEVE YOKE	
SL104.2	25X63.8MM TRANSMISSION SLEEVE 32X112.4MM (21/23 SPLINES)
TUBE YOKE	
TUY104.3	25X63.8MM 50.8X2.1MM TUBE H=40MM
U/JOINT	
FIR17/1	20.01X35 / 38MM INTERNAL CIRCLIP
FIR522	20.06X59.8MM STAKED
FIR415	30.15X52.4/55.5MM JEEP CHEROKEE
FIR40	25X63.8MM EXTERNAL CIRCLIP
FIR305	25X64MM EXTERNAL CIRCLIP
TOYOTA	
SHAFT ASSY	
HILUX-2P	TWO PIECE O/A LENGTH 1368MM FRONT MID = 605MM REAR = 763MM
HILUX-2P/1	TWO PIECE O/A LENGTH - FRONT 650MM FL > C/L CTR BRG FIRCB206
	REAR - 880MM C/L UJ > FLANGE CLOSED 1330SRS END LUBE UJS
	FLANGE 66X66MM BOLT HOLE SPACING H=42MM 46MM SPIGOT
TOYOTA/15	TOYOTA HIACE 2-PIECE (LWB)
SHAFT ASSY	TRANSFER - FRONT AXLE
HILUX-FRONT	FRONT SHAFT Lz. 620MM C/w DBJ ASSY 10.3MM (DBJ68.1) - IMPORT
HILUX-FRONT/5	FRONT SHAFT Lz. 620MM C/w DBJ ASSY 10.3MM (DBJ68.1)
HILUX-FRONT/1	FRONT SHAFT Lz. 620MM C/w DBJ ASSY 10.3MM (DBJ68.2)
SHAFT ASSY	FROM GEARBOX
HILUX-FRONT/2	TOYOTA HILUX FRONT SHAFT L. 605MM C/w FIRCB71 BRG.
HILUX-REAR	TOYOTA HILUX REAR SHAFT Lz. 760MM 84.84MM PCD
HILUX-REAR/2	TOYOTA HILUX REAR SHAFT Lz. 815MM C/w DBJ ASSY 10.3MM (DBJ68.3) 60X60MM
HILUX-FRONT/4	FRONT SHAFT @ 535MM FF SWAGED TUBE
SLEEVE YOKE	
SL68.4	SLEEVE YOKE 29X49MM I/C H=191.5MM USE WITH SS68.2 & ST68.2

Part #	Comments
SL68.5	SLEEVE YOKE 29X49MM I/C H=214MM HEAVY /DUTY UPRATED 1.5" X 16 RILSAN COATED SPLINE USE WITH SS68.3 + ST68.3 **HILUX**
TRANSMISSION SLEEVE	
SL68.2	TOYOTA SUPRA (40MM Ø H=155MM) 23 SPLINE * UJ 29X49MM I/C FIR68
SL68.3	TOYOTA (38MM Ø H=155MM) 21 SPLINE * UJ 29X49MM I/C FIR68
SL3.20/1	TOYOTA (38MM Ø H=152MM) 21 SPLINE W/ANGLE 2-3-11661X
SL3.28	TOYOTA (40MM Ø H=146MM) 23 SPLINE 2-3-11721X
SL108.1	TOYOTA (31.9MM Ø H=146MM) 20/22 SPLINE * UJ 26X42-46.9MM I/C FIR68
SLIP STUB	
SS68.2	65X1.6MM Ø TUBE H=198MM USE WITH SL68.4 & ST68.2
SS68.3	65X1.6MM Ø TUBE H=195MM H/DUTY 16 SPL USE WITH SL68.5 + ST68.3
SEAL TUBE	
ST68.1	SEAL TUBE H=134MM USE WITH SS68.1 & SL68.1
ST68.2	SEALTUBE H=134MM X 44.7MM USE WITH SS68.2 & SL68.4
ST68.3	SEAL TUBE USE WITH SS68.3 & SL68.5
FLANGE YOKE	
FLY68.1	10.3MM BOLT HOLES ON 84.84MM PCD 60X60MM SPACING **HILUX**
FLY68.6	10.3MM BOLT 66X66MM HOLE SPACING 93.34MM PCD 46MM SPIGOT PIN YOKE TO SUIT DBJ68.5
FLY3.17	105X4X10MM TOYOTA HILUX 84.84MM PCD 60X60MM H=42MM
FLY3.42	105X4X10MM TOYOTA D/J FLANGE YOKE 84.85MM PCD 46MM SPIGOT 60X60MM
FLY3.43	110X4X10MM TOYOTA D/J FLANGE YOKE 93.18MM PCD 46MM SPIGOT 70X61.5MM
FLY3.44	110X4X10MM TOYOTA D/J FLANGE YOKE 93.34M PCD 46MM SPIGOT 66X66MM
FLY99.3	112X4X11.2MM / 91MM PCD 32X61MM I/C 68X60MM 46MM MALE SPIGOT
FLY4.8	130X4X12.2MM PCD=93MM BHC=66X66 MALE SPIGOT 46MM H=42MM
FLY4.10	116X4X11.2MM PCD=93MM BHC=66X66MM SPIGOT=46MM H=43MM
TUBE YOKE	
TUY68.1	29X49MM I/C 61.85MM BASE **HILUX**
TUY99.1	32X61MM I/C 61.85MM BASE **LANDCRUISER**
TUY108.1	26X42-46.9MM I/C 60.1MM BASE

Part #	Comments
DOUBLE JOINT	ALL WITH 61.85MM BASE
DBJ68.1	10.3MM BOLT HOLES 60X69MM HOLES 95MM PCD HILUX 46MM SPIGOT
DBJ68.2	10.3MM BOLT HOLES 61.4X70MM HOLES 92.8MM PCD HILUX/LANDCRUISER 46MM SPIGOT
DBJ68.3	10.3MM BOLT HOLES 60X60MM SPACING 84.7MM PCD 46MM MALE SPIGOT TUBE BASE DIA 62.25MM
DBJ3.12	TOYOTA HILUX 1310 PCD=93.34MM MDS=46MM 11.2MM BOLT HOLES BHC=66X66MM TUBE Ø 63.5X2.4MM H=181MM
BALL KIT	
12BK	TOYOTA HILUX 12MM BALL KIT
13BK	TOYOTA HILUX 13MM BALL KIT
MID ASSY	
MDA68.1	"TOYOTA MID ASSY ""MULTIFIT"" TO SUIT 30MM CTR BRG STUB BASE 62MM SUITS 65X1.6MM TUBE / 27 SPLINES (SPL Ø 28MM) COUPLING FLANGE Ø 115MM / FEMALE SPIGOT = 46MM 12 OFF BOLT HOLES DRILLED TO SUIT BOLT HOLE SPACING 66X66MM (11MM BOLT HOLES) 60X68MM (11MM BOLT HOLES) 60X60MM (10MM BOLT HOLES) NUT & WASHER INCLUDED "
MDA68.2	"TOYOTA MID ASSY MID STUB & COUPLING FLANGE TO SUIT 30MM CTR BRG STUB BASE 62MM SUITS 65X1.6MM TUBE / 27 SPLINES (SPL Ø 28MM) COUPLING FLANGE Ø 115MM / FEMALE SPIGOT = 46MM DRILLED TO SUIT BOLT HOLE SPACING - 60X60MM (11MM HOLES) NUT & WASHER INCLUDED , USE WITH FIRCB71 & FIRCB187"
U/JOINT	
FIR14	20X57MM EXTERNAL CIRCLIP
FIR18	22.06X57.5MM STAKED
FIR44	26X42/46.9MM INTERNAL CIRCLIP
FIR45	26X53.6MM INTERNAL CIRCLIP
FIR66	28.5X77.9MM EXTERNAL CIRCLIP
FIR223	TOYOTA / HILUX 2060V CENTRE LUBE & LUBE IN 1 X CAP
FIR486	TOYOTA 1 X LUBE IN END CAP
FIR68	29X49MM INTERNAL CIRCLIP STANDARD
FIR68A	29X49MM INTERNAL CIRCLIP / PREMIUM TYPE
FIR213	29X49MM INTERNAL CIRCLIP / END LUBE
FIR340/1	29X49MM INTERNAL CIRCLIP / NON LUBE SFL
FIR162	32X61MM INTERNAL CIRCLIP FOR TOYOTA LANDCRUISER

Part #	Comments
FIR84	34X107MM EXTERNAL CIRCLIP
FIR516	39.98X118MM EXTERNAL CIRCLIP
CENTRE BRG	
FIRCB661	30X125X12MM DYNA OE REF # 37230-36060
FIRCB71	30X230X10MM HILUX 4X4 30X230MM 37230.35080
FIRCB187	30X150X13MM 37230-35130
FIRCB142	30X162X13MM CRESSIDA 30X162X13MM 78-5/85) 37230-22042
FIRCB97	30X150X12MM 37230-26020
FIRCB150	30X147X13MM CRESSIDA (78-5/85) 37230-22042
FIRCB143	30X148X12MM TOYOTA 4X2 (84-95) 37230-35070 BRG.T5
FIRCB139	30X150X13MM TOYOTA 4X4 (90+) 37230-35090 D/LIP SEAL BRG.T4
TUBE	
TUBE66.6X2.41	TUBE 66.6 X2.41MM Ø HILUX **SOLD IN 58" LENGTHS**
TUBE66X2	TUBE 66X2MM Ø HILUX
VAUXHALL	
CENTRE BRG	
FIRCB201	30X96X13MM VAUXHALL OMEGA & SENATOR
FIRCB202	30X96X13MM VAUXHALL OMEGA
FIRCB273	30X191X13MM VAUXHALL ANTARA & CHEVY CAPTIVA
VOLKSWAGEN	
SHAFT ASSY	TOUAREG
VOLKSWAGEN/1	VW TOUAREG / AUDI Q7 Lz.1246.4MM 7L6521102
VOLKSWAGEN/2	VW TOUAREG / AUDI Q7 Lz. 694.3MM 7L6521101 C/E/G
VOLKSWAGEN/3	VW TOUAREG / AUDI Q7 Lz. 631.9MM 7L0521101A/B/C/D
VOLKSWAGEN/4	VW TOUAREG / AUDI Q7 Lz. 1185.2MM 7L6521102B/C/D/E/F/H
CV JOINT	
FIRCV38	VW TOUAREG 100X6X8MM PLUNGING TYPE 7153130198015
FIRCV38/1	VW TOUAREG 100X6X8MM PLUNGING CV MID ASSY C/w CTR BRG

Part #	Comments
FIRCV57	VW TOUAREG REAR (DIFF END) CV JOINT ASSY C/S STUB
6153139600063	BOOT KIT FOR FIRCV38
BOOT/5	RUBBER BOOT & SHIELD TOUAREG/CAYENNE CENTRE CV
BOOT/8	RUBBER BOOT ONLY TOUAREG/CAYENNE CENTRE CV
BOOT/7	VW TOUAREG CV JOINT BOOT & SHIELD
SHAFT ASSY	TIGUAN
VOLKSWAGEN/5	VOLKSWAGEN TIGUAN Lz.2160MM 2 PC SHAFT OE # 5N0521101E
SHAFT ASSY	TRANSPORTER
VOLKSWAGEN/7	L = 1947MM VW OE REF # 7H3521102A 100X6X10MM CV JOINTS 86MM PCD
VOLKSWAGEN/8	L = 1582MM VW OE REF # 7H1521102A 100X6X10MM CV JOINTS 86MM PCD
VOLKSWAGEN/9	L=820MM VW T5 TRANSPORTER L.820MM FRONT
SHAFT ASSY	LT 35/45/50
VOLKSWAGEN LT	LENGTH 1586MM OE REF # 291 521 101FX
VOLKSWAGEN LT	LENGTH 1592MM OE REF # 295 521 101LX
VOLKSWAGEN LT	LENGTH 1592MM OE REF # 295 521 101LX
VOLKSWAGEN LT	LENGTH 1619MM OE REF # 295 521 101KX
VOLKSWAGEN LT	LENGTH 1800MM OE REF # 295 521 101X
VOLKSWAGEN LT	LENGTH 1820MM OE REF # 295 521 101AX
VOLKSWAGEN LT	LENGTH 2293MM OE REF # 295 521 101NX
SHAFT ASSY	KRAFTER
2D0521101AB	LENGTH = 2093MM OE REF # 2D0521101AB VW LT & MERC SPRINTER TUBE Ø = 70MM BOTH SECTIONS
2D0521101AD	LENGTH = 1775MM OE REF # 2D0521101AB VW LT & MERC SPRINTER
2D0521101N	LENGTH = 2188MM OE REF # 2D0521101N VW LT & MERC SPRINTER SWAGED TUBES 70 / 90 MM
2E0521293H	LENGTH =2748MM 132X4X10 (FRONT=1060MM) A9064109906 SWAGED TUBES
2E0521101AK	LENGTH =2843MM 132X4X10 (FRONT = 1128MM) A9064102016
2E1521293	LENGTH =2850MM 132X4X10 (FRONT = 1130MM) A9064104406 SWAGED TUBES
COUPLINGS	
FC-1	FLEXIBLE COUPLING VOLKSWAGEN TOUAREG BUSH DIA = 31MM Ø
	O.D = 152MM - BOLT Ø = 12MM/ PCD = 110MM / PIN Ø = 16MM

Part #	Comments
CENTRE BRG	
FIRCB08	VW LT 30X135X12MM O.E REF 6174100116140
FIRCB198	VW TOURAEG 30X68X20MM H=70MM M8 BOLT HOLES
FIRCB198A	VW TOURAEG 30X68X19MM H=70MM M8 HOLES
FIRCB272	VW TOUAREG 35X135X13MM
FIRCB285	VW TRANSPORTER T5 30X148X15.5MM (LOW BOW)
FIRCB286	VW TRANSPORTER T5 30X162X15.5MM (HIGH BOW)
FIRCB290	VW AMAROK 30X168X15MM
FIRCB250	TIGUAN ORIGINAL 30X400X15MM OE # 2153124300
FIRCB250A	TIGUAN ALTERNATIVE 30X410X15MM TO ORIGINAL
VOLVO	
KUGA-1	VOLVO XC60 3 SECTION PROPSHAFT L=2010MM C/w CV JOINTS
VOLVO-CAR/7	"PROPSHAFT VOLVO 4X4 V70 FRONT - UJ BEFORE CTR.BRG TO CV (7153050185001) FIRCV11, FRICTION WELD C/L = 661MM REAR - CV (7153050177001) (SIZE 5) FIRCV11 TO FIRCB155 CTR.BRG FRICTION WELD C/L = 755MM"
VOLVO-CAR/12	PROPSHAFT VOLVO (XC90) (4X4) CV JOINTED BOTH ENDS
CTR BRGS	
FIRCB133	CENTRE BRG 25X75X12MM VOLVO V70
FIRCB155	CENTRE BRG 30X58X12MM VOLVO S70 / V70
FIRCB211	CENTRE BRG 30X93X16MM VOLVO V70 4X4 WD
FIRCB147	CENTRE BRG 35X80X13MM VOLVO 740 & 760
FIRCB279	CENTRE BRG 30X118X13MM VOLVO XC70
CV JOINT	
FIRCV15	VOLVO CV JOINT (78MM O/A - 65MM PCD) USE WITH DL5074 LOBRO REF
FIRCV11	VOLVO CV JOINT (86MM O/A - 74MM PCD) USE WITH DL1418-86B LOBRO REF # 7153050177001
FIRCV14	VOLVO CV JOINT (94MM O/A - 80MM PCD) USE WITH DL5074 LOBRO REF # 7153100177006
FIRCV17	VOLVO CV JOINT (86MM DIA (74MM PCD) 19 SPL INES- C/w BOOT
DL1418-78B	VOLVO CV SHROUD & RUBBER (USE WITH FIRCV15)

Part #	Comments
DL1418-86B	VOLVO CV SHROUD & RUBBER (USE WITH FIRCV11)
DL5074	VOLVO CV SHROUD & RUBBER (USE WITH FIRCV14)



Ford Transit and Ranger Style

Propshafts and Components

Part #	Comments
FORD RANGER	
RANGER	FORD RANGER & MAZDA 1310 SRS REAR 2-PIECE L=1600MM FRONT SECTION = 495MM FLANGE > BRG C/L REAR SECTION = 1110 MM C/L BRG > FLANGE COMPRESSED
RANGER/1	FORD RANGER TRANSFER BOX TO FRONT AXLE 470MM UJ CTRS FLANGE = 106X4X8MM * 63X63MM HOLE CL / 5MM Ø SPIGOT H=40MM TO MALE SPLINE H=245MM (FORD STANDARD 25 SPLINE) YS112.1
RANGER/2	FORD RANGER 1330 SRS TRANSFER BOX TO REAR AXLE 2 PIECE OVERALL LENGTH = 1600MM COMPRESSED
RANGER/3	FORD RANGER 1330 SRS 2 PEICE PROPSHAFT L=1445MM OVERALL FRONT: FLANGE - C/L CTR BRG = 395MM REAR: 1050MM C/L CTR BRG - FLANGE COMPRESSED
RANGER/4	FORD RANGER & MAZDA FRONT 1310 SRS (4X4 FRONT) L=660MM
RANGER/6	FORD RANGER 2 PIECE 1330 SRS L=1600MM FRONT: FLANGE - C/L CTR BRG = 587.6MM REAR: 1012.3MM C/L CTR BRG - FLANGE COMPRESSED
SLIP ASSY	
SLA4.1	SLIP ASSY 1330 3X.082W" FORD RANGER ALT H=166MM, La.60MM
FLANGE YOKE	
FLY3.24	FORD RANGER & MAZDA 1310 H=45 MDS=45 PCD=104.6 BHC=74X74 MM 2-2-1859 C/w 2 TAPPED HOLES FOR VIBRATION DAMPER
FLY4.12	FORD RANGER / NISSAN 1330 132X4X12.2MM PCD=108MM, H=41.4MM, FS=65MM (5MM DEEP), BHC=76X76MM
FLY4.13	FORD RANGER / NISSAN 1330 132X4X12.2MM PCD=108MM, H=43.4MM, FS=65MM (7MM DEEP), BHC=76X76MM
FLY4.7	FORD RANGER / NISSAN 134X4X12.2MM PCD=108MM H=43MM FS=65MM BHC=76X76MM
U'JOINT	
FIR681	FORD RANGER 27X92.1MM END LUBE SPICER 5-812X
MID ASSY	
MDA4.2	FORD RANGER MID ASSY 3"X.095" FIRCB260 - 1350 SRS
MID STUB	
MDS4.2	MID STUB 1330 RANGER ALT USE WITH ENY4.2 H=56.5MM 63.5X2.1MM 2.50X.082" TUBE

Part #	Comments
MID YOKE	
ENY4.1	1330 MID YOKE FORD RANGER 2P PROPSHAFT
ENY4.2	1330 MID YOKE FORD RANGER (2P PROPSHAFT) ALT H=84.2MM USE WITH MDS4.2
CENTRE BRG	
FIRCB205	FORD RANGER 28X181X15MM
FIRCB149	FORD RANGER 30X150X13MM
FIRCB177	FORD MAVERICK 30X175X15.5MM (AUTO) ORIGINAL
FIRCB178	FORD MAVERICK 30X175X15.5MM (MANUAL) ORIGINAL
FIRCB260	FORD RANGER 3 & MAZDA 35X180X14MM - ORIGINAL
FIRCB260A	FORD RANGER 3 & MAZDA 35X180X14MM - ALTERNATIVE
FIRCB266	FORD RANGER 35X163X14MM OE REF # SLA12-25-300
FORD TRANSIT	1300 27 X 74.6MM UJ
SHAFT ASSY	2-PIECE DESIGN WITH 30MM BRG (FLANGES 120/4-12 * 109/4-10)
TRANSIT-2P	SWAGED REAR L=1979MM TRANSIT 80/100 SWB (95VB4K145GB) FINIS REF 1063328
SHAFT ASSY	WITH 30MM BRG / 94MM DIA CV JOINT (120/4-12 * 109/4-10)
TRANSIT-2P/9	L=2114MM (88VB4K145DC) FINIS REF 6188680
SHAFT ASSY	3-PIECE DESIGN WITH 30MM BRGS (FLANGES 120/4-12)
TRANSIT-3-PIECE	L=2695MM 190 LWB c/w 30MM CTR BRGS 92VB4K357BKD
FLANGE YOKE	
FLY2.1	FORD 109X4X10 57MM SPIGOT 3002.1409 H=40MM
FLY2.2	FORD 120X4X12 40MM SPIGOT 3002.1429 H=40MM
FLY2.4	FORD 120X4X12 56MM SPIGOT 3002.1449 H=40MM
MID STUB	
MDS1.5	TRANSIT 2X.064" TUBE Ø (USE WITH MY1.5))
MDS1.9	TRANSIT 1140 2.1X.095" TUBE Ø 23 SPLINES (USE WITH MY1.5 & 30MM BRG) TIRSAN
MDS2.1/1	TRANSIT LONG MID STUB / 2X.095" USE WITH MY2.1/1 & MY1.2/1 TIRSAN
MDS2.2/1	TRANSIT LONG MID STUB / 3X.064" USE WITH MY2.1/1 & MY24.4 TIIRSLAN
MDS2.12	LONG MIDSTUB 1140 1300 2X.064" 26 SPL USE WITH MY1.4 & MY2.1/1 H=82MM

Part #	Comments
MID YOKE	
MDY1.5	TRANSIT MID YOKE H=86MM (USE WITH MDS1.5 & MDS1.9) TIRSAN
MDY2.1/1	TRANSIT MID YOKE "LONG" H=80.2MM USE WITH MDS2.1/1 & MDS2.2/1 TIRSAN
FIXINGS	
30001900800	HEX BOLT (USE WITH MDS2.1 / MDS2.2)
30002001700	
30002001800	LOCK TAB WASHER
TUBE YOKE	
TUY2.5	TO SUIT 2X.095" TUBE 3026.2607
TUY2.1	TO SUIT 3X.064" TUBE 3026.1567
CENTRE BRG	
FIRCB57	30X144X13MM TRANSIT 3180-3004
FIRCB61	30X140X13MM TRANSIT ROUND OLD STYLE
FIRCB19	45X144X16MM 3180-4511
FIXINGS	
31141400600	CENTRE BEARING FLINGER (SUITABLE FOR FIRCB57 / FIRCB161 & FIRCB131)
SLEEVE YOKE	
SL2.3	1410 HEAVY DUTY SPLINE USE WITH SS6.7 L=156MM
SL2.12	SLEEVE SLIPMID 3X.064W" 1410SPL L=150MM JAGUAR & TRANSIT
SLIP STUB	
SS6.7	70MM SLIP RILSAN COATED 3X.064" (1410 SPLINE)
U'JOINT	
FIR195	STANDARD UNIVERSAL JOINT 27X74.6MM
FIR195A	1300 (MATSUBA / UJ-055) SIDE LUBE
FIR195B	1300 (GMB GU-1100) SIDE LUBE
FIR52	INTERMEDIATE UNIVERSAL JOINT SHROUDED SEALS & THRUST WASHERS
FIR52/3	PREMIUM DUTY (METAL SEALS & THRUST WASHERS)
CV JOINT	
FIRCV03	TRANSIT C.V JOINT FORD # 72BG4606CA
DL5074	TRANSIT CV SHROUD & RUBBER (TO SUIT FIRCV03 & FIRCV14)

Part #	Comments
FORD TRANSIT	1350 30 X 92.1MM UJ
UNIVERSAL JOINT	
FIR658	(SFL) NEW FORD TRANSIT 8C SRS FORD SHAFTS *O.E. SPEC*
CENTRE BEARING	
FIRCB195	35X144X14MM FORD TRANSIT 8C114826AA
FIRCB195/1	35X144X14MM FORD TRANSIT 8C114826AA O.E. SPEC
FL035140101	INNER FLINGER FORD TRANSIT 76.5MM Ø
FL035140202	OUTER FLINGER FORD TRANSIT (FIRCB195/1) 51MM Ø
FLEXIBLE COUPLING	
FC-10	RUBBER COUPLING / 120MM PCD 104MM HOLE C/L M14MM BOLT HOLE - USE WITH FK-2
PROPSHAFT	YEAR 2007 ONWARDS
2-PIECE DESIGN	35MM CTR BRGS 120MM PCD COUPLING / FLANGE 107.95MM PCD 50.8MM REG)
TRANSIT-2P/10	L = 2155.8MM SWAGED TUBES BOTH SECTIONS FORD PART # 8C11-4K145-AE
TRANSIT-2P/11	L = 1997MM SWAGED FRONT SECTION FORD PART # 8C11-4K145-BE
TRANSIT-2P/13	L = 2449MM SWAGED FRONT SECTION FORD PART # 3C11-4K145-AB
3-PIECE DESIGN	35MM CTR BRGS 120MM PCD COUPLING / FLANGE 107.95MM PCD 50.8MM REG)
TRANSIT-3P/15	L=2522MM SWAGED FRONT SECTION FORD PART # 8C16-4K357-CPF
TRANSIT-3P/16	L=2317MM SWAGED FRONT SECTION FORD PART # 8C16-4K357-DG
TRANSIT-3P/17	L=2969MM SWAGED FRONT & REAR SECTIONS FORD PART # 8C16-4K357-EF
TRANSIT-3P/29	L=2767MM SWAGED FRONT 35MM CTR BRGS FORD PART # 8C16-4K357-FG
TRANSIT-3P/18	L=2767MM SWAGED FRONT 30MM CTR BRGS FORD PART # 8C16-4K357-FF
TRANSIT-3P/26	L=2553MM AC11-4K357-AB
TUBE	
TUBE84X1.7	TUBING 84MMX1.7MM
FLANGE YOKE	
FLY5.5	FORD TRANSIT 3502.300 108MM PCD 12.75MM HOLES SPIGOT = 50.8MM H=42MM
TUBE YOKE	
TUY5.6	1350 TUBE YOKE 3X0.064" Ø

Part #	Comments
U/Joint	
FIR73	STANDARD 30.2X92.1MM
FIR404	FORD TRANSIT 30.2X92.1MM
FIR623	30.2X92.1 MM SPICER PREMIUM WITH LUBE 5-178X
FIR801	30.2X92.1MM **NEAPCO GOLD LINE** (SFL)
FIR643	30.2X92.1MM (MATSUBA UJ-037)
FIR643/1	30.2X92.1 END LUBE IN CAP
TRANSIT	2020 30.2 X 81.8MM UJ
PROPSHAFT	
3-PIECE DESIGN	C/w 30MM BRGS (107.95MM PCD 17MM PIN * 107.95MM PCD 50.8MM REG)
TRANSIT-3P/28	L=2891MM 2020 (1350SRS AXLE) FORD PART # YC1W4K357TC
TRANSIT-3P/1	L=3084MM 2020 (1350SRS AXLE) FORD PART # YC1W4K357VA
TRANSIT-3P/3	L=2429MM 2020 (1350SRS AXLE) FORD PART # YC1W4K357SC
TRANSIT-3P/4	L=2365MM 2020 (1350SRS AXLE) FORD PART # YC1W4K357PC
TRANSIT-3P/12	L=2364MM 2020 (1350SRS AXLE)
3-PIECE DESIGN	C/w 30MM BRGS (SGF COUPLING 105MM PCD * 107.95MM PCD 50.8MM REG)
TRANSIT-3P/5	L=2328.5MM (LENGTH W/o RUBBER COUPLING) REAR 3" DIA 3C11-4K357-DB
TRANSIT-3P/24	L=2346.5MM (LENGTH W/o RUBBER COUPLING) AC11-4K357-BB
TRANSIT-3P/13	L=2390MM (LENGTH W/o RUBBER COUPLING) REAR 3" DIA 3C11-4K357-HB
TRANSIT-3P/19	L=2553MM (LENGTH W/o RUBBER COUPLING) REAR SWAGE 3/3.5" 3C11-4K357-CC
TRANSIT-3P/6	L=2590MM (LENGTH W/o RUBBER COUPLING) REAR SWAGE 3/3.5" 3C11-4K357-GB
TRANSIT-3P/7	L=2838MM (LENGTH W/o RUBBER COUPLING) REAR SWAGE 3/3.5" 3C11-4K357-KC
TRANSIT-3P/22	L=2798MM (LENGTH W/o RUBBER COUPLING) REAR SWAGE 3/3.5" 6C11-4K357-DA
TRANSIT-3P/23	L=3000MM (LENGTH W/o RUBBER COUPLING) REAR SWAGE 3.5/4.0" 6C11-4K357-CE
TRANSIT-3P/8	L=3040MM (LENGTH W/o RUBBER COUPLING) REAR SWAGE 3.5/4" 3C11-4K357-JB
PROPSHAFT	YR 2004 +
3-PIECE DESIGN	C/w 30MM BRGS (SGF COUPLING 120MM PCD * 107.95MM PCD 50.8MM REG)
TRANSIT-3P/9	L=2520MM (LENGTH W/o RUBBER COUPLING) REAR SWAGE 3/3.5" 4C11-4K357-CC
TRANSIT-3P/15	L=2522MM (LENGTH W/o RUBBER COUPLING) REAR SWAGE 3.5/4.0" *STAKED UJS*

Part #	Comments
TRANSIT-3P/14	L=2767MM (LENGTH W/o RUBBER COUPLING) REAR SWAGE 3.5/4.0" 4C11-4K357-FA
TRANSIT-3P/17	L=2969MM (LENGTH W/o RUBBER COUPLING) REAR SWAGE 3.5/4.0" 8C16-4K357-EF
TRANSIT-3P/10	L=2970MM (LENGTH W/o RUBBER COUPLING) REAR SWAGE 3.5/4.0" 4C11-4K357-EA
FLANGE YOKE	
FLY24.8	107.95MM Ø PCD 12.66MM HOLES H=45MM FORD TRANSIT GEARBOX ONLY
MID STUB	
MDS24.3	NEW FORD TRANSIT 3.0X.064" Ø TUBE (USE WITH MY24.3) "29.6MM DIA SPLINE"
MID YOKE	
MDY24.3	NEW FORD TRANSIT (USE WITH MDS24.3) "29.6MM DIA SPLINE"
FIXINGS	
30001900800	HEX BOLT
30002001700	U BOLT
30002001800	LOCK TAB WASHER
TUBE YOKE	
TUY24.3	TO SUIT 76.2X2.4MM (3.0X.095") Ø TUBE H=45MM
TUY24.4	TO SUIT 76.2X1.62MM (3.0X.064") TUBE H=53MM
CENTRE BRG	
FIRCB57	30X144X13MM 3180-3004
FIRCB57A	O.E. FORD TRANSIT 30X144X13MM (99VB4826AB/YCIW4826BC)
FIXINGS	
31141400600	CENTRE BEARING FLINGER (SUITABLE FOR FIRCB57 / FIRCB161 & FIRCB131)
YOKE SHAFT ASSY	
SLA24.4	70MM SLIP / 76.2X2.4MM (3X0.095") TUBE W/o FLANGE & UJ L=193MM
SLA24.7	70MM SLIP / 76.2X2.1MM Ø TUBE W/o FL & UJ - L=200MM
SLA24.5	90MM SLIP / 76.2X2.4MM (3X0.064") TUBE W/o FLANGE & UJ
U'JOINT	
FIR77	30.2X81.8MM CENTRE LUBE SPICER 2020 ORIGINAL
FIR232	30.2X81.8MM OPTIONAL 1.2MM & 1.5MM CIRCLIPS
FIR232A	687.20 C/w WITH LUBE & 1.5MM CIRCLIPS HEAVY DUTY
FIR232/1	30.2X81.8MM CENTRE LUBE HEAVY DUTY INA BRG CAPS

Part #	Comments
FIR394	687.20 C/w WITH LUBE
END YOKE	31MM BORE W/o BUSH
ENY24.2	3 ARM COUPLING FLANGE 105MM PCD (USE WITH FC-9) TUBE 58X1.62MM
ENY24.3	3 ARM COUPLING FLANGE 120MM PCD (USE WITH FC 10) TUBE 66X2.41MM
FLEXIBLE COUPLING	
FC-9	RUBBER COUPLING / 105MM PCD * M12 - USE WITH FK-1
FC-10	RUBBER COUPLING / 120MM PCD * M14 - USE WITH FK-2
FIXING KIT	
FK-1	FIXING KIT FOR FC-9 * M12 (3XBOLTS / 3XNUTS / 3XWASHERS)
FK-2	FIXING KIT FOR FC-10 * M14 (3XBOLTS / 3XNUTS / 3XWASHERS)
BUSH	
BUSH/1	TRANSIT BUSH TO SUIT ENY24.2 + ENY24.3 (16MM PIN / 32MM Ø)
AXLE FLANGES	
AF01	4 BOLT AXLE FLANGE TRANSIT 128MM DIA H=38MM
AF02	8 BOLT AXLE FLANGE TRANSIT 128MM DIA H=49.6MM
TUBE	
TUBE84X1.7	84X1.7MM Ø
TRANSIT MISC	
U'JOINT	
FIR53	27X71MM TRANSIT STAKED
FIR550	27X79.8MM NEW TRANSIT STAKED
FIR79	31.02X44.1MM INTERNAL CIRCLIP
FIR21	22X67MM FORD STAKED



Industrial Shaft Components

Part #	Comments
587.50	72 X 185MM UJ
Y.S.A.	SHORT COUPLE SHAFT (LESS JOINTS & FLANGES)
587.50YSA-4	279MM UJ CENTRES COMPRESSED La=45MM
587.50YSA-7	284MM UJ CENTRES COMPRESSED La=50MM
587.50YSA-3	345MM UJ CENTRES COMPRESSED La=85MM
587.50YSA-9	420MM UJ CENTRES COMPRESSED La=80MM
SLIP ASSY	
SLA60.1	110MM SLIP / 144X7MM Ø TUBE (REDUCES TO 123X7.5MM) H=328MM
SLA60.2	140MM SLIP / 144X7MM Ø TUBE H=425MM
FLANGE YOKE	
FLY60.14	203X12X11.1MM H=108MM 24° 1810SAE
FLY60.1	225X8X16MM H=108MM 24°
FLY60.3	225X12X16MM H=108MM 24°
FLY60.11	225MM DIA BLANK H=108MM 24°
FLY60.9	241X8X16MM H=108MM SPICER 1880 SRS
FLY60.2	250X8X18MM H=108MM
FLY60.7	250X12X12MM H=108MM
FLY60.10	275X10X14MM H=68MM SPIGOT=139.9MM PCD=248MM 2X12MM
FLY60.6	276X8X16MM H=108MM 1900 SAE PCD=247.64MM/SPIG = 222.22MM
FLY60.5	285X8X20MM H=108MM
FLY60.4	287X16X12MM H=108MM 2000SAE
TUBE YOKE	
TUY60.1	144X7MM Ø TUBE H=138MM
COMP FLANGE	
CPF60.1	225X8X16MM PILOT BORED 50MM
U'JOINT	
FIR151	72X185MM / CENTRE LUBE (ORIGINAL GWB)
FIR151/A	72X185MM / CENTRE LUBE (ALTERNATIVE)

Part #	Comments
FIR541	72X185MM / INA END LUBE IN ALL 4 BRG CAPS
TUBING	
TUBE144X7	144X7MM Ø
292.50 / 392.50	74 X 129MM UJ
U'JOINT	
FIR274	292.50 / 392.50 CTR LUBE & 4 POINT END LUBE
FIR396	292.50 / 392.50 CTR LUBE - HIGH TEMP
587.55	74 X 217MM UJ
SLIP ASSY	
SLA93.1	TO SUIT 162X9.85MM Ø TUBE H=385MM
SLA93.2	TO SUIT 168.8X7.3MM Ø H=430MM
TUBE YOKE	
TUY93.1	TO SUIT 162X9.85MM Ø TUBE H=155MM
TUY93.2	TO SUIT 168.8X7.3MM Ø TUBE H=150MM
FLANGE YOKE	
FLY93.1	250X8X18MM H=125MM
FLY93.2	285X8X20MM H=125MM
U'JOINT	
FIR152	587.55 SRS LUBE IN ALL 4 BRG CAPS
TUBING	
TUBE168.8X7.3	168.8X7.3MM Ø
190.55	74 X 154MM UJ
U'JOINT	
FIR153	190.55 CTR LUBE & 4 POINT END LUBE
KEMPF 1105	
FIR505	KEMPF 1000.1105.950

Part #	Comments
FIR505IB	END LUBE IN ALL BRG CAPS
392.55	83X139MM UJ
U/JOINT	
FIR298IB	292.55 / 392.55 INA BRG CAPS 4 X END LUBE
FIR298	292.55 / 392.55
FIR298A	292.55 / 392.55 ALTERNATIVE
SLIP ASSY	
SLA75.1	SLIP JOINT 392.55 285X8X20 H=565MM 9.01 DESIGN La=80MM
FIXED JOINT	
FE75.1	FIXED JOINT 392.55 285X8X20 H=300MM 9.01 DESIGN
FE75.2	FIXED JOINT 392.55 315X8X22 H=300MM
587.60	83X231.4MM UJ
SLIP ASSY	
SLA100.1	TO SUIT 167.7X9.8MM Ø TUBE H=390MM
TUBE YOKE	
TUY100.1	TO SUIT 167.7X9.8MM Ø TUBE H=160MM
FLANGE YOKE	
FLY100.1	285X8X20MM H=135MM
U/JOINT	
FIR323	83X231.4MM
TUBING	
TUBE167.7X9.8	167.7X9.8MM Ø
390.65	95X139MM
SLIP ASSY	
SLA118.1	TO SUIT 218.2X8.7MM Ø TUBE H=450MM La=135MM
SLA118.2	SPLINE SET AS ABOVE LESS La=135MM
TUBE YOKE	
TUY118.1	TO SUIT 218.2X8.7MM Ø TUBE

Part #	Comments
FLANGE YOKE	
FLY118.1	FLANGE 390.65 315X8X22 H=150MM 15°
U/JOINT	
FIR156	95X139MM
COVER TUBE	
13907013000000100	COVER TUBE H =165MM
190.65	95X190MM
SLIP ASSY	
SLA86.1	SLIPASSY 190.65 La.120 (SPL.150X3) L=605MM
Y.S.A.	
190.65YSA-1	SHORT COUPLE YSA H=650MM La.60MM 150X3 SPL.
190.65YSA-2	SHORT COUPLE YSA H=560MM La.60MM 150X3 SPL.
U/JOINT	
FIR157	95X190MM - SIDE
FIR157/1	95X190MM - LUBE IN 4 BRG CAPS
W285 / S315	95X250MM
U/JOINT	
FIR419	KEMPF & VOITH W285 / S315 CTR LUBE & 4 POINT END LUBE
FIR419IB	KEMPF & VOITH W285 / S315 CTR LUBE & 4 POINT END LUBE INA BRGS

CV Joint Assemblies and Components

Part #	Comments
AUDI	
FIRCV10	AUDI CV JOINT (100MM DIA) USE WITH DL2518-100 LOBRO REF 7153120184020 ** C/w SERVICE KIT**
DL2518-100	AUDI CV SHROUD & RUBBER (USE WITH FIRCV10)
BMW	
FIRCV29	BM CV 7153130187031 LOBRO 100X6X10
FIAT	
FIRCV65	FIAT PANDA CV ASSY C/w BOOT KIT 86X6X8MM H=21MM
FORD	
FIRCV03	TRANSIT CV JOINT 94MM DIA FORD REF 1526894 / 72BG4606CA
FIRCV04	FORD GRANADA - SIERRA 100X6X8MM FORD REF 72GG4635-BA
DL5074	TRANSIT CV SHROUD & RUBBER (TO SUIT FIRCV03 & FIRCV14)
FIRCV18	FORD EXPLORER CV&STUB ASSY PCD=91MM / 231106WAB1673
FIRCV24	FORD EXPLORER/RANGER 98-05' CV JOINT KIT
FIRCV27	FORD ESCAPE/MAVERICK CV JOINT ASSY COMPLETE
JEEP CHEROKEE	
FIRCV21	JEEP CHEROKEE CV (REAR) PCD = 86MM DIA = 99.9X6X8.6MM 30MM C.V BODY (C/w BOOT KIT & SHROUD)
FIRCV21/2	JEEP CHEROKEE CV (REAR) PCD = 86MM 99.9X6X8.6MM GKN 2081446 CAGE ON FIRCV21/1 = 35MM - 30MM C.V BODY
FIRCV22	JEEP CHEROKEE CV+GAITOR/SHIELD (FRONT) PCD=86MM DIA = 99.9X6X8.6MM
FIRCV25	JEEP CHEROKEE CV+STUB ASSY La.50MM PCD=86MM (28 SPL Ø x 25 SPLINES)
FIRCV28	JEEP CHEROKEE CV+MALE SPLINE L = 325MM PCD=86MM
FIRCV34	JEEP CHEROKEE CV ASSY (FRONT) 1999-2001 86MM PCD 100MM O.D 40MM WIDE - SUPPLIED WITH SHROUDS ETC
FIRCV39	JEEP CHEROKEE CV ASSY (REAR 2005 ONWARDS 86MM PCD 99.9X6X8.6MM O.D 40MM WIDE - SUPPLIED WITH SHROUDS ETC
FIRCV58	JEEP CHEROKEE REAR C.V DIA=108MM 7153170121001
KIA	
FIRCV54	KIA SORRENTO 7153100124003 LÖBRO 100X6X8MM

Part #	Comments
LTI LONDON TAXI	
FIRCV06	TAXI (GKN) CV 100MM Ø 25 SPLINE
DL515BK	TAXI CV SHROUD & RUBBER (TO SUIT FIRCV06)
FIRCV43	LONDON TAXI CV 100MM ØX6X8MM 86MM PCD CASE WIDTH = 32MM SPLINES = 25
FIRCV43/1	LONDON TAXI CV 100MM ØX6X8MM 86MM PCD CASE WIDTH = 32MM SPLINES = 25 **INCLUDED FITTINGS / BOOT ETC**
MERCEDES	
FIRCV09	TO SUIT SPRINTER OMNIBUS 100.2X6X8.2MM - 12MM PLUNGE H = 104.5MM (0617410010000)
FIRCV13	TO SUIT SPRINTER OMNIBUS 108X6X10.2MM - 16MM PLUNGE H = 111MM (0616515000000)
FIRCV30	COMPLETE CV ASSY ML270 FOR SHAFTS EL 766MM & 696MM
MITSUBISHI	
FIRCV53	PAJERO 106MM PCD H = 127MM SUIT
FIRCV63	OUTLANDER & L200 (3 BOLT) 30 SPLINES, TUBE BASE DIA. 47.7MM
RENAULT	
FIRCV51	KANGOO W/o ABS 28 SPLINE - C/w FITTING KIT
VOLVO	
FIRCV15	VOLVO CV JOINT (78MM O/A - 65MM PCD) USE WITH DL5074
FIRCV11	VOLVO CV JOINT (86MM O/A - 74MM PCD) USE WITH DL1418-86B LOBRO REF # 7153050177001
FIRCV14	VOLVO CV JOINT (94MM O/A - 80MM PCD) USE WITH DL5074 LOBRO REF # 7153100177006
FIRCV17	VOLVO CV JOINT (86MM DIA (74MM PCD) 19 SPL INES- C/w BOOT
DL1418-78B	VOLVO CV SHROUD & RUBBER (USE WITH FIRCV15)
DL1418-86B	VOLVO CV SHROUD & RUBBER (USE WITH FIRCV11)
DL5074	VOLVO CV SHROUD & RUBBER (USE WITH FIRCV14)
VW	
FIRCV57	VW TOUAREG 100X6X10MM PLUNGING TYPE 7153130198015
FIRCV38/1	ALT VW TOUAREG REAR (DIFF END) 100X6X10M CV JOINT C/w STUB
FIRCV38	VW TOUAREG REAR (DIFF END) 100X6X10M CV JOINT C/w STUB
6153139600063	BOOT KIT FOR FIRCV38
BOOT/5	RUBBER BOOT & SHIELD TOUAREG/CAYENNE CENTRE CV

Part #	Comments
BOOT/8	RUBBER BOOT ONLY TOUAREG/CAYENNE CENTRE CV
BOOT/7	VW TOUAREG CV JOINT BOOT & SHIELD
<i>C.V JOINT ASSEMBLIES (OFFHIGHWAY)</i>	
0617512000000	1310SAE CV FIXED JOINT H=150MM / MAX ANGLE 40° "OFF HIGHWAY APPLICATIONS"
<i>C.V JOINT ASSEMBLIES (INDUSTRIAL)</i>	
FIRCV02	128X2X12.2MM 108MM PCD LOBRO 0617421000000 - 7153210110001
FIRCV07	CV & 50X3 STUB ASSY 80MM PCD 94X6X8.2MM 061651002000
FIRCV08	LOBRO 0617413000000 (99.73X6X8.2MM) PCD = 86MM
FIRCV19	CV JOINT 0617415000000 LOBRO 797 108X6X10
06 165 13 00	PLUNGING CV JOINT 99.73MM O/A (86MM PCD)









Distribution



Manufacture



Repair

propshafts@firowpropshafts.co.uk
+44 (0)1477 535 960